Volume Contents 1999

NUMBER 1

Contents

	v	Contributors to this issue
	vii	Graphical abstracts
		Tetrahedron report number 477
T. Wirth	1	Chiral selenium compounds in organic synthesis
		Articles
P. G. Dopico and M. G. Finn	29	Synthesis and cycloaromatization kinetics of aromatic allene enynes
M. Adamczyk, D. D. Johnson and R. E. Reddy	63	Collagen cross-links: synthesis of pyridinoline, deoxypyridinoline and their analogues
R. K. Haynes, K.-P. Lam, K.-Y. Wu, I. D. Williams and L.-L. Yeung	89	Trimethylsilyl triflate catalysed Diels–Alder reaction of TMS ethers of conjugated dienols with cyclic enones: evidence for an *endo* transition state, and first application to synthesis of enantiopure octalins
L.-K. Sy and G. D. Brown	119	Novel *seco*-cycloartanes from *Kadsura coccinea* and the assisted autoxidation of a tri-substituted alkene
X. Yue, J. Lan, J. Li, Z. Liu and Y. Lin	133	An efficient total synthesis of (±)-sinulariol-B
L. Bohé, M. Lusinchi and X. Lusinchi	141	Oxygen atom transfer from a chiral oxaziridinium salt. Asymmetric epoxidation of unfunctionalized olefins
L. Bohé, M. Lusinchi, X. Lusinchi	155	Oxygen atom transfer from a chiral *N*-alkyl oxaziridine promoted by acid. The asymmetric oxidation of sulfides to sulfoxides
P. Metzger	167	Two terpenoid diepoxides from the green microalga *Botryococcus braunii*: their biomimetic conversion to tetrahydrofurans and tetrahydropyrans
B. P. Gangamani, V. A. Kumar and K. N. Ganesh	177	Chiral analogues of peptide nucleic acids: synthesis of 4-aminoprolyl nucleic acids and DNA complementation studies using UV/CD spectroscopy
S. Cesa, V. Mucciante and L. Rossi	193	Tetraethylammonium hydrogen carbonate in organic synthesis: synthesis of oxazolidine-2,4-diones
P. Dalla Croce, R. Ferraccioli and C. La Rosa	201	Reaction of mesoionic compounds deriving from cyclic *N*-acyl-α-aminoacids with *N*-(phenylmethylene)benzenesulfonamide
A. Bråthe, L.-L. Gundersen, F. Rise, A. B. Eriksen, A. V. Vollsnes and L. Wang	211	Synthesis of 6-alkenyl- and 6-alkynylpurines with cytokinin activity
R. Alguacil, F. Fariña, M. V. Martín and M. C. Paredes	229	Pseudoesters and derivatives. Part 37: 1,3-Dipolar cycloaddition of diazo compounds to 2(5*H*)-furanones substituted at the 5-position by sulfur bearing groups
G. Papageorgiou and J. E. T. Corrie	237	Synthetic and photochemical studies of *N*-arenesulfonyl amino acids
A. Suksamrarn, B. Yingyongnarongkul and S. Charoensuk	255	Regioselective synthesis of 24-*epi*-pterosterone
R. Galeazzi, G. Mobbili and M. Orena	261	From pyrrolidin-2-ones to 3-aza-2-oxobicyclo[3.2.0]heptanes. Synthesis of both enantiomers of *cis*-2-aminomethylcyclobutane carboxylic acid, a conformationally restricted analogue of GABA
L. Vraničar, S. Polanc and M. Kočevar	271	2*H*-Pyran-2-ones as synthons for (*E*)-α,β-didehydroamino acid derivatives
I. G. Jones, W. Jones and M. North	279	The synthesis of conformationally constrained analogues of the ACE inhibitor Idrapril
	291	Corrigendum
	I	Instructions to contributors

NUMBER 2

Contents

	v	Contributors to this issue
	vii	Graphical abstracts
		Tetrahedron report number 478
V. K. Aggarwal, A. Ali and M. P. Coogan	293	The development and use of ketene equivalents in [4+2] cycloadditions for organic synthesis
		Articles
A. J. Pfizenmayer, J. M. Ramanjulu, M. D. Vera, X. Ding, D. Xiao, W.-C. Chen and M. M. Joullié	313	Synthesis and biological activities of [*N*-MeLeu^5]- and [*N*-MePhe^5]-didemnin B
A. Nefzi, J. M. Ostresh and R. A. Houghten	335	Parallel solid phase synthesis of tetrasubstituted diethylenetriamines via selective amide alkylation and exhaustive reduction of *N*-acylated dipeptides
H. G. Bonacorso, M. R. Oliveira, A. P. Wentz, A. D. Wastowski, A. B. de Oliveira, M. Höerner, N. Zanatta and M. A. P. Martins	345	Haloacetylated enol ethers. Part 12: Regiospecific synthesis and structural determination of stable 5-hydroxy-1*H*-pyrazolines
R. P. Subrayan and P. G. Rasmussen	353	High nitrogen chemistry: synthesis and properties of *N,N*-bis(4,5-dicyano-1-methyl-2-imidazolyl)cyanamide and *N,N,N′,N′,N″,N″*-hexakis(4,5-dicyano-1-methyl-2-imidazolyl)melamine
E. Juaristi and G. Cuevas	359	Enthalpic anomeric effect in 2-Y-1,3-dithianes (Y = SC_6H_5, $CO_2CH_2CH_3$, and COC_6H_5). Experimental and theoretical evaluation. Solvent effects
M. W. Read, M. L. Miller and P. S. Ray	373	Synthesis of *N*-[[4-(2-amino-4(3*H*)-oxo-5,6,7,8-tetrahydro-(9*H*)-pyrimido[4,5-*b*]-azepin-6-yl)methyl]benzoyl]-L-glutamic acid and two of its conformationally-restricted analogs
Y. Bessard and J. P. Roduit	393	Selective alkoxycarbonylation of 2,3-dichloropyridines
Y. Bessard and R. Crettaz	405	Carbonylation of 2-chloro-4,6-dimethoxypyrimidine and 2-(chloromethyl)-4,6-dimethoxypyrimidine
M. Keller, C. Lehmann and M. Mutter	413	Stereocontrol during the formation of 2-C mono-arylated pseudo-prolines by aromatic stacking interaction
G. Bringmann, W. Saeb and M. Rübenacker	423	Directed joint total synthesis of the three naphthylisoquinoline alkaloids dioncolactone A, dioncopeltine A, and 5′-*O*-demethyldioncophylline A
V. Bonnarme, C. Bachmann, A. Cousson, M. Mondon and J.-P. Gesson	433	Diels–Alder reaction of 4-bromo-6-spiroepoxycyclohexa-2,4-dienone with electron-rich and neutral dienophiles
N. Boukamcha, R. Gharbi, M.-T. Martin, A. Chiaroni, Z. Mighri and A. Khemiss	449	Stereo- and chemoselectivity in 1,3-dipolar cycloaddition reaction of 2-diazopropane with diarylidenacetones
A. Tuozzi, C. Lo Sterzo, A. Sperandio and G. Bocelli	461	Use of the Stille coupling to label steroids with the ethynylcyclopentadienylmanganesetricarbonyl moiety
N. Coşkun	475	Reactivity of bis(arylcarbamoyl)-*N*-arylphenacylamine oximes. Synthesis of 1,3-dihydroimidazol-2-ones and *N*-unsubstituted *O*-arylcarbamoylhydroxylamines
A. Fazio, B. Gabriele, G. Salerno and S. Destri	485	Synthesis of 3,4-bis[(methoxycarbonyl)methyl]thiophene and bis-, ter- and pentathiophenes with alternating 3,4-bis[(methoxycarbonyl)methyl]-substituted rings
D. A. Konevetz, I. E. Beck, N. G. Beloglazova, I. V. Sulimenkov, V. N. Sil'nikov, M. A. Zenkova, G. V. Shishkin and V. V. Vlassov	503	Artificial ribonucleases: synthesis and RNA cleaving properties of cationic conjugates bearing imidazole residues
S. D. Sarker, P. Whiting, L. Dinan, V. Šik and H. H. Rees	513	Identification and ecdysteroid antagonist activity of three resveratrol trimers (suffruticosols A, B and C) from *Paeonia suffruticosa*
C. Cardellicchio, G. Fracchiolla, F. Naso and P. Tortorella	525	Enantio- or diastereoselective oxidation of (methylthio)methylphosphonates as a route to precursors of chiral sulfoxides

I. Brackenridge, S. G. Davies, D. R. Fenwick, O. Ichihara and M. E. C. Polywka	533	Asymmetric synthesis of *N*-protected *syn* and *anti* (*E*)-3-amino-2-hydroxy-4-hexenoate: a practical method for the C-α epimerization of *anti* β-amino-α-hydroxy acids
C. Hamdouchi, J. de Blas and J. Ezquerra	541	A novel application of the Ullmann coupling reaction for the alkylsulfenylation of 2-amino-imidazo[1,2-*a*]pyridine
G. T. Crisp and Y.-L. Jiang	549	Intramolecular hydrogen bonding studies for a series of dipurinyl-2,6-pyridinedicarboxamides
G. Rothenberg and Y. Sasson	561	Application of pertubation theory to free-radical benzylic and allylic oxidation of unconjugated π-systems
J. M. Seco, E. Quiñoá and R. Riguera	569	9-Anthrylmethoxyacetic acid esterification shifts—correlation with the absolute stereochemistry of secondary alcohols
	I	Instructions to contributors

NUMBER 3

Contents

	v	Contributors to this issue
	vii	Graphical abstracts
		Tetrahedron report number 479
S. E. Gibson, N. Guillo and M. J. Tozer	585	Towards control of χ-space: conformationally constrained analogues of Phe, Tyr, Trp and His
		Articles
G. A. Molander and J. Haas	617	Total synthesis of (±)-davanone
J.-T. Zhang and R. G. Harvey	625	Syntheses of oxidized metabolites implicated as active forms of the highly potent carcinogenic hydrocarbon dibenzo[*def,p*]chrysene
R. Araya-Maturana, B. K. Cassels, T. Delgado-Castro, J. A. Valderrama and B. E. Weiss-López	637	Regioselectivity in the Diels–Alder reaction of 8,8-dimethylnaphthalene-1,4,5(8*H*)-trione with 2,4-hexadien-1-ol
T. Fukuda, R. Irie and T. Katsuki	649	Catalytic and asymmetric [2,3]sigmatropic rearrangement: Co(III)-salen catalyzed *S*-ylide formation from allyl aryl sulfides and their rearrangement
A. Inoue, K. Maeda, H. Shinokubo and K. Oshima	665	Stereoselective transformation of 1-alkenyl ether (R^1CH=CHOMe) into alkene (R^1CH=CHR^2) based on stereospecific elimination of the *vicinal* iodo(methoxy)alkane
T. Yamaguchi, M. Eto, K. Harano, N. Kashige, K. Watanabe and S. Ito	675	New compounds derived from dihydropyrazines having DNA strand-breakage activity
D. Weigelt, R. Krähmer, K. Brüschke, L. Hennig, M. Findeisen, D. Müller and P. Welzel	687	Synthetic studies of moenomycin A disaccharide analogues. Protection of the anomeric centre with long-chain protective groups
N. El-Abadla, M. Lampilas, L. Hennig, M. Findeisen, P. Welzel, D. Müller, A. Markus and J. van Heijenoort	699	Moenomycin A: the role of the methyl group in the moenuronamide unit and a general discussion of structure–activity relationships
K. Gottwald and D. Seebach	723	Ring opening with kinetic resolution of azlactones by Ti-TADDOLates
R. Csuk and G. Thiede	739	Preparation of novel difluorocyclopropane nucleosides
N. A. Al-Masoudi, Y. A. Al-Soud and A. Geyer	751	Synthesis and spectroscopic analysis of acyclic *C*-nucleosides and homo-*C*-analogues from 1-(chloroalkyl)-1-aza-2-azoniaallene salts
K.-S. Ngo and G. D. Brown	759	Allohimachalane, *seco*-allohimachalane and himachalane sesquiterpenes from *Illicium tsangii*
J. Kehler, B. Ebert, O. Dahl and P. Krogsgaard-Larsen	771	Syntheses and GABA receptor binding properties of 4-amino-1-, 2-, and 3-hydroxybutylphosphinic acids
E. M. Beccalli, F. Clerici and M. L. Gelmi	781	5(4*H*)-Oxazolones. Part 13: A new synthesis of 4-ylidene-5(4*H*)-oxazolones by the Stille reaction
A. V. Azhayev	787	A new universal solid support for oligonucleotide synthesis
C. A. M. Afonso, M. T. Barros and C. D. Maycock	801	Stereoselective azide introduction during 1,2-sulfur migration in α-hydroxyalkyldithioacetals

M. J. Aurell, L. R. Domingo, R. Mestres, E. Muñoz and R. J. Zaragozá	815	Conjugate addition of organolithium reagents to α,β-unsaturated carboxylic acids
M. J. Aurell, M. J. Bañuls, R. Mestres and E. Muñoz	831	Addition of organolithium reagents to cinnamic acids
A. Fernández-Mateos, J. J. Pérez Alonso and R. Rubio González	847	Ring opening of cyclopropane in tricyclo[4.3.0.0^{2,9}]nonan-3-one with electrophile–nucleophile reagents
B. I. Kamara, E. V. Brandt and D. Ferreira	861	The first direct transformation of 2,2′-dihydroxychalcones into coumestans
J. P. Hagemann and P. T. Kaye	869	Designer ligands. Part 3: Synthesis of pgm-specific bidentate and tridentate ligands
M. Suárez, E. Ochoa, Y. Verdecia, B. Pita, L. Morán, N. Martín, M. Quinteiro, C. Seoane, J. L. Soto, H. Novoa, N. Blaton and O. M. Peters	875	A joint experimental and theoretical structural study of novel substituted 2,5-dioxo-1,2,3,4,5,6,7,8-octahydroquinolines
	I	Instructions to contributors

NUMBER 4

Contents

	v	Contributors to this issue
	vii	Graphical abstracts
		Tetrahedron report number 480
H. Ihmels and J. R. Scheffer	885	The Norrish type II reaction in the crystalline state: toward a better understanding of the geometric requirements for γ-hydrogen atom abstraction
		Articles
Y.-J. Shi, K. M. Wells, P. J. Pye, W.-B. Choi, H. R. O. Churchill, J. E. Lynch, A. Maliakal, J. W. Sager, K. Rossen, R. P. Volante and P. J. Reider	909	Crystallization-induced asymmetric transformation: stereospecific synthesis of L-768,673
R. B. Grossman	919	Pauson–Khand approach to chiral, diastereomerically pure group 4 *ansa*-metallocene complexes
R. W. Schumacher and B. S. Davidson	935	Synthesis of didemnolines A–D, N9-substituted β-carboline alkaloids from the marine ascidian *Didemnum* sp.
H. Maeda, N. Selvakumar and G. A. Kraus	943	An efficient synthesis of 4-aryl kainic acid analogs
A. B. Attygalle, A. Svatoš, M. Veith, J. J. Farmer, J. Meinwald, S. Smedley, A. González and T. Eisner	955	Biosynthesis of epilachnene, a macrocyclic defensive alkaloid of the Mexican bean beetle
H. Morita, A. Shishido, T. Matsumoto, H. Itokawa and K. Takeya	967	Cyclolinopeptides B–E, new cyclic peptides from *Linum usitatissimum*
K. Iseki, S. Mizuno, Y. Kuroki and Y. Kobayashi	977	Asymmetric allylation with chiral formamide catalysts
T. Murakami and K. Taguchi	989	Stereocontrolled synthesis of novel phytosphingosine-type glucosaminocerebrosides
T. Yamaguchi, N. Harada, K. Ozaki, M. Hayashi, H. Arakawa and T. Hashiyama	1005	Synthesis of taxoids. Part 4: Novel and versatile methods for preparation of new taxoids by employing *cis*- or *trans*-phenyl glycidic acid
T. Miyai, Y. Onishi and A. Baba	1017	Novel reductive Friedel–Crafts alkylation of aromatics catalyzed by indium compounds: chemoselective utilization of carbonyl moieties as alkylating reagents
W. Tochtermann, T. Panitzsch, T. Habeck, C. Wolff, E.-M. Peters, K. Peters and H. G. von Schnering	1027	An approach to the tremulane skeleton: synthesis of (±)-6a-*epi*-tremulenolide B and related hydroazulenes

C. Herdeis and T. Schiffer	1043	Synthesis of nonracemic 2,3,6-trisubstituted piperidine derivatives from sugar lactones via tandem Wittig [2+3] cycloaddition reaction. A novel entry to *Prosopis* and *Cassia* alkaloids
H. Scheytza and H.-U. Reissig	1057	Unexpected decomposition of a monoquarternated 4,4′-bipyridinium dication by disodium dithionite reduction by water
A. Scheurer, P. Mosset, M. Spiegel and R. W. Saalfrank	1063	Reverse asymmetric catalytic epoxidation of unfunctionalized alkenes
A. Buske, S. Busemann, J. Mühlbacher, J. Schmidt, A. Porzel, G. Bringmann and G. Adam	1079	Antidesmone, a novel type isoquinoline alkaloid from *Antidesma membranaceum* (Euphorbiaceae)
V. Cerè, F. Peri, S. Pollicino and A. Ricci	1087	Nucleophilic addition of organometallic reagents to *N,N*-dimethyl- and SAMP-glyoxal-monohydrazones
R. Kumareswaran, P. S. Vankar, M. V. R. Reddy, S. V. Pitre, R. Roy and Y. D. Vankar	1099	Studies in Lewis acid and $LiClO_4$ (or Nafion-H) catalysed ionic Diels–Alder reactions of chiral and achiral olefinic acetals, respectively
A. A. Aly, N. K. Mohamed, A. A. Hassan and A.-F. E. Mourad	1111	Reaction of diimines and benzyne
K. Priya and D. Loganathan	1119	β-Galactosidase catalysed transglycosylation in aqueous organic media using glycosylasparagine mimics as novel acceptors
B. L. Rai, H. Khodr and R. C. Hider	1129	Synthesis, physico-chemical and iron(III)-chelating properties of novel hexadentate 3-hydroxy-2(1*H*)pyridinone ligands
A. Fontana, M. L. Ciavatta, P. Amodeo and G. Cimino	1143	Single solution phase conformation of new antiproliferative cembranes
V. D. Kiselev, E. A. Kashaeva and A. I. Konovalov	1153	Pressure effect on the rate and equilibrium constants of the Diels–Alder reaction 9-chloroanthracene with tetracyanoethylene
M. G. B. Drew, R. J. Harrison, J. Mann, A. J. Tench and R. J. Young	1163	Photoinduced addition of methanol to 5(*S*)-5-triisopropylsiloxymethyl-*N*-Boc-dihydropyrrole-2(5*H*)-one: a new route to 4(*S*), 5(*S*)-disubstituted pyrrolidin-2-ones
A. Santamaría, N. Cabezas and C. Avendaño	1173	Synthesis of tryptophan-dehydrobutyrine diketopiperazines and analogues
D. C. Harrowven, M. C. Lucas and P. D. Howes	1187	A simple and direct method for converting thioamides into thioesters
	I	Instructions to contributors

NUMBER 5

Contents

	v	Contributors to this issue
	vii	Graphical abstracts
		Tetrahedron report number 481
B. Carboni and L. Monnier	1197	Recent developments in the chemistry of amine– and phosphine–boranes
		Articles
H. G. Aurich, M. Soeberdt and K. Harms	1249	Formation of enantiopure β-amino alcohols with a 3-oxa-2,7-diazabicyclo-[3.3.0]octane framework
S. Schabbert and E. Schaumann	1271	One-pot synthesis of silyl-substituted dihydro-2*H*-pyran-2-ols from 3-phenyldimethylsilyl-1-diethylaminopropyne and epoxides
E. Moyroud and P. Strazewski	1277	L-Ribonucleosides from L-xylose
T. N. Mitchell and M. Schütze	1285	1,4-Silyl migration from oxygen to carbon in silyl allyl ethers: kinetic and thermodynamic factors
F. Seela, H. Debelak, H. Reuter, G. Kastner and I. A. Mikhailopulo	1295	Different conformations of 1-deazaadenosine and its 2′-deoxyribonucleoside in the solid state and in solution
G. Maas, B. Manz, T. Mayer and U. Werz	1309	The [1,4]oxazino[4,3-*a*]azepine ring system: construction from morpholino-allenes and a structural study
N. Gauvry and F. Huet	1321	Novel preparation of *cis,cis*-trisubstituted cyclopropane nucleosides

S. Thiebaut, C. Gérardin-Charbonnier et C. Selve	1329	Etude du réarrangement de Beckmann des sels d'OTDP des oximes de cétones aromatiques et applications en synthèse
A. Fedorov, S. Combes and J.-P. Finet	1341	Influence of the steric hindrance of the aryl group of pentavalent triarylbismuth derivatives in ligand coupling reactions
K.-S. Chen and Y.-C. Wu	1353	Sesquiterpenoids from *Neolitsea parvigemma*: isolation, oxidation products and antiplatelet actions
Z. Heil, Z. Finta, T. Grünvald, Z. Böcskei, D. Balán, G. M. Keserű and L. Tőke	1367	Diastereoselectivity in the formation of bicyclic cyclopropane carboxylic acid lactones
G. Petrović and Ž. Čeković	1377	Alkylation of remote non-activated δ-carbon atoms: addition of δ-carbon radicals, generated by 1,5-hydrogen transfer in alkoxy radical intermediates, to activated olefins
E. Bianchini, N. Chinaglia, M. Dean, P. P. Giovannini, A. Medici, P. Pedrini and S. Poli	1391	Regiospecific oxidoreductions catalyzed by a new *Pseudomonas paucimobilis* hydroxysteroid dehydrogenase
A. Avenoza, P. J. Campos, C. Cativiela, J. M. Peregrina, M. A. Rodríguez	1399	Ab initio calculations for *N*-methyl-1-(*N'*-acetylamino)-*t*-2-phenylcyclohexane-*r*-1-carboxamide: a γ-turn mimetic
A. Avdagić, A. Lesac and V. Šunjić	1407	First example of the solvent effect on absolute conformation of chiral 3,3-disubstituted 1,4-benzodiazepin-2-ones
P. Molina, A. Tárraga, D. Curiel, C. Ramírez de Arellano	1417	An efficient preparation of novel ferrocenylimidazole and ferrocenyloxazolinone derivatives from β-ferrocenylvinylheterocumulenes
D. Tanner, L. Hagberg and A. Poulsen	1427	Combining the [2,3] sigmatropic rearrangement and ring-closing metathesis strategies for the synthesis of spirocyclic alkaloids. A short and efficient route to (±)-perhydrohistrionicotoxin
M. J. Donaghy and S. P. Stanforth	1441	Nucleophilic additions to fused benzimidazole *N*-oxides
K. C. Majumdar and P. Biswas	1449	Synthesis of bioactive heterocycles: one pot regioselective synthesis of pyrano[3,2-*f*]benzo[*b*]thiophene derivatives
T.-S. Kam, T.-M. Lim and Y.-M. Choo	1457	Structure and biomimetic, electrochemically-mediated semisynthesis of the novel pentacyclic indole danuphylline
S. Canevari, D. Colombo, F. Compostella, L. Panza, F. Ronchetti, G. Russo and L. Toma	1469	Synthesis, modeling and binding affinity of an ester analogue of the terminal trisaccharide of the tumor-associated antigen globo-H
A. Garofalo, G. Campiani, I. Fiorini and V. Nacci	1479	Polycondensed heterocycles. Part 10: A new method for the preparation of pyrrolo[2,1-*c*][1,4]benzothiazepines by intramolecular Mitsunobu cyclisation
P. Huszthy, E. Samu, B. Vermes, G. Mezey-Vándor, M. Nógrádi, J. S. Bradshaw and R. M. Izatt	1491	Synthesis of novel acridino- and phenazino-18-crown-6 ligands and their optically pure dimethyl-substituted analogues for molecular recognition studies
N. Puri and J. Chattopadhyaya	1505	How kinetically accessible is an RNA target for hybridization with an antisense oligo? A lesson from an RNA target which is as small as a 20mer
	1517	Corrigendum
	I	Instructions to contributors

NUMBER 6

Contents

	v	Contributors to this issue
	vii	Graphical abstracts
		Tetrahedron report number 482
R. S. Atkinson	1519	3-Acetoxyaminoquinazolinones (QNHOAc) as aziridinating agents: ring-opening of *N*-(Q)-substituted aziridines
		Articles
T. Nakano, J. E. Villamizar and M. A. Maillo	1561	Highly efficient synthesis of optically active drimanic sesquiterpenes, (+)-fuegin, (+)-epifutronolide (7β-hydroxyisodrimenin) and (+)-7-ketoisodrimenin

D. Crich and Z. Dai	1569	Direct synthesis of β-mannosides. Synthesis of β-D-xyl-(1→2)-β-D-man-(1→4)-α-D-Glc-OMe: a trisaccharide component of the *Hyriopsis schlegelii* glycosphingolipid. Formation of an orthoester from a xylopyranosyl sulfoxide
G. E. Henry, H. Jacobs, C. M. S. Carrington, S. McLean and W. F. Reynolds	1581	Prenylated benzophenone derivatives from Caribbean *Clusia* species (Guttiferae). Plukenetiones B–G and xerophenone A
I. Churcher, D. Hallett and P. Magnus	1597	Dimerization of *o*-hydroxycyclohexadienones related to calicheamicinone: S_N2 displacement of the 12α-hydroxyl group
A. M. Gilbert, R. Miller and W. D. Wulff	1607	Synthetic studies towards the total synthesis of olivin: synthesis of a fully functionalized alkyne appropriate for the benzannulation reaction
E. C. Taylor, R. P. Chaudhuri and S. E. Watson	1631	Potential silicon-containing antifolates
S. Ya. Knjazhanski, G. Moreno, G. Cadenas, V. K. Belsky and B. M. Bulychev	1639	Preparation of bifluorenes via the synthesis and thermal decomposition of fluorenyltitanium(IV) trichlorides. Molecular and crystal structure of 9,9′-bis(trimethylsilyl)-bi-9,9′-fluorene
M. W. Wilson, S. E. Ault-Justus, J. C. Hodges and J. R. Rubin	1647	A facile rearrangement of *N*-alkyl, *N*-(*o* or *p*-nitrophenylsulfonamide)-α-amino esters
K. Tanaka, M. Kamatani, H. Mori, S. Fujii, K. Ikeda, M. Hisada, Y. Itagaki and S. Katsumura	1657	The inhibitory mechanism of bovine pancreatic phospholipase A_2 by aldehyde terpenoids
S. Iwamatsu, H. Kondo, K. Matsubara and H. Nagashima	1687	Copper-catalyzed facile carbon–carbon bond forming reactions at the α-position of α,α,γ-trichlorinated γ-lactams
K.-Q. Ling, H. Cai, J.-H. Ye and J.-H. Xu	1707	Singlet oxygen reactions of benzannelated isoquinolinones
J. Fässler, A. Linden and S. Bienz	1717	Stereoselective preparation of 2-silylated 1,3-diols and the regioselectivity of their Peterson olefination
G. Bringmann, M. Wenzel, T. R. Kelly, M. R. Boyd, R. J. Gulakowski and R. Kaminsky	1731	Octadehydromichellamine, a structural analog of the anti-HIV michellamines without centrochirality
R. Katoch, S. S. Korde, K. D. Deodhar and G. K. Trivedi	1741	Synthesis of potential pregnenolone and progesterone spin probes for biomembranes and immunoassays
S. Martín-Santamaría, M. Espada and C. Avendaño	1755	(4*S*)-2,4-Dimethyl-2,4-dihydro-3,6-dioxo-(1*H*)-pyrazino[2,1-*b*]quinazolyl tosylate as an electrophilic glycine template
R. Grigg, M. Thornton-Pett and G. Yoganathan	1763	Cycloaddition reactions of aldimines of 1,5-ketoaldehydes. Applications in the synthesis of polycyclic nitrogen heterocycles
B. M. Fraga, P. González, M. G. Hernández and S. Suárez	1781	Formation of 2,3-*seco*-acids in the biotransformation of the diterpene ribenone by *Gibberella fujikuroi*
C. Brosa and C. Rodríguez-Santamarta	1793	A new efficient procedure for the reduction of Δ^7 ergostane derivatives
M. T. Beck, S. Kéki, P. T. Szabó and M. Zsuga	1799	Comparative study of carbonization of hydrocarbons. The 24/26 rule
	I	Instructions to contributors

NUMBER 7

Contents

	v	Contributors to this issue
	vii	Graphical abstracts
		Tetrahedron report number 483
H. M. I. Osborn and T. H. Khan	1807	Recent developments in polymer supported syntheses of oligosaccharides and glycopeptides
		Articles
F. A. Luzzio and R. A. Bobb	1851	Organomercury/aluminum-mediated acylative cleavage of cyclic ethers

G. R. Geier III and T. Sasaki	1859	Catalytic oxidation of alkenes with a surface-bound metalloporphyrin-peptide conjugate
G. R. Geier III, T. P. Lybrand and T. Sasaki	1871	On the absence of stereoselectivity in the catalytic oxidation of alkenes with a surface-bound metalloporphyrin-peptide conjugate
J. C. Torres, S. J. Garden, A. C. Pinto, F. S. Q. da Silva and N. Boechat	1881	A synthesis of 3-fluoroindoles and 3,3-difluoroindolines by reduction of 3,3-difluoro-2-oxindoles using a borane tetrahydrofuran complex
J. Tang, H. Shinokubo and K. Oshima	1893	A new strategy for the preparation of an active Mn(0) and its use for radical cyclization reactions
P. Wolbers and H. M. R. Hoffmann	1905	*trans-C*-Glycosides from 8-oxabicyclo[3.2.1]oct-6-en-3-one—synthesis of the C3–C13 segment of the phorboxazoles A and B
T. Rische and P. Eilbracht	1915	One-pot synthesis of pharmacologically active secondary and tertiary 1-(3,3-diarylpropyl)amines via rhodium-catalysed hydroaminomethylation of 1,1-diarylethenes
S. Riedel, A. Donnerstag, L. Hennig, P. Welzel, J. Richter, K. Hobert, D. Müller and J. van Heijenoort	1921	Synthesis and transglycosylase-inhibiting properties of a disaccharide analogue of moenomycin A lacking substitution at C-4 of unit F
C. Di Giorgio, S. Pairot, C. Schwergold, N. Patino, R. Condom, A. Farese-Di Giorgio and R. Guedj	1937	Liquid-phase synthesis of polyamide nucleic acids (PNA)
Y. Blache, M.-E. Sinibaldi-Troin, M. Hichour, V. Benezech, O. Chavignon, J.-C. Gramain, J.-C. Teulade and J.-P. Chapat	1959	Heterocyclic enaminones: photochemical synthesis of 6,7,8,9-tetrahydro-5*H*-pyrido[2,3-*b*]indol-9-ones
B. Boyer, E. M. Keramane, S. Arpin, J.-L. Montéro and J.-P. Roque	1971	BiX_3 As an efficient and selective reagent for the halogen exchange reaction
E. Ceulemans, L. K. Dyall and W. Dehaen	1977	A novel ring transformation of 5-azidothiazoles
C. Lafitte, M.-P. Jouannetaud, J.-C. Jacquesy and A. Duflos	1989	Rearrangement of vindoline and derivatives in superacidic media
E. M. Beccalli, F. Clerici and M. L. Gelmi	2001	Isothiazoles. Part 9: An efficient synthetic route to 5-substituted-3-amino-4-arylisothiazole 1,1-dioxides and their 4,5-dihydro derivatives
M. D'Auria, T. Ferri, G. Mauriello, A. Pesce and R. Racioppi	2013	The photochemical behaviour of 2-EWG-substituted heterocycles in the presence of alkenes and alkynes
R. Grigg, M. I. Lansdell and M. Thornton-Pett	2025	Silver acetate catalysed cycloadditions of isocyanoacetates
B. Danieli, F. Peri, G. Roda, G. Carrea and S. Riva	2045	On the regioselectivity of the protease subtilisin towards the acylation of enantiomeric pairs of benzyl and naphthyl glycopyranosides. Part 2
E. Bartnicka and A. Zamojski	2061	New syntheses of two epimers of (+)-castanospermine: (+)-8a-*epi*- and (+)-1,8a-di-*epi*-castanospermine
I. Torrini, G. Pagani Zecchini, M. Paglialunga Paradisi, G. Mastropietro, G. Lucente, E. Gavuzzo and F. Mazza	2077	Topographically constrained aromatic α-aza-amino acids. Part 2: New azaTic-containing peptides: synthesis, conformation, and intramolecular NH···N interaction
B. Kesteleyn, T. N. Van and N. De Kimpe	2091	Synthesis of 3-alkyl- and 3-aryl-2-aza-anthraquinones
F. Bellina, D. Ciucci, R. Rossi and P. Vergamini	2103	Synthesis of vinyl nonaflates derived from β-ketoesters, β-diketones or α-diketones and their palladium-catalyzed cross-coupling reactions with organozinc halides
	2113	Corrigendum
	I	Instructions to contributors

NUMBER 8

Contents

	v	Contributors to this issue
	vii	Graphical abstracts
		Tetrahedron report number 484
A. J. Minnaard , J. B. P. A. Wijnberg and A. de Groot	2115	The synthesis of germacrane sesquiterpenes and related compounds
		Articles
T. T. Hai, D. E. Pereira, D. J. Nelson and A. Srnak	2147	Polymerization of diaspirin crosslinked hemoglobin (DCLHb) with PEG activated with benzenesulfonate bearing electron-withdrawing groups
J. B. Rodriguez	2157	Chiral 1,4-dicarbonyl-2,3-*O*-isopropylidene derivatives. Rapid racemization on standing
H. Ihmels, B. O. Patrick, J. R. Scheffer and J. Trotter	2171	11,12-Bis(diethylaminomethyl)-9,10-dihydro-9,10-ethenoanthracene: a probe for the heavy atom effect in solid state photoreactions
Y. Yoshida, Y. Sakakura, N. Aso, S. Okada and Y. Tanabe	2183	Practicland efficientmethods for sulfonylation of alcohols using Ts(Ms)Cl/-Et_3N and catalytic as combined base: promising alternative to traditional pyridine
H. Yuasa, H. Hashimoto, Y. Abe, T. Kajimoto and C.-H. Wong	2193	Studies on the unusual stability of *cis*-2,5-diethoxy-2,5-bis(hydroxymethyl)-1,4-dioxane
S. Amano, N. Ogawa, M. Ohtsuka and N. Chida	2205	Chiral and stereoselective total synthesis of novel immunosuppressant FR65814 from D-glucose
K. Iseki, Y. Kuroki and Y. Kobayashi	2225	Enantioselective aldol reaction with bromofluoroketene silyl acetals
M.-S. Li, L.-Q. Gu, Z.-S. Huang, S.-H. Xiao and L. Ma	2237	Synthesis of 6-substituted-3-hydroxy-4(1*H*)-pyridinones: oxidation–Michael addition of 3-hydroxy-4(1*H*)-pyridinones
L. S. Jiang, W. H. Chan and A. W. M. Lee	2245	Synthesis and Diels–Alder reactions of prop-1-ene-1,3-sultone, and chemical transformations of the Diels–Alder adducts
R. H.-Y. He, C.-X. Zhao, C.-M. Zhou and X.-K. Jiang	2263	EPR Studies of 1-methyl-2-substituted-5-pyrrolylcarbonyl fluorinated nitroxides and dual-parameter correlation analysis of their hyperfine splitting constants
S.-F. Wang, C.-P. Chuang, J.-H. Lee and S.-T. Liu	2273	Sodium *p*-toluenesulfinate/copper(II) acetate in free radical reactions of 5-aryl substituted alkenes
J. Weston and H. Ahlbrecht	2289	Investigations on the structure of 1-dimethylaminoallylalkali compounds
M. Zürcher and H. Pfander	2307	Oxidation of carotenoids. Part 2: Ozonides as products of the oxidation of canthaxanthin
A. R. Hajipour, S. E. Mallakpour and A. Afrousheh	2311	A convenient and mild procedure for the synthesis of alkyl *p*-toluenesulfinates under solvent-free conditions using microwave irradiation
J. A. Vega, J. J. Vaquero, J. Alvarez-Builla, J. Ezquerra and C. Hamdouchi	2317	A new approach to the synthesis of 2-aminoimidazo[1,2-*a*]pyridine derivatives through microwave-assisted *N*-alkylation of 2-halopyridines
P. Cabildo, D. Sanz, R. M. Claramunt, S. A. Bourne, I. Alkorta and J. Elguero	2327	Synthesis and structural studies of some [1$_4$]paracyclo-bis-(1,2)pyrazolium- and (1,3)imidazolium-phanes
A. Armstrong, G. Ahmed, I. Garnett, K. Goacolou and J. S. Wailes	2341	Exocyclic iminium salts as catalysts for alkene epoxidation by Oxone®
S. Braverman, M. Cherkinsky, E. Nov and M. Sprecher	2353	Brominated vinyl ketene thioacetal, ene- and diene acetals; potential four-carbon synthons
J. Bergman, E. Desarbre and E. Koch	2363	Synthesis of indolo[3,2-*a*]pyrrolo[3,4-*c*]carbazole in one step from indole and maleimide
T. Janosik and J. Bergman	2371	Reactions of 2,3′-biindolyl: synthesis of indolo[3,2-*a*]carbazoles
E. S. H. El Ashry, A. A.-H. Abdel-Rahman, Y. El Kilany and R. R. Schmidt	2381	Acyclic analogues of glucosamidine, 1-deoxynojirimycin and *N*-(1,3-dihydroxyprop-2-yl) derivative of valiolamine as potential glucosidase inhibitors
R. Durán-Patrón, R. Hernández-Galán, L. G. Rebordinos, J. M. Cantoral and I. G. Collado	2389	Structure–activity relationships of new phytotoxic metabolites with the botryane skeleton from *Botrytis cinerea*

W. J. Belcher, A. K. Burrell, W. M. Campbell, D. L. Officer, D. C. W. Reid and K. Y. Wild	2401	A convenient synthesis of trimeric porphyrins with systematically variable geometry
E. Ősz, L. Szilágyi, L. Somsák and A. Bényei	2419	Syntheses of novel glycosylidene-spiro-heterocycles related to hydantocidin
F. Babudri, V. Fiandanese, G. Marchese and A. Punzi	2431	A simple procedure for the synthesis of enantiopure α-acetoxy ketones
A. S. Demir, N. Camkerten, Z. Gercek, N. Duygu, O. Reis and E. Arikan	2441	Butenolide annelation using a manganese(III) oxidation. A synthesis of 4-arylfuran-2(5*H*)-ones
	I	Instructions to contributors

NUMBER 9

Contents

	v	Contributors to this issue
	vii	Graphical abstracts
H. Wakita, K. Matsumoto, H. Yoshiwara, Y. Hosono, R. Hayashi, H. Nishiyama and H. Nagase	2449	Synthesis of 5,6,7-trinor-4,8-inter-*m*-phenylene PGI_2 and Beraprost
T. Takeda, Y. Endo, A. C. S. Reddy, R. Sasaki and T. Fujiwara	2475	Transformation of ketones into 1-chloro and 1,1-dichloro-1-alkenes by means of a polychloromethane–titanocene(II) system
A. Kitamura, J. Tanaka, I. I. Ohtani and T. Higa	2487	Echinoclathrines A–C: a new class of pyridine alkaloids from an Okinawan sponge, *Echinoclathria* sp.
M. Tsubuki, K. Kanai, H. Nagase and T. Honda	2493	Stereocontrolled syntheses of novel styryl lactones, (+)-goniodiol, (+)-goniotriol, (+)-8-acetylgoniotriol, (+)-goniofufurone, (+)-9-deoxygoniopypyrone, (+)-goniopypyrone, and (+)-altholactone from common intermediates and cytotoxicity of their congeners
T. Satoh, S. Kobayashi, S. Nakanishi, K. Horiguchi and S. Irisa	2515	Generation of oxiranyllithiums and oxiranyl Grignard reagents having a carbanion-destabilizing group from sulfinyloxiranes: their property and an application to asymmetric synthesis of epoxides and alcohols
J. Ito, Y. Takaya, Y. Oshima and M. Niwa	2529	New oligostilbenes having a benzofuran from *Vitis vinifera* 'Kyohou'
S. Saito, J. Zhang, K. Tanida, S. Takahashi and T. Koizumi	2545	A systematic ^{125}Te NMR study of organotellurium compounds: the effect of oxidation states and substituents
H. Shigemori, C. A. Sakurai, H. Hosoyama, A. Kobayashi, S. Kajiyama and J. Kobayashi	2553	Taxezopidines J, K, and L, new taxoids from *Taxus cuspidata* inhibiting Ca^{2+}-induced depolymerization of microtubules
H. Kakinuma, K. Shimazaki, N. Takahashi, K. Takahashi, S. Nihata, Y. Aoki, K. Hamada, H. Matsushita and Y. Nishi	2559	Comparison of phosphonate transition state analogs for inducing catalytic antibodies and evaluation of key structural factors by an ab initio study
D. A. Sahade, K. Tsukamoto, T. Thiemann, T. Sawada and S. Mataka	2573	Synthesis of 1,2,9,10-tetrahydroxy[2.2]metacyclophanes via pinacol coupling reaction of 1,3-benzenedicarboxyaldehydes
H. Toshima, H. Sato and A. Ichihara	2581	Total synthesis of (2*S*,3*R*,5*S*)-(–)-2,3-dihydroxytetradecan-5-olide, a new biologically active δ-lactone produced by *Seiridium unicorne*
H. Nagano, E. Nakanishi, S. Takajo, M. Sakuma and K. Kudo	2591	Synthesis of 6-(poly)prenyl-substituted polyprenols and their phosphates
C. Mück-Lichtenfeld and H. Ahlbrecht	2609	Carbolithiation of cinnamyl methyl ethers and 2-cinnamyl-2-methyl-1,3-dioxolane: high diastereoselectivity after electrophilic substitution
M. Hiersemann	2625	The ester dienolate [2,3]-Wittig rearrangement. Diastereoselective synthesis of 2,3-dialkenyl-substituted 2-hydroxy-γ-lactones
J. Lehmann and W. Tochtermann	2639	Synthesis and olfactory properties of regioisomeric alkynolides and (*Z*)-alkenolides

S. Lebrun, A. Couture, E. Deniau and P. Grandclaudon	2659	Total syntheses of (±)-cryptopleurine, (±)-antofine and (±)-deoxypergularinine
B. Iorga, F. Eymery and P. Savignac	2671	Controlled monohalogenation of phosphonates: a new route to pure α-monohalogenated diethyl benzylphosphonates
J. J. Vanden Eynde and D. Rutot	2687	Microwave-mediated derivatization of poly(styrene-*co*-allyl alcohol), a key step for the soluble polymer-assisted synthesis of heterocycles
S. Fustero, Mª D. Díaz, A. Asensio, A. Navarro, J. S. Kong and E. Aguilar	2695	Synthesis and *C*-alkylation of *C*-protected β-enamino acid derivatives from oxa-, thia- and imidazolines
N. Robertson, L. Jiang and R. Ramage	2713	Racemisation studies of a novel coupling reagent for solid phase peptide synthesis
G. Manickam and G. Sundararajan	2721	Lithium bis[(1*R*,5*R*)-3-aza-3-benzyl-1,5-diphenylpentan-1,5-diolato]-aluminium—a new heterobimetallic catalyst for Michael addition reactions
S. Caddick, V. M. Delisser, V. E. Doyle, S. Khan, A. G. Avent and S. Vile	2737	Studies toward the synthesis of natural and unnatural dienediynes. Part 1: Approaches to a functionalised bicyclic ring system
M. García-Valverde, J. Nieto, R. Pedrosa and M. Vicente	2755	Diastereoselective aldol condensation with 2-(β-ethoxycarbonyl)oxazolidine derived from norephedrine. A chiral masked synthon of ethyl formylacetate
M. I. Rodríguez-Franco, P. San Lorenzo, A. Martínez and P. Navarro	2763	Selective dopamine receptors: synthesis, complexing properties, and molecular modelling studies of new podands derived from 4-hydroxy-1*H*-pyrazole
M. S. Baird, P. Licence, V. V. Tverezovsky, I. G. Bolesov and W. Clegg	2773	Enantiomerically pure 2,2-dibromocyclopropanecarboxylic acids, simple chiral building blocks
J. Młynarski and A. Banaszek	2785	Synthetic routes to methyl 3-deoxy-aldulosonic acid methyl esters and their 2-deoxy isomers based on the Horner–Emmons and Peterson reaction of sugar lactones
B. Lygo, J. Crosby, T. Lowdon and P. G. Wainwright	2795	Asymmetric approaches to 2-hydroxymethylquinuclidine derivatives
	I	Instructions to contributors

NUMBER 10

Contents

	v	Contributors to this issue
	vii	Graphical abstracts
E. C. Coad, H. Liu and P. G. Rasmussen	2811	Synthesis and characterization of derivatives and dimers of 4,5-dicyanoimidazole
X. Ouyang, N. Tamayo and A. S. Kiselyov	2827	Solid support synthesis of 2-substituted dibenz[*b,f*]oxazepin-11(10*H*)-ones via S_NAr methodology on AMEBA resin
B. M. Nakhie, S. A. Trammell, K. M. Sigel, T. J. Meyer and B. W. Erickson	2835	Synthesis of 3,5-bis(phosphonomethyl)benzoic acid and its application as a metal oxide surface bivalent anchor
D. I. MaGee, J. D. Leach and S. Setiadji	2847	Direct furan formation by treatment of alkynyl ketones with strong potassium bases
S. J. Gardiner, B. D. Smith, P. J. Duggan, M. J. Karpa and G. J. Griffin	2857	Selective fructose transport through supported liquid membranes containing diboronic acid or conjugated monoboronic acid–quaternary ammonium carriers
Z.-J. Yao, Y. Gao, J. H. Voigt, H. Ford Jr. and T. R. Burke Jr.	2865	Synthesis of Fmoc-protected 4-carboxydifluoromethyl-L-phenylalanine: a phosphotyrosyl mimetic of potential use for signal transduction studies
K. A. Oppong, T. Hudlicky, F. Yan, C. York and B. V. Nguyen	2875	Chemoenzymatic enantiodivergent synthesis of 1,2-dideoxy-2-amino-1-fluoro-*allo*-inositol
R. T. Williamson, B. L. Márquez and W. H. Gerwick	2881	Use of $^1H–^{15}N$ PEP-HSQC-TOCSY at natural abundance to facilitate the structure elucidation of naturally occurring peptides
A. Orita, A. Watanabe, H. Tsuchiya and J. Otera	2889	Integrated chemical process. Construction of highly substituted allylic moieties from allylic sulfones in one-pot
A. Orita, K. Sakamoto, Y. Hamada, A. Mitsutome and J. Otera	2899	Mild and practical acylation of alcohols with esters or acetic anhydride under distannoxane catalysis

M. Kirihara, T. Nishio, S. Yokoyama, H. Kakuda and T. Momose	2911	Hypervalent λ^n-iodane-mediated fragmentation of tertiary cyclopropanol systems. Part 2: Application to asymmetric syntheses of piperidine and indolizidine alkaloids
A. Chiba, T. Eguchi, T. Oshima and K. Kakinuma	2927	Synthesis of cyclopropane substrate analog for 3-isopropylmalate dehydrogenase and its mechanism-based inhibition
T. Doerner, R. Gleiter and F. A. Neugebauer	2937	Radical anions of acyclic vicinal oligoketones: an electron spin resonance study
R. Wörl and H. Köster	2941	Synthesis of new liquid phase carriers for use in large scale oligonucleotide synthesis in solution
R. Wörl and H. Köster	2957	The use of liquid phase carriers for large scale oligonucleotide synthesis in solution via phosphoamidite chemistry
G. Kollenz, E. Terpetschnig, H. Sterk, K. Peters and E.-M. Peters	2973	Regio- and stereoselective photocycloadditions of heterocyclic 2,3-diones—evidence for an unexpected 1,2-aroyl migration
M. Morr, A. Waßmann and V. Wray	2985	Cyclic peptide–nucleotide hybrids (cPNH) with phosphoramidate bonds
C. M. Passreiter, G. Williuhn, H. Weber and K.-J. Schleifer	2997	A dimeric thymol derivative from *Arnica sachalinensis*
D. Krumme and H. Tschesche	3007	Synthesis and reduction of endothiodipeptides containing malonic acid derivatives
S. Michaud and J. Viala	3019	A new facile preparation of a bifunctionalized C6 homologating agent from 1,4-cyclohexadiene
P. Bravo, S. Capelli, M. Crucianelli, M. Guidetti, A. L. Markovsky, S. V. Meille, V. A. Soloshonok, A. E. Sorochinsky, F. Viani and M. Zanda	8025	Asymmetric synthesis of α-arylglycinols via additions of lithium methyl *p*-tolyl sulfoxide to *N*-(PMP)arylaldimines followed by 'non-oxidative' Pummerer reaction
C. Alvarez-Ibarra, A. G. Csákÿ, E. Martínez-Santos, M. L. Quiroga and J. L. Tejedor	3041	Diastereoselective synthesis of *syn,syn*- and *syn,anti*-2,4-diamino-3-hydroxyglutaric acid derivatives from ethyl α-acyl alaninates
M. McCarthy and P. J. Guiry	3061	The preparation, resolution and chemistry of 1-(3,6-dimethylpyrazin-2-yl)(2-naphthyl)diphenylphosphine, an axially chiral phosphinamine
A. C. Dros, A. Meetsma and R. M. Kellogg	3071	Synthesis, complexation chemistry and a case of self-recognition of chiral phosphite ligands
F. Palacios, A. M. Ochoa de Retana and J. Oyarzabal	3091	A new and efficient strategy for the preparation of 1,5,2-diazaphosphorines from primary β-enaminophosphonates
F. Palacios, D. Aparicio, A. M. Ochoa de Retana, J. M. de los Santos, J. García and J. Oyarzabal	3105	An easy strategy for the synthesis of 5-phosphorylated pyrimidin-2,4-diones from β-phosphine oxide and phosphonate enamines
M.-L. Bennasar, E. Zulaica, A. Ramírez and J. Bosch	3117	Studies on the synthesis of akuammiline alkaloids. Access to 3,4-*seco*-akuammilan derivatives
K. Afarinkia and F. Mahmood	3129	A novel and concise synthesis of (±) 2-*epi*-validamine
	I	Instructions to contributors

NUMBER 11

Professor Sir Derek H. R. Barton (1918–1998) In Memoriam—I

Contents

	v	Contributors to this issue
	vii	Preface
	ix	Graphical abstracts
		Tetrahedron report number 485
M.-C. Maurel and J.-L. Décout	3141	Origins of life: molecular foundations and new approaches

G. Ourisson and Y. Nakatani	3183	Addendum—Origins of cellular life: molecular foundations and new approaches
		Articles
T. G. Back, B. P. Dyck and S. Nan	3191	Asymmetric electrophilic methoxyselenenylations and cyclizations with 3-camphorseleno derivatives
G. P. Kalena, P. Pradhan and A. Banerji	3209	Stereo- and regioselectivity of intramolecular 1,2-arene–alkene photocycloaddition in 2-alkenyl-4-chromanones
M. Ahmed, A. G. M. Barrett, J. C. Beall, D. C. Braddock, K. Flack, V. C. Gibson, P. A. Procopiou and M. M. Salter	3219	A tripartite asymmetric allylboration—silicon tethered alkene ring closing metathesis—in situ ring opening protocol for the regiospecific generation of functionalized (*E*)-disubstituted homoallylic alcohols
M. T. Barros, C. D. Maycock and M. R. Ventura	3233	The enantioselective total synthesis of epoformin and analogues
A. L. J. Beckwith and D. M. Page	3245	Stereoselective cyclisation of the 2-allyloxytetrahydropyran-3-yl radical and related species: the influence of anomeric effects
A. S. Campos Neves, M. L. Sá e Melo, M. J. S. M. Moreno, E. J. Tavares da Silva, J. A. R. Salvador, S. P. da Costa and R. M. L. M. Martins	3255	Improved syntheses of aromatase inhibitors and neuroactive steroids efficient oxidations and reductions at key positions for bioactivity
D. W. Larden and H. T. A. Cheung	3265	Synthesis of α-aminoacyl derivatives of melphalan for use in antibody directed enzyme pro-drug therapy
D. L. J. Clive, Y. Bo, N. Selvakumar, R. McDonald and B. D. Santarsiero	3277	Synthesis and X-ray crystal structure of (–)-calicheamicinone
F. Chen, B. Mudryk and T. Cohen	3291	Tandem reductive lithiations—carbanionic cyclizations yielding sulfur stabilized cyclopropyl- and cyclobutylcarbinyllithiums
E. J. Corey, W.-D. Z. Li, T. Nagamitsu and G. Fenteany	3305	The structural requirements for inhibition of proteasome function by the lactacystin-derived β-lactone and synthetic analogs
S.-Y. Choi, D. Crich, J. H. Horner, X. Huang, M. Newcomb and P. O. Whitted	3317	β-(Phosphatoxy)alkyl and β-(acyloxy)alkyl radical migrations studied by laser flash photolysis
D. P. Curran and A. E. Gabarda	3327	Formation of cyclopropanes by homolytic substitution reactions of 3-iodopropyl radicals: preparative and rate studies
S. G. Davies, H. J. Sanganee and P. Szolcsanyi	3337	The 'SuperQuat' (*R*)-4-phenyl-5,5-dimethyl oxazolidin-2-one as an effective chiral auxiliary for conjugate additions: asymmetric synthesis of (–)-aplysillamide B
R. W. Draper, B. Hu, A. T. McPhail, M. S. Puar, E. J. Vater and L. Weber	3355	Unusual hydroxy-γ-sultone byproducts of steroid 21-methanesulfonylation. An efficient synthesis of mometasone 17-furoate (Sch 32088)
M. Versteeg, B. C. B. Bezuidenhoudt and D. Ferreira	3365	Stereoselective synthesis of isoflavonoids. (*R*)- and (*S*)-isoflavans
S. Combes and J.-P. Finet	3377	On the exclusion of radical species in the ligand coupling reactions with pentavalent triarylbismuth derivatives
L. Ghosez, E. Jnoff, P. Bayard, F. Sainte and R. Beaudegnies	3387	A highly efficient multicomponent synthesis of pyridones and pyrimidones by a [2+2+2] strategy
I. Texier, J. Ouazzani, J. Delaire and C. Giannotti	3401	Study of the mechanisms of the photodegradation of atrazine in the presence of two photocatalysts: TiO_2 and $Na_4W_{10}O_{32}$
S. A. Glover, G. Mo and A. Rauk	3413	HERON Rearrangement of *N,N'*-diacyl-*N,N'*-dialkoxyhydrazines—a theoretical and experimental study
S. Hanessian and B. Reddy	3427	Total synthesis of tricyclic β-lactams
S. Rasku, K. Wähälä, J. Koskimies and T. Hase	3445	Synthesis of isoflavonoid deuterium labeled polyphenolic phytoestrogens
T. Kamikawa and T. Hayashi	3455	Enantioposition-selective arylation of biaryl ditriflates by palladium-catalyzed asymmetric Grignard cross-coupling
C. W. Holzapfel, L. Marais and F. Toerien	3467	Palladium-catalysed cyclisation of chiral carbohydrate-derived geminal diacetates
D. O. Jang, S. H. Song and D. H. Cho	3479	Conversion of esters and lactones to ethers via thionoesters and thionolactones using reductive radical desulfurization
A. R. Katritzky, G. Qiu, B. Yang and P. J. Steel	3489	Enantioselective synthesis of ethyl 6-substituted-2,3,3a,4,5,6-hexahydro-1*H*-indolo[3,2,1-*de*][1,5]naphthyridine-2-carboxylates from tryptophan
	I	Contributors to this issue

NUMBER 12

Professor Sir Derek H. R. Barton (1918–1998) In Memoriam—II

Contents

	v	Contributors to this issue
	vii	Graphical abstracts
B. Daoust and J. Lessard	3495	Photolysis of olefinic *N*-chloropyrrolidinones, *N*-chlorosuccinimides and *N*-chlorooxazolidinones: reactivity of cyclic carboxamidyl, imidyl and carbamyl radicals in intramolecular reactions
S. V. Ley, L. R. Cox, B. Middleton and J. M. Worrall	3515	1,7-Induction of chirality in Mukaiyama aldol reactions using π-allyltricarbonyliron lactone and lactam complexes as chiral templates
G. Lin, S. Han and Z. Li	3531	Enzymatic synthesis of (*R*)-cyanohydrins by three (*R*)-oxynitrilase sources in micro-aqueous organic medium
L. M. Ferreira, A. M. Lobo, S. Prabhakar and A. C. Teixeira	3541	Reactions of 2-acylthiazolium salts with *N*-arylhydroxylamines
P. Magnus and L. Shen	3553	Stereoselective synthesis of the 'cyathin' diterpene skeleton via an intramolecular pyrylium ylide–alkene cyclization
S. F. Martin, C. Limberakis, L. E. Burgess and M. Hartmann	3561	Strategies for ansamycin antibiotics. Asymmetric synthesis of the C(3)–C(21) subunit of herbimycin A
P. Girard, N. Guillot, W. B. Motherwell, R. S. Hay-Motherwell and P. Potier	3573	The reaction of thionitrites with Barton esters: a convenient free radical chain reaction for decarboxylative nitrosation
K. K. Olmstead and A. Nickon	3585	H_{ax} versus H_{eq} migrations in tetrahydropyranylidenes generated by Bamford–Stevens reactions. Temperature dependence and non-stereoselective activation by ring oxygen
S. Poulain, N. Noiret, L. Fauconnot, C. Nugier-Chauvin and H. Patin	3595	Studies related to in vivo C–H activation: synthesis and influence of 8,8- and 11,11-dimethyl oleic and 11,11-dimethyl linoleic acids on Δ12-desaturation of *C. sorokiniana*
M. Kitamura, H. Oka and R. Noyori	3605	Asymmetric addition of dialkylzincs to benzaldehyde derivatives catalyzed by chiral β-amino alcohols. Evidence for the monomeric alkylzinc aminoalkoxide as catalyst
J. R. Kalman, J. Morgan, J. T. Pinhey and S. Sternhell	3615	Electrophilic metal–alkyl bond cleavage in tetraorganosilicon and tetraorganotin compounds by lead tetracarboxylates and aryllead tricarboxylates
H. O'Dowd, P. Ploypradith, S. Xie, T. A. Shapiro and G. H. Posner	3625	Antimalarial artemisinin analogs. Synthesis via chemoselective C–C bond formation and preliminary biological evaluation
A. D. Clark, W. K. Janowski and R. H. Prager	3637	Unusual rearrangements of 2-aroylimidoyl-2-phenylethylidene to 2,5-disubstituted oxazoles
P. A. Procopiou, S. M. Lynn and A. D. Roberts	3649	Novel secosteroids arising from acid catalysed rearrangement of fluocinonide acetonide in the presence of Tf_2O and TMSOTf
S. Dayan, Y. Bareket and S. Rozen	3657	An efficient α-hydroxylation of carbonyls using the $HOF{\cdot}CH_3CN$ complex
G. D. Gamalevich, B. N. Morozov, A. L. Vlasyuk and E. P. Serebryakov	3665	Lipase-mediated '*meso*-tricks' to transform latently symmetrical D-aldoses into L-aldoses via alditols
T. Shinada, N. Sekiya, N. Bojkova and K. Yoshihara	3675	Stereoselective synthesis of 9-*trans*-9-desmethyl-9-fluororetinals based on the four-components coupling approach
A. Sakai, T. Aoyama and T. Shioiri	3687	A new preparation of methylenecyclopropanes utilizing trimethylsilyldiazomethane
J. K. Fairweather, R. V. Stick, D. M. G. Tilbrook and H. Driguez	3695	The role of hydrolases in a synthesis of some epoxyalkyl β-*C*-cellobiosides
L. Alcaraz, G. Macdonald, J. Ragot, N. J. Lewis and R. J. K. Taylor	3707	Synthetic approaches to the manumycin A, B and C antibiotics: the first total synthesis of (+)-manumycin A
H. Majgier-Baranowska and J. F. Templeton	3717	Synthesis of steroid 5α and 5β 4-ketones from the 4-en-3-one: 1,2-carbonyl transposition

E.-M. Moffatt and E. J. Thomas	3723	1,9-Stereocontrol from 1,7-induction using an allylstannane followed by an Ireland–Claisen rearrangement
O. Yamazaki, H. Togo, S. Matsubayashi and M. Yokoyama	3735	Tetraaryldisilanes as a novel strategic radical reagent
F.-T. Ferse, K. Floeder, L. Hennig, M. Findeisen, P. Welzel, D. Müller and J. van Heijenoort	3749	Acceptor site recognition of transglycosylase inhibitors: a β-D-gluco-pyranosyl-(1→2)-α-D-glucopyranuronamide-derived moenomycin analogue
H. M. Muchall, N. H. Werstiuk, J. L. Pitters and M. S. Workentin	3767	A He(I) ultraviolet photoelectron spectroscopic and computational study of the electronic structure of phenyl and pyridinyl diazoketones and diazoesters
Y. Matsukawa, N. Asao, H. Kitahara and Y. Yamamoto	3779	Lewis acid catalyzed allylstannylation of unactivated alkynes
J. E. Forbes, R. N. Saicic and S. Z. Zard	3791	New radical reactions of *S*-alkoxycarbonyl xanthates. Total synthesis of (±)-cinnamolide and (±)-methylenolactocin
	I	Instructions to contributors

NUMBER 13

Contents

	v	Contributors to this issue
	vii	Graphical abstracts
		Tetrahedron report number 486
H.-J. Liu, K.-S. Shia, X. Shang and B.-Y. Zhu	3803	Organocerium compounds in synthesis
		Articles
M. Kanai, Y. Nakagawa and K. Tomioka	3831	An asymmetric conjugate addition reaction of lithium organocopper reagent controlled by a chiral amidophosphine
M. Kanai, Y. Nakagawa and K. Tomioka	3843	Catalytic enantioselective conjugate addition of Grignard reagents to cyclic α,β-unsaturated carbonyl compounds
S. Amano, N. Takemura, M. Ohtsuka, S. Ogawa and N. Chida	3855	Total synthesis of paniculide A from D-glucose
S. Tomoda and T. Senju	3871	Origin of π-facial stereoselectivity of nucleophilic addition to carbonyl compounds. Application of the exterior frontier orbital extension model to cyclohexanones with polar substituent
T. Ishi-i, R. Iguchi and S. Shinkai	3883	D/L Selective re-binding of saccharide-imprinted [60]fullerene-bisadducts based on a saccharide–boronic acid interaction: development of a molecular imprinting technique useful in a homogeneous system
Z. Shan, Y. Xiong and D. Zhao	3893	Resolution of racemic 1,1′-bi-2-naphthol using (*S*)-proline via a cyclic borate ester
G. Schüler, C. Wasternack and W. Boland	3897	Synthesis of 6-azido-1-oxo-indan-4-oyl isoleucine; a photoaffinity approach to plant signaling
S. Gaini-Rahimi, C. Steeneck, I. Meyer, L. Fitjer, F. Pauer and M. Noltemeyer	3905	Towards acyclic 1,1-linked polycyclobutanes as potential precursors of polyspiranes with a helical primary structure: synthesis of tercyclobutanes and attempted synthesis of quinquecyclobutanes
T. Rische and P. Eilbracht	3917	One-pot synthesis of 1,4-diamines from allyl halides and amines via a rhodium-catalysed multistep reaction sequence under hydroformylation conditions
A. Kraft and A. Reichert	3923	Branched non-covalent complexes from carboxylic acids and a tris(tetrahydropyrimidine) base
H.-J. Gutke and D. Spitzner	3931	Resin-bound anionically induced Domino reactions; synthesis of functionalized carbocyclic compounds
M. Picquet, C. Bruneau and P. H. Dixneuf	3937	Michael additions of carbonucleophiles to butenone catalyzed by the nonhydride $[Ru(O_2CH)(CO)_2(PPh_3)]_2$ complex
I. Beltaïef, R. Besbes, F. Ben Amor, H. Amri, M. Villiéras and J. Villiéras	3949	(*Z*)-Dimethyl α-(bromomethyl)fumarate, an efficient intermediate for the selective synthesis of dimethyl 3-alkyl itaconates and 2-alkyl 3-carbomethoxy-γ-lactams

M. Virgili, A. Moyano, M. A. Pericàs and A. Riera	3959	Chiral (*E,E*)-1,4-dialkoxy-1,3-butadienes. Part 2: Conformational studies and Diels–Alder reactions with symmetric dienophiles
B. P. Medaer and G. J. Hoornaert	3987	Synthesis of new 1*H*-imidazoles via reactions of 3(,5)-(di)chloro-2*H*-1,4-(benz)oxazin-2-ones with α-aminoketones
H. E. Gottlieb, C. Ben-Ari, A. Hassner and V. Marks	4003	Side-chain rotational processes in pentaethylated benzenes
G. Sabitha, R. Srividya and J. S. Yadav	4015	Ring opening of cyclic anhydrides: synthesis of achiral half-esters using Lewis acids
R. Suau, F. Nájera and R. Rico	4019	Hydroxymethylation of protoberberine alkaloids by photoinduced SET. The total synthesis of (±)-solidaline
R. Galeazzi, G. Mobbili and M. Orena	4029	Thermodynamic versus kinetic control in the stereoselective intramolecular conjugate addition of amide enolates leading to chiral *trans*-3,4-disubstituted pyrrolidin-2-ones
F. F. Huerta, C. Gómez and M. Yus	4043	Naphthalene-catalysed lithiation of 2-(chlorophenyl)-1,3-dioxolanes: generation of formyl- and acetyl-phenyllithium equivalents
D. R. Beukes and M. T. Davies-Coleman	4051	Novel polypropionates from the South African marine mollusc *Siphonaria capensis*
V. Nair, M. V. Nandakumar, G. Anilkumar and G. K. Eigendorf	4057	Cycloaddition reactions of 2-oxo-2*H*-cyclohepta[*b*]furan derivatives with dienes and dienophiles
C. Venkatachalapathy, M. Rajarajan, H. S. Banu and K. Pitchumani	4071	Clay-supported tetrabutylammonium periodate as a versatile oxidant for alcohols and sulfides
Mª L. Mussons, C. Raposo, Mª F. de la Torre, J. R. Morán and Mª C. Caballero	4077	Dibenz[*c,h*]acridine receptors for dibutylmalonic acid. Decarboxylative catalytic activity
K. Vishnumurthy, T. N. Guru Row and K. Venkatesan	4095	Studies in crystal engineering: steering ability of fluorine in 4-styrylcoumarins
F. Aldabbagh and W. R. Bowman	4109	Radical cyclisation onto imidazoles and benzimidazoles
A. Pal, A. Bhattacharjee, A. Bhattacharjya and A. Patra	4123	Synthesis of chiral pyranocyclohexane, oxepanocyclohexane, and furylpyran and -oxepane systems by the application of intramolecular nitrone and nitrile oxide cycloaddition of carbohydrate derivatives
K. Abbaspour Tehrani, D. Borremans and N. De Kimpe	4133	Synthesis of 2-acyl-3-chloropyrroles: application to the synthesis of the trail pheromone of the ant *Atta texana*
B. Kesteleyn, E. R. Alonso, C. Stevens, Y. Dejaegher, M. Peristeropoulou, T. N. Van, O. Kulinkovich and N. De Kimpe	4153	A new synthesis of alkyl 1-alkyl-2-methylpyrrole-3-carboxylates by ring transformation of 2-chloro-2-acetimidoylbutyrolactones
P. Allevi, A. Longo and M. Anastasia	4167	Synthesis of two analogues of brassinolide, possible plant growth promoting steroids
	I	Instructions to contributors

NUMBER 14

Contents

	v	Contributors to this issue
	vii	Graphical abstracts
		Tetrahedron report number 487
R. K. Dieter	4177	Reaction of acyl chlorides with organometallic reagents: a banquet table of metals for ketone synthesis
		Articles
A. Zheng, W. Wang, H. Zhang and B. Wang	4237	Two new improved approaches to the synthesis of coumarin-based prodrugs
S. Hirotani and E. Kaji	4255	A facile synthesis of spiroisoxazolines: intramolecular cyclization of 3-aryl-2-nitroacrylates promoted by titanium tetrachloride
Y. H. Kang and K. Kim	4271	Removal of benzotriazole moiety from 2-[2-aryl-2-(benzotriazol-1-yl)ethyl]-tetrahydro-2*H*-pyrans and 2-[2-aryl-2-(benzotriazol-1-yl)ethyl]-5-(methyl)-tetrahydrofurans using lithium naphthalene radical anion

N. Watanabe, H. Suganuma, H. Kobayashi, H. Mutoh, Y. Katao and M. Matsumoto	4287	Synthesis of 3-alkoxy-3-aryl-4,4-diisopropyl-1,2-dioxetanes and their base-induced chemiluminescence
M. Grøtli, B. Beijer and B. Sproat	4299	2′-*O*-(Carbamoylmethyl)oligoribonucleotides
A. M. Misske and H. M. R. Hoffmann	4315	Asymmetric synthesis of seven-carbon segments of the phorboxazoles and (–)-discodermolide: complementary route from racemic *trans*-2,4-dimethyl-8-oxabicyclo[3.2.1]oct-6-en-3-one
T. Nishikawa, N. Ohyabu, N. Yamamoto and M. Isobe	4325	New synthetic route of guanidine from trichloroacetamide for tetrodotoxin and its related compounds
B. Joseph, D. Alagille, C. Rousseau and J.-Y. Mérour	4341	Synthesis of benzo[5,6]cyclohepta[*b*]indol-6-one derivatives
B. Crousse, M. Mladenova, P. Ducept, M. Alami and G. Linstrumelle	4353	Stereoselective approaches to (*E*,*E*,*E*) and (*Z*,*E*,*E*)-α-chloro-ω-substituted hexatrienes: synthesis of all *E* polyenes
S. Divekar, M. Safi, M. Soufiaoui and D. Sinou	4369	Palladium-catalyzed synthesis of allylic thioacetates. A convenient access to allylic thiols
M. Avalos, R. Babiano, P. Cintas, J. L. Jiménez, J. C. Palacios, G. Silvero and C. Valencia	4377	Non-biaryl atropisomers derived from carbohydrates. Part 1: Stereoselective synthesis of 1-aryl-5-hydroxyimidazolidine-2-thiones and their transformation into imidazoline-2-thiones
M. Avalos, R. Babiano, P. Cintas, F. J. Higes, J. L. Jiménez, J. C. Palacios, G. Silvero and C. Valencia	4401	Non-biaryl atropisomers derived from carbohydrates. Part 2: Atropisomeric behavior of monocyclic and bicyclic imidazolidine-2-ones and 2-thiones
M. Mazzega, F. Fabris, S. Cossu, O. De Lucchi, V. Lucchini and G. Valle	4427	Synthesis, atropoisomerism and chemistry of the dimers of *R*-(–)-carvone, *R*-(–)-hydrocarvone, 1*R*, 5*R*-(+)-pinocarvone and other monoterpenic ketones
F. Alonso, G. Radivoy and M. Yus	4441	Dehalogenation of organic halides using the $NiCl_2 \cdot 2H_2O$-Li-DTBB (cat.) combination
L. Ollero, L. Castedo and D. Domínguez	4445	Enantiospecific synthesis of (+)-ribasine
G. M. Keserű, G, T. Balogh, S. Bokotey, G. Árvai and B. Bertók	4457	Metalloporphyrin catalysed biomimetic oxidation of aryl benzyl ethers. Implications for lignin peroxidase catalysis
C. Cavallotti, F. Orsini, G. Sello, P. Di Gennaro, E. Galli and G. Bestetti	4467	1,2-Dihydro-1,2-dihydroxynaphthalene dehydrogenase containing recombinant strains: preparation, isolation and characterisation of 1,2-dihydroxynaphthalenes and 1,2-naphthoquinones
G. J. Meuzelaar, L. Maat and R. A. Sheldon	4481	Synthesis of benzyl substituted tetrahydropyridines and 1,2,3,4-tetrahydroisoquinolines via acid catalyzed cyclization of γ,δ-unsaturated *N*-formyl-*N*-styryl amines
B. G. Davis, T. W. Brandstetter, L. Hackett, B. G. Winchester, R. J. Nash, A. A. Watson, R. C. Griffiths, C. Smith and G. W. J. Fleet	4489	Tetrazoles of manno- and rhamno-pyranoses: contrasting inhibition of mannosidases by [4.3.0] but of rhamnosidase by [3.3.0] bicyclic tetrazoles
B. G. Davis, R. J. Nash, A. A. Watson, C. Smith and G. W. J. Fleet	4501	Tetrazoles of manno- and rhamno- furanoses
	I	Instructions to contributors

NUMBER 15

Contents

	v	Contributors to this issue
	vii	Graphical abstracts
		Tetrahedron report number 488
J. H. Rigby	4521	Chromium(0)-promoted higher-order cycloaddition reactions in organic synthesis
		Articles
R. W. Murray, M. Singh and N. P. Rath	4539	The reaction of cyclooctatetraene with dimethyldioxirane

I. P. Smoliakova, M. Han, J. Gong, R. Caple and W. A. Smit	4559	Reaction of vinyl ethers with ArSCl adducts of D-glucal
A. Mori, A. Fujita, H. Kajiro, Y. Nishihara and T. Hiyama	4573	Conjugate reduction of α,β-unsaturated ketones with hydrosilane mediated by copper(I) salt
H. Ishiyama, T. Takemura, M. Tsuda and J. Kobayashi	4583	Synthesis of C-1–C-13 segment of amphidinolide B
Y. Nakamura, S. Takeuchi, Y. Ohgo, M. Yamaoka, A. Yoshida and K. Mikami	4595	Enantioselective protonation of samarium enolates derived from α-hetero-substituted ketones and lactone by SmI_2-mediated reduction
M. Inoue and T. Kitahara	4621	Synthesis of both the enantiomers of methyl tuberonate, natural methyl β-D-glucopyranosyloxyjasmonate and its epimer
Y. S. Lee, J. Y. Lee, D. W. Kim and H. Park	4631	Asymmetric synthesis of furo[3,2-*i*]indolizines from L-malic acid
K. Funabiki, E. Murata, Y. Fukushima, M. Matsui and K. Shibata	4637	Montmorillonite K 10 (clay) catalyzed hydrolysis of aryl-substituted α,β-difluoro-allyl alcohols leading to (*Z*)-α-fluoro-β-aryl-substituted acrylaldehydes
T. K. M. Shing, H. Y. Lo and T. C. W. Mak	4643	Diels–Alder reaction of *R*-(–)-carvone with isoprene
W. Lu, G. Zheng and J. Cai	4649	Syntheses of two enantiomers of eicos-(4*E*)-en-1-yn-3-ol, a bioactive component of the marine sponge *Cribrochalina vasculum*
A. Toró, C.-A. Lemelin, P. Préville, G. Bélanger and P. Deslongchamps	4655	Transannular Diels–Alder studies on the asymmetric synthesis of (+)-maritimol
A. Nouvet, M. Binard, F. Lamaty, J. Martinez and R. Lazaro	4685	Synthesis of perhydrodiazepinones as new putative peptidomimetics
S. Papot, C. Bachmann, D. Combaud and J.-P. Gesson	4699	Study of biscarbamates derived from 2-aminobenzylamines as models for alcohol prodrugs
H. Scheytza, H.-U. Reissig and O. Rademacher	4709	Novel furan-, thiophene- and benzo[*b*]thiophene bridged macrocycles of 4,4'-bipyridine
C. L. Kranemann, B. E. Kitsos-Rzychon and P. Eilbracht	4721	Hydroformylation of 1,4-diolefins in the presence of primary amines leading to heterocyclic compounds
M. Davies and M. Bradley	4733	Internal resin capture—a self purification method for the synthesis of C-terminally modified peptides
A. Trifonova, A. Földesi, Z. Dinya and J. Chattopadhyaya	4747	Diastereospecific chemical synthesis of ribonucleosides-3',4',5',5''-d_4
S. Chandrasekhar, S. Mohapatra and J. S. Yadav	4763	Practical synthesis of Abbott amino-diol: a core unit of the potent renin inhibitor Zankiren
M. Gruttadauria, P. Lo Meo and R. Noto	4769	Regiochemical control in the synthesis of tetrahydrofurans by acid-catalyzed cyclization of hydroxy selenides and hydroxy sulfides
I. P. Lokot, F. S. Pashkovsky and F. A. Lakhvich	4783	A new approach to the synthesis of 3,6- and 5,6-dialkyl derivatives of 4-hydroxy-2-pyrone. Synthesis of *rac*-germicidin
G. Babu and P. T. Perumal	4793	A novel synthesis of indolyl and benzo[*b*]thienyl imines and Diels–Alder reactions promoted by indium trichloride
D. StC. Black, D. C. Craig, N. Kumar and R. Rezaie	4803	Preparation of activated benzofurans and their reactions with aldehydes
B. Elżbieta and P. Sławomir	4815	Reaction of dimethyl 2-methyl- and dimethyl 2-phenyl-4-oxo-4*H*-chromen-3-yl-phosphonate with amines
A. García Martínez, A. Herrera Fernández, R. Martínez Álvarez, M. D. Molero Vilchez, M. L. Laorden Gutiérrez and L. R. Subramanian	4825	An easy one-step synthesis of 4-alkoxypyrimidines from aliphatic esters and nitriles
J. Ortiz, A. Guijarro and M. Yus	4831	α-Aminated methyllithium by DTBB-catalysed lithiation of a *N*-(chloromethyl) carbamate
L. Grehn and U. Ragnarsson	4843	1-*tert*-Butoxycarbonyl-1-tosyl-hydrazine as reagent for the synthesis of substituted hydrazines with a secondary alkyl group
	4853	Corrigenda
	I	Instructions to contributors

NUMBER 16

Contents

	v	Contributors to this issue
	vii	Graphical abstracts
		Tetrahedron report number 489
I. W. James	4855	Linkers for solid phase organic synthesis
		Articles
S. Hara, T. Hoshio, M. Kameoka, M. Sawaguchi, T. Fukuhara and N. Yoneda	4947	Regio- and stereoselective fluorinative ring-opening reaction of epoxy-alcohols by $(i\text{-PrO})_2TiF_2$–Et_4NF–nHF. Synthesis of optically active 3-fluoro-1,2-diols
M. Shindo, K. Koga, Y. Asano and K. Tomioka	4955	A one-flask synthesis of dihydronaphthalenemethanols by directed addition of organolithium reagents to BHA naphthalenecarboxylates
M. Kotora, M. Ishikawa, F.-Y. Tsai and T. Takahashi	4969	Halogen-dependent coupling reaction of alkynes with (*Z*)-3-halopropenoates catalyzed by nickel
Y. Kita, Y. Yoshida, S. Kitagaki, S. Mihara, D.-F. Fang, A. Furukawa, K. Higuchi and H. Fujioka	4979	Regio- and stereoselective rearrangement reactions of various α,β-epoxy acylates: suitable combination of acyl groups and Lewis acids
M. Ohba, Y. Nishimura, M. Kato and T. Fujii	4999	Synthetic studies on the starfish alkaloid imbricatine. A chiral synthesis of tri-*O*-methylimbricatine
T. Nishio and H. Sekiguchi	5017	Thionation of ω-hydroxy amides with Lawesson's reagent: synthesis of thioenamides and sulfur-containing heterocycles
T. Fujii, H. Kusanagi, O. Takahashi, E. Horn and N. Furukawa	5027	Photochemical studies on the through-space S···S interaction of 2-phenylnaphtho[1,8-*de*][1,3]dithiin 1-oxide, 5-phenyl[1]benzothieno[4,3,2-*def*][1,3]benzodithiepin 4-oxide, and 2-phenyldibenzo[*d,f*][1,3]dithiepin 1-oxide
G. R. Pabst, O. C. Pfüller and J. Sauer	5047	The new and simple 'LEGO' system: synthesis and reactions of thienyl-substituted 4-tributylstannyl-2,6-oligopyridines
G. R. Pabst and J. Sauer	5067	The new and simple 'LEGO' system: its application to the synthesis of 4-stannyl-, 4-bromo- and branched oligopyridines
R. Beugelmans, G. Roussi, E. González Zamora and A.-C. Carbonnelle	5089	Synthetic studies towards western and eastern macropolypeptide subunits of kistamycin
J.-L. Renaud, C. Aubert and M. Malacria	5113	Cobalt-mediated cycloisomerization of δ-substituted ε-acetylenic β-keto-esters. Construction of angular triquinane by a sequence ene/Pauson–Khand reactions
K. Nacro, M. Baltas, C. Zedde, L. Gorrichon and J. Jaud	5129	Lactonisation and lactone ether formation of nerol geraniol compounds. Use of ^{13}C to identify the cyclisation process
J. Guillard and T. Besson	5139	Synthesis of novel dioxinobenzothiazole derivatives
J. Cossy and D. Belotti	5145	Synthetic studies towards ML-3000. A concise synthesis of this non-steroidal anti-inflammatory drug
A. Zamri, F. Sirockin and M. A. Abdallah	5157	A stereocontrolled synthesis of a new class of 3,4,5,6-tetrahydropyrimidine-based chiral amino acids
A. Boudi, P. Lemoine, B. Viossat, A. Tomas, J. Fiet and H. Galons	5171	A convenient synthesis of 18-hydroxycorticosterone and 18-hydroxy-11-desoxycorticosterone via stereospecific hypoiodination of 20-hydroxysteroids
D. Kalita, A. T. Khan, N. C. Barua and G. Bez	5177	Total synthesis of *R*-(+)-patulolide A and *R*-(–)-patulolide B: the macrolides isolated from *Penicillium urticae* mutant
J. S. Yadav and P. K. Sasmal	5185	Diels–Alder approach towards the stereocontrolled construction of a Taxol® C ring fragment
C. González, E. Guitián and L. Castedo	5195	Synthesis of phenanthridones, quinolinequinones and 7-azasteroids
K. Ver Heyen, E. Cielen, A. Tahri, A. Saleh, N. Boens and G. J. Hoornaert	5207	Synthesis and characterisation of new fluorescent Na^+ and K^+ indicators
J. Leis, K. D. Klika, K. Pihlaja and M. Karelson	5227	Dynamic processes in *N*-acylated 1,2-dihydro-2,2,4-trimethylbenzo(*h*)quino-line: a comparative study by NMR spectroscopy and quantum chemistry

B. Brand, C. B. Reese, Q. Song and C. Visintin 5239 Convenient syntheses of 9-[4-hydroxy-3-(hydroxymethyl)butyl]guanine (penciclovir) and 9-[4-acetoxy-3-(acetoxymethyl)butyl]-2-amino-9*H*-purine (famciclovir)

G. Kovács, K. Tóth, Z. Dinya, L. Somsák and K. Micskei 5253 Preparation of acylated pyranoid glycals in neutral aqueous medium by using chromium(II) complexes as reagents

I Instructions to contributors

NUMBER 17

Contents

v Contributors to this issue

vii Graphical abstracts

Tetrahedron report number 490

G. A. Breault, C. A. Hunter and P. C. Mayers 5265 Supramolecular topology

Articles

M. Takahashi, H. Konishi, S. Iida, K. Nakamura, S. Yamamura and S. Nishiyama 5295 Phenolic oxidation of *o,o'*-dihalogenated phenols

S. Tomoda and T. Senju 5303 Origin of π-facial stereoselection in nucleophilic additions of adamantanones. A new interpretation based on the exterior frontier orbital extension model

A. Kittaka, H. Kato, H. Tanaka, Y. Nonaka, M. Amano, K. T. Nakamura and T. Miyasaka 5319 Face selective 6,1'-(1-oxo)ethano bridge formation of uracil nucleosides under hypoiodite reaction conditions

G. B. Shul'pin, G. Süss-Fink and J. R. Lindsay Smith 5345 Oxidations by the system 'hydrogen peroxide–manganese(IV) complex–acetic acid'. Part 2: Hydroperoxidation and hydroxylation of alkanes in acetonitrile

J. Lehmann, A. Linden and H. Heimgartner 5359 Site-selective incorporation of thioamide-linkages into a growing peptide

J. Christoffers, A. Mann and J. Pickardt 5377 Synthesis of chiral tridentate oxazolines with thioether and heteroaryl donor groups and their application in the catalysis of asymmetric Michael reactions

V. G. Chapoulaud, I. Salliot, N. Plé, A. Turck and G. Quéguiner 5389 Functionalization by metalation of the benzene moiety of benzodiazines. Determination of structures by long-range ^{1}H–^{15}N correlation at natural abundance. Diazines. Part 25

C. Fromont and S. Masson 5405 Reactivity of *N*-phenyl silylated ketenimines with electrophilic reagents

P. de Tullio, R. Ouedraogo, L. Dupont, F. Somers, S. Boverie, J.-M. Dogné, J. Delarge and B. Pirotte 5419 Synthesis and structural studies of 3-alkylamino-pyrido[4,3-*e*]-1,2,4-thiadiazine 1,1-dioxides: a new class of heterocyclic compounds with therapeutical promises

R. Billi, B. Cosimelli, D. Spinelli and M. Rambaldi 5433 Ring–ring interconversions. Part 2: Effect of the substituent on the rearrangement of 6-aryl-3-methyl-5-nitrosoimidazo[2,1-*b*][1,3]thiazoles into 8-aryl-8-hydroxy-5-methyl-8*H*-[1,4]thiazino[3,4-*c*][1,2,4]oxadiazol-3-ones. A novel class of potential antitumor agents

Á. Abrán, A. Csámpai, Zs. Böcskei and P. Sohár 5441 Study on ferrocenes. Part 6: 1,3-Dipolar cycloadditions of heterocyclic hydrazones of formylferrocene

J. S. Yadav, S. Sarkar and S. Chandrasekhar 5449 A convergent total synthesis of mappicine ketone: a leading antiviral compound

T. M. Krygowski, B. Stępień, R. Anulewicz-Ostrowska and T. Dziembowska 5457 π-Electron delocalisation in the spacer of the O-H...N bridge in Schiff bases. Crystal and molecular structure of 3,5-dimethoxy-2 [(phenylimino) methyl] phenol and 4-methoxy-2-[(phenylimino) methyl] phenol

M. Sprecher, R. Breslow, R. Philosof-Oppenheimer and E. Chavet 5465 Steroid phosphate esters

A. M. Montaña, F. García and P. M. Grima 5483 Synthesis of the C17–C23 subunit of lonomycin from C1-functionalized 8-oxabicyclo[3.2.1]oct-6-en-3-one. New synthetic methodology to prepare polyfunctionalized heptane building blocks with four stereocenters

S. Caccamese, A. Notti, S. Pappalardo, M. F. Parisi and G. Principato 5505 Inherently chiral α-picolyloxy-*p*-*tert*-butylcalix[5]arene crown ethers: syn-thesis, structure proof, and enantioselective HPLC resolution

B.-L. Poh and C. S. Yue	5515	A cyclic tetramer that exists solely in the 1,3-alternate conformation in water
H. Stępowska and A. Zamojski	5519	Elongation of the pentose chain at the terminal carbon atom with Grignard C_1 reagents. A study of the homologation reaction
A. H. Daranas, J. J. Fernández, J. A. Gavín and M. Norte	5539	New alkaloids from a marine zoanthid
I. Yavari, M. R. Islami and H. R. Bijanzadeh	5547	A facile synthesis of diastereoisomeric 1,4-diionic organophosphorus compounds
A. Rudi, T. Yosief, M. Schleyer and Y. Kashman	5555	Several new isoprenoids from two marine sponges of the family Axinellidae
F. Bertha, J. Fetter, M. Kajtár-Peredy and K. Lempert	5567	Simple and condensed β-lactams. Part 33: $AlCl_3$ catalyzed ring closures of some 3-aryloxy-4-oxoazetidine-2-carboxylic chlorides to 1*H*-chromeno[3,2-*b*]azete-2,8(2a*H*,8a*H*)-diones and some reactions of the products
J. Bergman and T. Brimert	5581	Synthesis and reactions of some dinitrodiazoquinones
I. Sánchez and M. D. Pujol	5593	A convenient synthesis of pyrrolo[2,1-*c*][1,4]benzoxazines
M. M. Cid, D. Domínguez, L. Castedo and E. M. Vázquez-López	5599	Synthesis of phenethylenamides and their radical cyclization to 3-benzazepines
T.-P. Loh and X.-R. Li	5611	A simple and practical synthesis of α-trifluoromethylated alcohols in water
P. Conti, C. Dallanoce, M. De Amici, C. De Micheli and R. Fruttero	5623	Synthesis of new bicyclic analogues of glutamic acid
U. Legorburu, C. B. Reese and Q. Song	5635	Conversion of uridine into 2′-*O*-(2-methoxyethyl)-uridine and 2′-*O*-(2-methoxyethyl)cytidine
	I	Instructions to contributors

NUMBER 18

Contents

	v	Contributors to this issue
	vii	Graphical abstracts
		Tetrahedron report number 491
M. Toyota and M. Ihara	5641	Total synthesis of aphidicolane and stemodane diterpenes
		Articles
D. P. Curran, S. Geib and N. DeMello	5681	Rotational features of carbon–nitrogen bonds in *N*-aryl maleimides. Atroposelective reactions of *o*-*tert*-butylphenylmaleimides
Z. Guo, M. C. Samano, J. W. Krzykawski, S. F. Wnuk, G. J. Ewing and M. J. Robins	5705	Biomimetic modeling of the abstraction of H3′ by ribonucleotide reductases. 1,5-Hydrogen atom transfer of H3 to aminyl and oxyl, but not thiyl, free radicals in homoribofuranose derivatives
C. Pichon-Santander and A. I. Scott	5719	Synthesis of novel 19-(alkyloxycarbonylamino)bilanes
Y. Sun, C. S. Cutler, A. E. Martell and M. J. Welch	5733	New multidentate ligands containing mercaptobenzyl functional groups, and biodistribution of gallium-67-TACN-HSB
J. B.-H. Tok, J. Cho and R. R. Rando	5741	Aminoglycoside hybrids as potent RNA antagonists
P. H. Seeberger, M. H. Caruthers, D. Bankaitis-Davis and G. Beaton	5759	Synthesis of phosphorodithioate DNA by the *H*-phosphonothioate method
C. L. Perrin, M. A. Fabian and I. A. Rivero	5773	Basicities of cycloalkylamines: Baeyer strain theory revisited
M. Ueda, M. Asano, Y. Sawai and S. Yamamura	5781	Leaf-movement factors of nyctinastic plant, *Phyllanthus urinaria* L.; the universal mechanism for the regulation of nyctinastic leaf-movement
H. Toshima, K. Maru, M. Saito and A. Ichihara	5793	Total syntheses of cepaciamides A and B, novel fungitoxic 3-amino-2-piperidinone-containing lipids produced by *Pseudomonas cepacia* D-202
J.-M. Coustard	5809	1-Amino-2-nitroethene derivatives in triflic acid: NMR study and triflates formation from their hydroxynitrilium ions
K. Chamontin, V. Lokshin, V. Rossollin, A. Samat and R. Guglielmetti	5821	Synthesis and reactivity of formyl-substituted photochromic 3,3-diphenyl-[3*H*]-naphtho[2,1-*b*]pyrans

V. Banuls and J.-M. Escudier	5831	Allylsilanes in the preparation of 5′-*C*-hydroxy or bromo alkylthymidines
F. Ghelfi, F. Bellesia, L. Forti, G. Ghirardini, R. Grandi, E. Libertini, M. C. Montemaggi, U. M. Pagnoni, A. Pinetti, L. De Buyck and A. F. Parsons	5839	The influence of benzylic protection and allylic substituents on the CuCl–TMEDA catalyzed rearrangement of *N*-allyl-*N*-benzyl-2,2-dihaloamides to γ-lactams. Application to the stereoselective synthesis of pilolactam
P. Crotti, V. Di Bussolo, L. Favero, F. Macchia, M. Pineschi and E. Napolitano	5853	Regio- and stereoselectivity in the cyclization of enolates derived from 4,5-, 5,6-, and 6,7-epoxy-1-phenyl-1-alkanones. Competition between *C*- and *O*-alkylation
I. Alexandropoulou, T. A. Crabb, A. V. Patel and J. Hudec	5867	Acid-promoted reactions of butan-2,3-dione
K. I. Booker-Milburn, J. K. Cowell, F. Delgado Jiménez, A. Sharpe and A. J. White	5875	Stereoselective intermolecular [2+2] photocycloaddition reactions of tetrahydrophthalic anhydride and derivatives with alkenols and alkynols
K. I. Booker-Milburn, F. Delgado Jiménez and A. Sharpe	5889	Sequential ring-opening/cyclisation reactions of bicyclo[4.2.0]oct-7-enes for the synthesis of cyclooctadiene fused lactones: model studies towards the total synthesis of pachylactone
M. D. Nikalje and A. Sudalai	5903	Catalytic selective oxidation of alkyl arenes to aryl *tert.* butyl peroxides with TBHP over Ru-exchanged montmorillonite K10
B. Rezessy, Z. Zubovics, J. Kovács and G. Tóth	5909	Synthesis and structure elucidation of new thiazolotriazepines
A. Barco, S. Benetti, C. De Risi, P. Marchetti, G. P. Pollini and V. Zanirato	5923	From (–)-quinic acid to 8-azabicyclo[3.2.1]octane framework: preparation of an enantiopure tropan-6α-ol
S. J. Byard and J. M. Herbert	5931	Preparation and NMR spectroscopic studies of the glucuronides of irbesartan
A. Fontana, M. L. Ciavatta, T. Miyamoto, A. Spinella and G. Cimino	5937	Biosynthesis of drimane terpenoids in dorid molluscs: pivotal role of 7-deacetoxyolepupuane in two species of *Dendrodoris* nudibranchs
F. Palacios, A. M. Ochoa de Retana and J. Oyarzabal	5947	A simple synthesis of 3-phosphonyl-4-aminoquinolines from β-enaminophosphonates
	I	Instructions to contributors

NUMBER 19

Contents

	v	Contributors to this issue
	vii	Graphical abstracts
V. Subramaniam and T. L. Lowary	5965	Synthesis of oligosaccharide fragments of mannosylated lipoarabinomannan from *Mycobacterium tuberculosis*
G. Schlingmann, L. Milne, D. B. Borders and G. T. Carter	5977	Strevertenes, antifungal pentaene macrolides produced by *Streptoverticillcum* LL-30F848
H. C. Brown, J. V. B. Kanth and M. Zaidlewicz	5991	Molecular addition compounds. Part 14: Convenient preparations of representative dialkylborane reagents using the new, highly reactive *N*-ethyl-*N*-isopropylaniline-borane reagent (BACH-Et™)
D. Zhao, F. Xu, C. Chen, R. D. Tillyer, E. J. J. Grabowski, P. J. Reider, C. Black, N. Ouimet and P. Prasit	6001	Efficient syntheses of 2-(3′,5′-difluorophenyl)-3-(4′-methylsulfonylphenyl)-cyclopent-2-enone, a potent COX-2 inhibitor
M. Martínez Garcia, M. I. Chávez Uribe, E. Bautista Palacios, F. Lara Ochoa, A. Toscano, J. A. Cogordan, S. Rios and R. Cruz-Almanza	6019	Host–guest complexation of 1,8,15,22-tetraphenyl[14] metacyclophan-4,11,18,25-tetramethyl-3,5,10,12,17,19,24,26-octol with C_{60}
B. Linton and A. D. Hamilton	6027	Calorimetric investigation of guanidinium–carboxylate interactions
J. A. Valderrama, M. F. González and C. Valderrama	6039	Studies on quinones. Part 32: Regioselective synthesis of benz[*b*]phenantridines related to phenantroviridone

T. Jikyo, M. Eto and K. Harano	6051	Pericyclic reactions of cyclopentadienones with nonactivated olefins in phenolic solvents. Enhancement of the reactivity and periselectivity
T. J. Chow and L.-P. Li	6067	Transannular interaction in bifunctional olefins and ketones: a semiempirical electron density analysis
H. Ishibashi, M. Maeki, J. Yagi, M. Ohba and T. Kanai	6075	A modification of the asymmetric dihydroxylation approach to the synthesis of (*S*)-2-arylpropanoic acids
M. Oda, T. Kajioka, T. Uchiyama, K. Nagara, T. Okujima, S. Ito, N. Morita, T. Sato, R. Miyatake and S. Kuroda	6081	1,1-Ethylene-1*H*-azulenium ion and its alkyl substituted derivatives: synthesis, characterization, and some reactions thereof
N. Kurono, K. Sugita, S. Takasugi and M. Tokuda	6097	One-step cross-coupling reaction of functionalized alkyl iodides with aryl halides by the use of an electrochemical method
S.-F. Wang, C.-P. Chuang and W.-H. Lee	6109	Free radical reaction of ω-allylsulfonylalkyl substituted aromatic derivatives
N. El-Hachach, M. Fischbach, R. Gerke and L. Fitjer	6119	A rearrangement approach to (±)-cerapicol
D. Enders, H. Sun and F. R. Leusink	6129	Diastereo- and enantioselective synthesis of 4- and 3,4-substituted 2-acetoxybutyrolactones
F. Trigalo, M.-T. Martin, A. Blond, J.-P. Brouard, H. Rafatro, D. Ramanitrahasimbola and F. Frappier	6139	New indolines derivatives from strychnobrasiline, modulators of chloroquine resistance in *Plasmodium falciparum*
B. Boyer, A. Hambardzoumian, J.-P. Roque and N. Beylerian	6147	Inverse phase transfer catalysis. Part 3: Optimization of the epoxidation reaction of α,β-unsaturated ketones by hydrogen peroxide
J. Cossy, M. Cases and D. Gomez Pardo	6153	Approaches to a synthesis of α-kainic acid
F. Fabis, S. Jolivet-Fouchet and S. Rault	6167	Efficient synthesis of N^1- or N^3-substituted thieno[2,3-*d*]imidazol-2-ones
B. Gigante, C. Santos, T. Fonseca, M. J. M. Curto, H. Luftmann, K. Bergander and M. N. Berberan-Santos	6175	Diels–Alder adducts of C-60 and resin acid derivatives: synthesis, electrochemical and fluorescence properties
C. S. Penkett and I. D. Simpson	6183	Photosolvolysis reactions of 3-alkoxypyridinium tetrafluoroborate salts
M. K. Cyrański and T. M. Krygowski	6205	Two sources of the decrease of aromaticity: bond length alternation and bond elongation. Part 1: An analysis based on benzene ring deformations
M. Curini, F. Epifano, M. C. Marcotullio, O. Rosati and M. Rossi	6211	A new method for the one-step conversion of oximes into *gem*-halo-nitro derivatives
P. Roussel, M. Bradley, P. Kane, C. Bailey, R. Arnold and A. Cross	6219	Inhibition of the tissue factor/factor VIIa complex—lead optimisation using combinatorial chemistry
G. Cardillo, L. Gentilucci, A. Tolomelli and C. Tomasini	6231	Asymmetric 1,4 addition of Grignard reagents to chiral α,β-unsaturated esters in the presence of Lewis acids
J. Tholander and J. Bergman	6243	Syntheses of 6-substituted indolo[3,2-*b*]carbazoles, including 6-formylindolo-[3,2-*b*]carbazole, an extremely efficient ligand for the TCDD (Ah) receptor
	I	Instructions to Contributors

NUMBER 20

Contents

Tetrahedron Symposia-in-Print number 72

Recent advances of phase-transfer catalysis

Guest Editor: Takayuki Shioiri

Faculty of Pharmaceutical Sciences, Nagoya City University, Nagoya 467-8603, Japan

	v	Contributors to this issue
	vii	Announcement: Tetrahedron Symposia-in-Print
	xiii	Preface
	xv	Graphical abstracts
C. M. Starks	6261	Interfacial area generation in two-phase systems and its effect on kinetics of phase transfer catalyzed reactions
M.-L. Wang and C.-Y. Yang	6275	Reaction mechanism of phase-transfer catalysis initiated by hydroxide ion: effect of alkalinity
B. Lygo and P. G. Wainwright	6289	Phase-transfer catalysed asymmetric epoxidation of enones using *N*-anthracenylmethyl-substituted cinchona alkaloids
G. Rothenberg, G. Barak and Y. Sasson	6301	Unusual phase transfer mechanism of the ruthenium-catalyzed oxidation of alcohols with hydrogen peroxide
A. Kameyama, N. Kijima, H. Hashikawa and T. Nishikubo	6311	One-pot synthesis of poly(cyclic *ortho* ester)s by the reaction of potassium perfluoroalkanoates with epibromohydrin using two-step catalysis of quaternary onium salts
S. S. Yufit and S. S. Zinovyev	6319	A comparative kinetic study of nucleophilic substitution under PTC conditions in liquid–liquid and solid–liquid systems
M. Fedoryński	6329	Phase transfer catalyzed reactions of chloroform with electrophilic alkenes. Effect of solvent on reaction course
E. V. Dehmlow, S. Wagner and A. Müller	6335	Enantioselective PTC: varying the cinchona alkaloid motive
M. J. O'Donnell, F. Delgado and R. S. Pottorf	6347	Enantioselective solid-phase synthesis of α-amino acid derivatives
F. Sirovski, C. Reichardt, M. Gorokhova, S. Ruban and E. Stoikova	6363	Solid/liquid phase-transfer catalysis. Some models and solvent influence
S. Arai, Y. Shirai, T. Ishida and T. Shioiri	6375	Phase-transfer-catalyzed asymmetric Darzens reaction
D. Albanese, D. Landini, M. Penso and S. Petricci	6387	Synthesis of *N*-sulfonyl aziridines through regioselective opening of epoxides under solid–liquid PTC conditions
M. Mąkosza and I. Kryłowa	6395	Remarks on the mechanism of phase-transfer catalyzed carbanion generation in two-phase systems
	I	Instructions to contributors

NUMBER 21

Contents

	v	Contributors to this issue
	vii	Graphical abstracts
		Tetrahedron report number 492
H. W. Yang and D. Romo	6403	Methods for the synthesis of optically active β-lactones (2-oxetanones)
		Articles
P. Magnus, N. Westwood, M. Spyvee, C. Frost, P. Linnane, F. Tavares and V. Lynch	6435	Taxane diterpenes. Part 5: Synthesis of the A- and C-rings: an unusual rearrangement of an *N*-hydroxyimino lactone
T. Kohara, Y. Hashimoto and K. Saigo	6453	Design, synthesis and optical resolution of a novel non-natural chiral aux-iliary, 1-(2,5-dimethoxyphenyl)ethylamine. Application to diastereoselective alkylation of aldimines
H. Senboku, Y. Kajizuka, H. Hasegawa, H. Fujita, H. Suginome, K. Orito and M. Tokuda	6465	Tandem cyclization of *N*-allylaminyl radicals: stereoselective synthesis of 1,2,5-trisubstituted pyrrolizidines
A. Lieberknecht, H. Griesser, B. Krämer, R. D. Bravo, P. A. Colinas and R. J. Grigera	6475	Diastereoselective synthesis of β-(3,4,6-tri-*O*-benzyl-2-deoxy-β-D-galacto-pyranosyl)-*N*-*tert*-butoxycarbonyl-D-alanine
J. Cossy and A. Bouzide	6483	Manganese(III) acetate and copper(II) acetate promoted oxidation of β-enaminoamides and β-enaminoesters
V. Dalla and J. P. Catteau	6497	Chemocontrolled reduction of α-keto esters by hydrides: a possible solution for selective reduction of the ester function
D. Prim and G. Kirsch	6511	Convenient amination of weakly activated thiophenes, furans and selenophenes in aqueous media
B. Allart, R. Busson, J. Rozenski, A. Van Aerschot and P. Herdewijn	6527	Synthesis of protected D-altritol nucleosides as building blocks for oligonucleotide synthesis
G. P. Black, P. J. Murphy, A. J. Thornhill, N. D. A. Walshe and C. Zanetti	6547	Synthesis of the left hand unit of batzelladine F; revision of the reported relative stereochemistry
A. Alberola, A. González Ortega, M. L. Sádaba and C. Sañudo	6555	Versatility of Weinreb amides in the Knorr pyrrole synthesis
G. Appendino, E. Belloro, S. Jakupovic, B. Danieli, J. Jakupovic and E. Bombardelli	6567	Synthesis of paclitaxel (docetaxel)/2-deacetoxytaxinine J dimers
S. Cenini, G. Cravotto, G. B. Giovenzana, G. Palmisano and S. Tollari	6577	Polyoxygenated coumarins. Oxonium ylides en route to polyoxa-macrocyclic coumarins
B. Das, B. Venkataiah and A. Kashinatham	6585	Chemical and biochemical modifications of parthenin
M. Catellani and F. Cugini	6595	A catalytic process based on sequential *ortho*-alkylation and vinylation of *ortho*-alkylaryl iodides via palladacycles
J. Milecki, E. Zamaratski, T. V. Maltseva, A. Földesi, R. W. Adamiak and J. Chattopadhyaya	6603	The first example of sequence-specific non-uniformly $^{13}C_5$ labelled RNA: synthesis of the 29mer HIV-1 TAR RNA with ^{13}C relaxation window
D. R. Englebretsen and G. T. Robillard	6623	An N-terminal method for peptide solubilisation
A. M. Costa, M. Faja and J. Vilarrasa	6635	Acyclic nucleoside analogues from thymine-substituted thymidines and related compounds
D. Ranganathan, V. Haridas and I. L. Karle	6643	Diamond crowns: design, synthesis and X-ray crystallographic studies of a novel family of adamantane-containing crown ethers
A. E. Sollewijn Gelpke, J. J. N. Veerman, M. Schreuder Goedheijt, P. C. J. Kamer, P. W. N. M. van Leeuwen and H. Hiemstra	6657	Synthesis and use of water-soluble sulfonated dibenzofuran-based phos-phine ligands

A. Srinivasan, S. K. Pushpan, M. Ravikumar, T. K. Chandrashekar and R. Roy	6671	Novel heteroatom containing rubyrins
M. M. Rajković, Lj. B. Lorenc, I. O. Juranić, Ž. J. Vitnik and M. Lj. Mihailović	6681	Acid-catalyzed rearrangement of some steroidal isoxazolidines
P. L. Majumder, S. Sen and S. Banerjee	6691	Agrostophyllol and isoagrostophyllol, two novel diastereomeric 9,10-dihydrophenanthropyran derivatives from the orchid *Agrostophyllum callosum*
D. Sirbu, M. L. Falck-Pedersen, C. Rømming and K. Undheim	6703	Palladium mediated substitutions and rearrangements in spiro[4,4]nonanes
	I	Instructions to contributors

NUMBER 22

Contents

	v	Contributors to this issue
	vii	Graphical abstracts
R. G. Khoury, L. Jaquinod, R. Paolesse and K. M. Smith	6713	New chemistry of oxophlorins (oxyporphyrins) and their π-radicals
J. A. R. Rodrigues, A. P. Oliveira Filho, P. J. S. Moran and R. Custódio	6733	Regioselectivity of the nitration of phenol by acetyl nitrate adsorbed on silica gel
T. L. Arrowood and S. R. Kass	6739	Synthesis and thermolysis of 3-substituted 3-trimethylsilylcyclopropenes
M. M. Ponpipom and W. K. Hagmann	6749	Chiral synthesis of *C*-carboxyalkyl dipeptide inhibitors of stromelysin-1 (MMP-3)
D. A. Berges, J. Fan, S. Devinck, N. Liu and N. K. Dalley	6759	Bicyclic azasugars containing a glycosidic heteroatom: D-xylose analogues
T. Balasubramanian and J. S. Lindsey	6771	Synthesis of β-substituted porphyrin building blocks and conversion to diphenylethyne-linked porphyrin dimers
J. J. Parlow, B. L. Case and M. S. South	6785	High-throughput purification of solution-phase periodinane mediated oxida-tion reactions utilizing a novel thiosulfate resin
P. M. Breczinski, A. Stumpf, H. Hope, M. E. Krafft, J. A. Casalnuovo and N. E. Schore	6797	Stereoselectivity in the intramolecular Pauson–Khand reaction: towards a simple predictive model
L. A. Carpino and A. El-Faham	6813	The diisopropylcarbodiimide/1-hydroxy-7-azabenzotriazole system: segment coupling and stepwise peptide assembly
N. Watanabe, H. Kobayashi, M. Azami and M. Matsumoto	6831	Synthesis of 3,3-diisopropyl-4-methoxy-4-(siloxy-2-naphthyl)-1,2-dioxetanes and their F^--induced chemiluminescent decomposition
H. Takayama, T. Shimizu, H. Sada, Y. Harada, M. Kitajima and N. Aimi	6841	Stereochemical studies on the *Uncaria* alkaloid, 3-oxo-7-hydroxy-3,7-secorhynchophylline: the absolute configuration of 3-hydroxyoxindole derivatives
T. Kawasaki and T. Kimachi	6847	Sparteine-mediated enantioselective [2,3]-Wittig rearrangement of allyl *ortho*-substituted benzyl ethers and *ortho*-substituted benzyl prenyl ethers
S.-K. Kang, T.-G. Baik and Y. Hur	6863	Palladium(0)-catalyzed coupling of allenyl *N*-tosylcarbamates with hyper-valent iodonium salts
Y. Itou, K. Ishida, H. J. Shin and M. Murakami	6871	Oscillapeptins A to F, serine protease inhibitors from the three strains of *Oscillatoria agardhii*
U. Bösche and U. Nubbemeyer	6883	Synthesis of optically active *N*-allyl amino compounds with defined trisubstituted double bonds
D. Hörstermann, H.-G. Schmalz and G. Kociok-Köhn	6905	Synthesis of an analog of the cytotoxic marine diterpene helioporin C exploiting arene–$Cr(CO)_3$ chemistry
V. Collot, P. Dallemagne, P. R. Bovy and S. Rault	6917	Suzuki-type cross-coupling reaction of 3-iodoindazoles with aryl boronic acids: a general and flexible route to 3-arylindazoles
V. Dalla and P. Cotelle	6923	The total synthesis of salvianolic acid F

A. Malanda Kimbonguila, A. Merzouk, F. Guibé and A. Loffet	6931	Allylic protection of thiols and cysteine. Part 1: The allyloxycarbonylaminomethyl group
P. Gomez-Martinez, A. Malanda Kimbonguila and F. Guibé	6945	Allylic protection of thiols and cysteine. Part 2: The *N*-[2,3,5,6-tetrafluoro-4-(*N*'-piperidino)-phenyl], *N*-allyloxycarbonylaminomethyl (Fnam) group
E. Rossi, G. Abbiati and E. Pini	6961	Substituted 1-benzyl-4-(benzylidenimino)-4-phenylazetidin-2-ones: synthesis, thermal and photochemical reactions
D. Basavaiah, R. Suguna Hyma, K. Padmaja and M. Krishnamacharyulu	6971	The Baylis–Hillman reaction: an expedient synthesis of (*Z*)-keto allyl bromides and chlorides
B. R. Dent, R. H. Furneaux, G. J. Gainsford and G. P. Lynch	6977	Synthesis studies of structural analogues of tagetitoxin: 4-*O*-acetyl-3-amino-1,6-anhydro-3-deoxy-D-gulose 2-phosphate
F. J. Moreno-Dorado, F. M. Guerra, F. J. Aladro, J. M. Bustamante, Z. D. Jorge and G. M. Massanet	6997	An easy route to 11-hydroxy-eudesmanolides. Synthesis of (±) decipienin A
C. Chowdhury and N. G. Kundu	7011	Studies on copper(I) catalysed cross-coupling reactions: a convenient and facile method for the synthesis of diversely substituted α,β-acetylenic ketones
C. Gómez, S. Ruiz and M. Yus	7017	Polymer supported arene-catalysed lithiation reactions
P. Caramella, D. Reami, M. Falzoni and P. Quadrelli	7027	Cycloaddition of nitrile oxides to cyclic and acyclic α,β-unsaturated amides. Frontier orbital interactions and an unexpected steric drift determine regiochemistry
F. Cafieri, E. Fattorusso O. Taglialatela-Scafati and A. Ianaro	7045	Metabolites from the sponge *Plakortis simplex*. Determination of absolute stereochemistry of plakortin. Isolation and stereostructure of three plakortin related compounds
A. Mazón, C. Pedregal and W. Prowse	7057	Enantioselective synthesis of 2-(3'-alkyl-2'-carboxy cyclopropyl)glycines
	I	Instructions to contributors

NUMBER 23

Contents

	v	Contributors to this issue
	vii	Graphical abstracts
		Tetrahedron report number 493
S. Rajappa	7065	Nitroenamines: an update
		Articles
J.-T. Liu, W.-W. Lin, J.-J. Jang, J.-Y. Liu, M.-C. Yan, C. Hung, K.-H. Kao, Y. Wang and C.-F. Yao	7115	One-pot synthesis of five- or six-membered carbocycles through intra-molecular cycloadditions by the use of ethyl chloroformate
S. Marumoto, H. Kogen and S. Naruto	7129	Asymmetric total synthesis of epolactaene. Part 1: Construction of epoxy-γ-lactam moiety and deduction of absolute stereochemistry
S. Marumoto, H. Kogen and S. Naruto	7145	Asymmetric total synthesis of epolactaene. Part 2: Introduction of the side chain and synthesis of (+)-epolactaene and its enantiomer
W. Lu, G. Zheng, D. Gao and J. Cai	7157	Syntheses of two diastereoisomers of panaxytriol, a potent antitumor agent isolated from *Panax ginseng*
R. W. Hoffmann and D. Stenkamp	7169	Conformation preferences in 2,4,6-trisubstituted heptanes
L. Bärfacker, T. Rische and P. Eilbracht	7177	One-pot synthesis of β- and γ-aminofunctionalised amines and silanes via hydroaminomethylation of enamines and vinylsilanes
B. Bollbuck and W. Tochtermann	7191	Novel chiral building blocks derived from baker's yeast reduction products: synthesis and odour of mono- and bicyclic macrolides
B. Bollbuck and W. Tochtermann	7209	Stereoselective synthesis and structural variations of ethyl analogues of galbanum macrolides
B. Barlaam, P. Koza and J. Berriot	7221	Solid-phase synthesis of hydroxamic acid based TNF-α convertase inhibitors
O. Lefebvre, T. Brigaud and C. Portella	7233	Mixed organofluorine–organosilicon chemistry. Part 10: Allylation and benzylation of difluoroenoxysilanes. Application to the synthesis of *gem*-difluoroterpene analogues

T. Billard, A. Greiner and B. R. Langlois	7243	A new equivalent of the $CF_3S(O)^+$ cation. Synthesis of trifluoromethanesulfinates and trifluoromethanesulfinamides
M. Vieira de Almeida, D. Dubreuil, J. Cleophax, C. Verre-Sebrié, M. Pipelier, G. Prestat, G. Vass and S. D. Gero	7251	Stereoselective synthesis of inositol mono, bis and trisphosphate analogues from 6-deoxy-D-inositol precursors
A. Banihashemi and A. Rahmatpour	7271	Efficient condensation of *p*-substituted phenols, *p*-thiocresol and 2,7-dihydroxynaphthalene with malonaldehyde tetramethyl acetal in trifluoroacetic acid
Á. Szöllősy, T. Tischer, I. Kádas, L. Tőke and G. Tóth	7279	1,3-Dipolar cycloaddition of 3,4-dihydro-6,7-dimethoxyisoquinoline-*N*-methoxycarbonyl methylide with Schiff bases
A. F. Barrero, J. F. Sánchez, J. Elmerabet, D. Jiménez-González, F. A. Macías and A. M. Simonet	7289	Enantiospecific syntheses of the potent bioactives nagilactone F and the mould metabolite LL-Z1271α. An evaluation of their allelopathic potential
S. K. Latypov, A. V. Aganov, S. Tahara and Y. Fukushi	7305	Conformational analysis of MNCB (MBNC) esters and amides: promising chiral reagents for stereoselective applications
C. Alvarez-Ibarra, A. G. Csákÿ, M. E. Martín and M. L. Quiroga	7319	Study of the asymmetric synthesis of (*Z*)-γ-substituted α,β-didehydroglutamates from *N*-alkylideneglycinates
J. Clariana, N. Gálvez, C. Marchi, M. Moreno-Mañas, A. Vallribera and E. Molins	7331	Nickel(II)-catalyzed Michael additions. Formation of quarternary centers and diastereoselective addition of enantiopure *N*-acetoacetyl-4-benzyloxazolidin-2-one
J. M. Aurrecoechea, A. Fernández, J. M. Gorgojo and C. Saornil	7345	Synthesis of 2,3-disubstituted pyrrolidines by intramolecular addition of α-aminoalkyl radicals to electron deficient C=C bonds
J. E. Baldwin, A. Beyeler, R. J. Cox, C. Keats, G. J. Pritchard, R. M. Adlington and D. J. Watkin	7363	Reinvestigation of the dimerisation process forming isoglaucanic acid
A. A. Hussein, B. Rodríguez, M. de la Paz Martínez-Alcázar and F. H. Cano	7375	Diterpenoids from *Lycopus europaeus* and *Nepeta septemcrenata*: revised structures and new isopimarane derivatives
	7389	Corrigendum
	I	Instructions to contributors

NUMBER 24

Contents

	v	Contributors to this issue
	vii	Graphical abstracts
		Tetrahedron perspective number 6
G. B. Fodor	7391	The power of observation
		Articles
J. G. Silva Jr., M. O. F. Goulart and M. Navarro	7405	Electrocatalytic hydrogenation of diethyl fumarate. A simple system development
T. Lindhorst, H. Bock and I. Ugi	7411	A new class of convertible isocyanides in the Ugi four-component reaction
C. C. Silveira, G. Perin, A. L. Braga, M. J. Dabdoub and R. G. Jacob	7421	Synthesis of ketene (S,Te)acetals and their transformation into *Z*-α-phenyl-thio-α,β-unsaturated aldehydes
K. Paulvannan and J. W. Jacobs	7433	Preparation of tricyclic nitrogen heterocycles via intramolecular Diels–Alder reaction of furans
H. L. Holland, T. A. Morris, P. J. Nava and M. Zabic	7441	A new paradigm for biohydroxylation by *Beauveria bassiana* ATCC 7159
T. Yakura, A. Ueki, T. Kitamura, K. Tanaka, M. Nameki and M. Ikeda	7461	Chemo- and stereoselective dirhodium(II)-catalyzed C–H insertion reaction of 5,6-dioxygenated 2-diazo-3-oxohexanoates: synthesis of an optically active highly functionalized cyclopentane
T. Oishi, M. Maruyama, M. Shoji, K. Maeda, N. Kumahara, S. Tanaka and M. Hirama	7471	Enantioselective synthesis of the medium ring ethers, tetrahydrooxepin, oxocane and hexahydrooxonin, of ciguatoxin. Extensive ring-expansion and chemoenzymatic desymmetrization strategy
T. Akiyama, J. Iwai and M. Sugano	7499	Scandium trifluoromethanesulfonate-catalyzed chemoselective allylation reactions of carbonyl compounds with tetraallylgermane in aqueous media

H. Morita, Y. Sato and J. Kobayashi	7509	Cyclosquamosins A–G, cyclic peptides from the seeds of *Annona squamosa*
R. Hayakawa, K. Nozawa, K. Kimura and M. Shimizu	7519	The baker's yeast reductions of α- and β-keto ester derivatives in the presence of a sulfur compound
K. Furuta, K. Tomokiyo, M. T. Kuo, T. Ishikawa and M. Suzuki	7529	Molecular design of glutathione-derived biochemical probes targeting the *GS-X* pump
H. Oikawa, S. Ohashi, A. Ichihara and S. Sakamura	7541	Biosynthesis of diterpenoid aphidicolin: isolation of intermediates from P-450 inhibitor treated mycelia of *Phoma betae*
A. Burgard, H.-J. Lang and U. Gerlach	7555	Asymmetric synthesis of 4-amino-3,4-dihydro-2,2-dimethyl-2*H*-1-benzopyrans
G. Bringmann, J. Kraus, D. Menche and K. Messer	7563	Elucidation of the absolute configuration of knipholone and knipholone anthrone by quantum chemical CD calculations
D. Dubreuil, J. Cleophax, M. Vieira de Almeida, C. Verre-Sebrié, M. Pipelier, G. Vass and S. D. Gero	7573	Stereoselective synthesis of *myo*-inositol-1,3,4,5-tetrakisphosphate analo-gues from 6-deoxy D-inositol precursors
D. Castet-Caillabet, Y. Ramondenc, G. Plé and L. Duhamel	7583	An expeditious synthesis of ostopanic acid, a plant anticancer agent
P. Dauban, C. de Saint-Fuscien and R. H. Dodd	7589	Application of 2,3-aziridino-γ-lactone methodology toward the enantiospecific synthesis of the (3*S*,4*S*)-isomer of dihydroxy-L-glutamic acid
R. Badorrey, C. Cativiela, M. D. Díaz-de-Villegas and J. A. Gálvez	7601	Study of the reaction of imines derived from (*R*)-glyceraldehyde with Danishefsky's diene
P. Heinonen, P. Virta and H. Lönnberg	7613	Synthesis of achiral α,α-disubstituted β-alanines, and their use in construc-tion of libraries of β-peptide conjugates of *N*-2-alkyl-1,2,3,4-tetrahydro-isoquinolines on a solid support
J. L. Marco, S. T. Ingate and P. M. Chinchón	7625	The CSIC [carbanion mediated sulfonate (sulfonamido) intramolecular cyclization] reaction: scope and limitations
K. Kishore, K. R. Reddy, J. R. Suresh, H. Ila and H. Junjappa	7645	Preparation of lithium 5-lithiomethyl-3-methylpyrazole-1-carboxylate and its reaction with α-oxoketene dithioacetals: a new general method for substituted and annelated pyrazolo[1,5-*a*]pyridines
M. S. Nair, U. Sudhir, S. Joly and N. P. Rath	7653	Two fascinating rearrangements through selective placement of bromine substituents. Photochemical synthesis of 3-bromo-7-(bromomethyl)tetra-cyclo[5.3.1.$0^{2,6}$.$0^{4,8}$]undec-10(12)-ene-9,11-dione and its rearrangement with amines
	I	Instructions to contributors

NUMBER 25

Contents

	v	Contributors to this issue
	vii	Graphical abstracts
		Tetrahedron report number 494
M. A. Brimble and F. A. Farès	7661	Synthesis of bis-spiroacetal ring systems
		Articles
G. Wang, J.-L. Girardet and E. Gunic	7707	Conformationally locked nucleosides. Synthesis and stereochemical assignments of 2'-*C*,4'-*C*-bridged bicyclonucleosides
D. J. Adams, J. H. Clark and D. J. Nightingale	7725	The effect of basicity on fluorodenitration reactions using tetramethyl-ammonium salts
G. Goetz, W. Y. Yoshida and P. J. Scheuer	7739	The absolute stereochemistry of kahalalide F
G. R. Krow, O. H. Cheung, Z. Hu, Q. Huang, J. Hutchinson, N. Liu, K. T. Nguyen, S. Ulrich, J. Yuan, Y. Xiao, D. M. Wypij, F. Zuo and P. J. Carroll	7747	Nitrogen bridge homoepibatidines. *syn*-6- and *syn*-5(6-Chloro-3-pyridyl)iso-quinuclidines
H. Akao, H. Kiyota, T. Nakajima and T. Kitahara	7757	Synthesis of dendryphiellin C, a trinor-sesquiterpene from a marine source

J. Kohno, M. Nishio, M. Sakurai, K. Kawano, H. Hiramatsu, N. Kameda, N. Kishi, T. Yamashita, T. Okuda and S. Komatsubara	7771	Isolation and structure determination of TMC-151s: novel polyketide antibiotics from *Gliocladium catenulatum* Gilman & Abbott TC 1280
X. Zuo, H. Liu, D. Guo and X. Yang	7787	Enantioselective hydrogenation of pyruvates over polymer-stabilized and supported platinum nanoclusters
C. Siedschlag, H. Luftmann, C. Wolff and J. Mattay	7805	[60]Fullerene radical cation: reactions and mechanism
C. Schmidt, M. Kumar, W. Vogt and V. Böhmer	7819	The acidity of calix[5]arenes and their linear analogues
V. Král, A. Cattani, A. Sinica and F. P. Schmidtchen	7829	Porphyrin–polyazacryptand conjugates: novel receptors for nucleotides
M. Mazik, D. Bläser and R. Boese	7835	Control of molecular self-assembly by hydrogen-bonding and aromatic interactions: formation of discrete cyclic tetrameric aggregates
T. Rische and P. Eilbracht	7841	One-pot synthesis of secondary and tertiary naphthylpropylamines by rhodium(I)-catalysed carbonylative hydroaminomethylation
P. Audin, N. Piveteau, A.-S. Dussert and J. Paris	7847	Dimethyl 3-methylglutaconate: a useful reagent for the diastereoselective synthesis of functionalized 5,6-dihydro-2*H*-pyran-2-ones
M. Smet, J. Van Dijk and W. Dehaen	7859	A novel acid-catalyzed rearrangement of 9,10-diaryl-9,10-dihydroanthracene-9,10-diols affording 10,10'-diaryl-9-anthrones
B. Das and P. Madhusudhan	7875	Enantioselective synthesis of (*S*)- and (*R*)-mappicines and their analogues
F. Faigl, K. Fogassy, E. Szűcs, K. Kovács, G. M. Keserű, V. Harmat, Z. Böcskei and L. Tőke	7881	Effect of a trifluoromethyl group on molecular structure: competitive mono- and dilithiation of 1-[(trifluoromethyl)phenyl]pyrroles
M. Tichý, M. Buděšínský, J. Günterová, J. Závada, J. Podlaha and I. Císařová	7893	Intramolecular transfer of axial to central chirality in the Strecker reaction. Synthesis and stereochemistry of 5,7-dicyano-6,7-dihydro-5*H*-dibenz[*c,e*]-azepines
P. de March, M. Figueredo, J. Font and J. Medrano	7907	Synthesis of new enantiomerically pure monoketals of *p*-benzoquinone with C_2-symmetry
P. Puebla, Z. Honores, M. Medarde, L. Morán, E. Caballero and A. San Feliciano	7915	Synthesis of fused heterocycles from heterocyclic enaminones
G. Nagendrappa and N. S. Begum	7923	Friedel–Crafts acylation of 2-trimethylsilylnorbornene. Effect of acyl group on the position of attack
M. Steger and D. W. Young	7935	Versatile synthesis of inhibitors of late enzymes in the bacterial pathway to lysine
	I	Instructions to contributors

NUMBER 26

Contents

	v	Contributors to this issue
	vii	Graphical abstracts
		Tetrahedron report number 495
A. W. Erian and S. M. Sherif	7957	The chemistry of thiocyanic esters
		Articles
S. C. Bergmeier, S. L. Fundy and P. P. Seth	8025	Synthesis of bicyclic proline analogs using a formal [3+2] intramolecular aziridine–allylsilane cycloaddition reaction
J. R. Hwu, S. Hakimelahi, K.-L. Lu and S.-C. Tsay	8039	Different roles of trifluoromethanesulfonyl chloride in the construction of heterocycles fused with β-lactams
G. R. Pabst, O. C. Pfüller and J. Sauer	8045	The new and simple 'LEGO' system: synthesis and reactions of ruthenium(II) complexes
T. Billard and B. R. Langlois	8065	Addition of trifluoromethanethio- and trifluoromethaneseleno-sulfonates to olefins. Synthesis of vinyl triflones

L. A. Agrofoglio, C. Demaison and L. Toupet	8075	Enantiomeric synthesis of L- (or 1*S*,2*R*,3*S*,5*S*)-bicarbocyclic[3.1.0] nucleosides
R. R. Amaresh and P. T. Perumal	8083	A new and convenient synthesis of 2-imino-2*H*-pyrancarboxaldehydes from β-ketoamides using Vilsmeier reagent
É. Bozó, S. Boros, J. Kuszmann and E. Gács-Baitz	8095	The fate of the methanesulfonyloxy group on reduction with LAH
M. Bandini, P. G. Cozzi, A. Umani-Ronchi and M. Villa	8103	Diastereoselective addition of higher order cuprates and zinc–copper reagents to imines derived from (*S*)-1-phenylethylamine
F. Aldabbagh, W. R. Bowman, E. Mann and A. M. Z. Slawin	8111	Bu_3SnH mediated oxidative radical cyclisation onto imidazoles and pyrroles
R. Grigg, M. Thornton-Pett and G. Yoganathan	8129	Sequential 1,3-dipolar cycloaddition-Pictet–Spengler spirocyclisation reactions of metallo-azomethine ylides from aliphatic aldimines
	I	Instructions to contributors

NUMBER 27

Contents

Tetrahedron Symposia-in-Print number 73

Olefin metathesis in organic synthesis

Guest Editors: Marc L. Snapper and Amir H. Hoveyda

Boston College, Merkert Chemistry Center, Chestnut Hill, MA 02467-3860, USA

	v	Contributors to this issue
	vii	Announcement: Tetrahedron Symposia-in-Print
	xiii	Preface
	xv	Graphical abstracts
R. R. Schrock	8141	Olefin metathesis by molybdenum imido alkylidene catalysts
A. Kinoshita, N. Sakakibara and M. Mori	8155	Novel 1,3-diene synthesis from alkyne and ethylene by ruthenium-catalyzed enyne metathesis
G. D. Cuny, J. Cao, A. Sidhu and J. R. Hauske	8169	Solution-phase ring opening cross-metathesis of bicyclic alkenes with styrene derivatives and its application to 'resin capture' solid-phase synthesis
R. Stragies and S. Blechert	8179	Total synthesis of (–)-halosaline by a ruthenium-catalyzed ring rearrangement
A. D. Piscopio, J. F. Miller and K. Koch	8189	Ring closing metathesis in organic synthesis: evolution of a high speed, solid phase method for the preparation of β-turn mimetics
J. D. Winkler, J. M. Holland, J. Kasparec and P. H. Axelsen	8199	Design and synthesis of constrained epothilone analogs: the efficient synthesis of eleven-membered rings by olefin metathesis
A. Fürstner, G. Seidel and N. Kindler	8215	Macrocycles by ring-closing-metathesis. Part 11: Syntheses of (*R*)-(+)-lasiodiplodin, zeranol and truncated salicylihalamides
J. S. Clark and J. G. Kettle	8231	Synthesis of sub-units of marine polycyclic ethers by ring-closing metathesis and hydroboration of enol ethers
V. I. Bykov, T. A. Butenko, E. B. Petrova and E. Sh. Finkelshtein	8249	Synthesis of *Z*-isomeric insect sex pheromone components via ethenolysis of 1,5-cyclooctadiene
M. A. Leeuwenburgh, C. Kulker, H. I. Duynstee, H. S. Overkleeft, G. A. van der Marel and J. H. van Boom	8253	A convenient route to *cis*- and *trans*-fused bicyclic ethers by ruthenium mediated ring-closing metathesis of diene and enyne carbohydrate derivatives
	I	Instructions to contributors

NUMBER 28

Contents

	v	Contributors to this issue
	vii	Graphical abstracts
		Tetrahedron report number 496
A. R. Katritzky, J. Li and L. Xie	8263	[3+3] Benzannulations of benzenoid- and heteroaromatic-ring systems
		Articles
X. Ouyang and A. S. Kiselyov	8295	Fast and efficient synthesis of substituted dibenz[*b,f*]oxazocines on solid support
N. Khan, H. Xiao, B. Zhang, X. Cheng and D. R. Mootoo	8303	Oxocarbenium ion cyclisations under non-acidic conditions: synthesis of tetrahydropyran analogues of the pseudomonic acids
A. P. Marchand, B. Ganguly, R. Shukla, K. Krishnudu, V. S. Kumar, W. H. Watson and S. G. Bodige	8313	Experimental and theoretical investigations into the stereoselectivities of peracid promoted epoxidations of substituted norbornenes and norbornadienes
A. Qureshi and D. J. Faulkner	8323	Haplosamates A and B: new steroidal sulfamate esters from two haplosclerid sponges
M. Hayashi, K. Yamada and O. Arikita	8331	Practical and catalytic synthesis of 1,5-anhydrohex-1-en-3-uloses
H. Seto, S. Fujioka, H. Koshino, S. Yoshida, M. Tsubuki and T. Honda	8341	Synthesis and biological evaluation of extra-hydroxylated brassinolide analogs
Y. J. Kim, A. Takatsuki, N. Kogoshi and T. Kitahara	8353	Synthesis of nectrisine and related compounds, and their biological evaluation
Q. Shi, T. Oritani, T. Sugiyama, T. Horiguchi, R. Murakami, D. Zhao and T. Oritani	8365	Three new taxane diterpenoids from the seeds of *Taxus yunnanensis* Cheng et L. K. Fu and *T. cuspidata* Sieb et Zucc
F. Lam, M. Feng and K. S. Chan	8377	Synthesis of dinucleating phenanthroline-based ligands
R. Dunkel and H. M. R. Hoffmann	8385	Asymmetric synthesis of polyacetate derived building blocks with α-oxyanion functionality. Lewis acid catalyzed opening of 2,9-dioxabicyclo[3.3.1]nonan-3-ones
T. Ziegler, H.-J. Kaisers, R. Schlömer and C. Koch	8397	Passerini and Ugi reactions of benzyl and acetyl protected isocyanoglucoses
R. Csuk and A. Kern	8409	Synthesis of spacered cyclopropyl nucleoside analogues as potential antiviral agents
V. M. Ismailov, A. Aydin and F. Guseynov	8423	Derivatives of α-phosphorylated aldehydes
J. Szczygelska-Tao, J. F. Biernat, V. Ch. Kravtsov and Y. A. Simonov	8433	Crown ethers with an azo or azoxy unit and sulfur atom(s) in a 13-membered macrocycle
C. Alves, M. T. Barros, C. D. Maycock and M. R. Ventura	8443	An efficient transformation of quinic acid to shikimic acid derivatives
Le Thanh Giang, J. Fetter, M. Kajtár-Peredy, K. Lempert, F. Bertha, G. M. Keserű, G. Czira and T. Czuppon	8457	Oxidative cyclization by lead(IV) acetate of 1-(4-methoxyphenyl)-4-(tetrazol-5-ylmethyl)azetidin-2-ones to 3-methoxy-9,9a-dihydroazeto[1,2-*a*]tetrazolo-[5,1-*d*][1,5]benzodiazepin-11(10*H*)-ones and related reactions
E. Kolehmainen, Z. Kucybała, R. Gawinecki, J. Pączkowski and A. Kacała	8475	Unequivocal determination of isomeric products of reaction between 3-methyl-1-phenyl-2-pyrazoline-4,5-dione and aromatic 1,2-diamines
P. Camps, J. Contreras, J. Morral, D. Muñoz-Torrero, M. Font-Bardia and X. Solans	8481	Synthesis of an 11-unsubstituted analogue of (±)-huperzine A
R. Fernández and S. Castillón	8497	Synthesis of 2′,3′-dideoxy-3′,3′-difluoro and 2′,3′-dideoxy-2′,2′-difluoro-pyranosyl nucleosides analogues of gemcitabine
G. Desimoni, G. Faita, M. Mella, P. Righetti and M. Zema	8509	Control of diastereoselectivity in metal-catalyzed 1,3-dipolar cycloaddition between diphenylnitrone and chiral auxiliary-substituted crotonyl amide
M. L. Falck-Pedersen, C. Rømming and K. Undheim	8525	Palladium-mediated carbosubstitutions in spiranes

S. Félix, J. R. Ascenso, R. Lamartine and J. L. C. Pereira	8539	Synthesis and conformational analysis of *p-tert*-butyldihomooxacalix[4]arene derivatives containing the carbonyl group
M. F. de la Torre, M. C. Caballero and A. Whiting	8547	Application of arylboron difluoride Lewis acid catalysts to the Diels–Alder reaction: convenient, non-volatile alternatives to boron trifluoride
P. Domínguez de María and J. V. Sinisterra Gago	8555	Causes of unreproducibility of *C.rugosa* lipase-catalyzed reactions in slightly hydrated organic media
A. García-Granados, A. Martínez, R. Quirós and A. L. Extremera	8567	Chemical-microbiological semisynthesis of *enantio*-Ambrox® derivatives
E. M. Beccalli, F. Clerici and M. L. Gelmi	8579	6-Chloro-spirocyclohexenindol-2-ones: an unusual ring transformation to ethyl 2-(cyclohexa-1,4-dienyl)phenylcarbamates
	8587	Corrigendum
	I	Tetrahedron reports on organic chemistry
	XV	Instructions to contributors

NUMBER 29

Contents

Tetrahedron Symposia-in-Print number 74

Stereoselective carbon–carbon bond forming reactions

Dedicated to Professor David A. Evans and Professor Teruaki Mukaiyama, recipients of the 1998 Tetrahedron Prize for Creativity in Organic Chemistry

Guest Editors: Harry H. Wasserman,[a] Stephen F. Martin[b] and Yoshinori Yamamoto[c]

[a]Department of Chemistry, Yale University, New Haven, CT 06511, USA
[b]Department of Chemistry and Biochemistry, University of Texas, Austin, TX 78712, USA
[c]Department of Chemistry, Graduate School of Science, Tohoku University, Sendai 980-8578, Japan

	v	Contributors to this issue
	vii	Announcement: Tetrahedron Symposia-in-Print
	xiii	Preface
	xv	Graphical abstracts
D. A. Evans	8589	A view from the far side. Memorable characters and interesting places
T. Mukaiyama	8609	The unexpected and the unpredictable in organic synthesis
D. A. Evans, B. W. Trotter, P. J. Coleman, B. Côté, L. C. Dias, H. A. Rajapakse and A. N. Tyler	8671	Enantioselective total synthesis of altohyrtin C (spongistatin 2)
S. E. Denmark and X. Su	8727	Solid state and solution structural studies of chiral phosphoramide–tin complexes relevant to Lewis base catalyzed aldol reactions
S. Kobayashi, S. Nagayama and T. Busujima	8739	Catalytic asymmetric Mukaiyama aldol reactions in aqueous media
J. T. Shaw and K. A. Woerpel	8747	Divergent diastereoselectivity in the addition of nucleophiles to tetrahydro-furan-derived oxonium ions
N. H. Taylor and E. J. Thomas	8757	1,5-Induction in reactions of 4-alkoxy-2-trimethylsilylalk-2-enyl(tributyl)-stannanes with aldehydes
M. Kitamura, M. Yoshimura, N. Kanda and R. Noyori	8769	Asymmetric synthesis of β-hydroxy sulfonic acids by BINAP/Ru-catalyzed hydrogenation

M. Suginome, T. Matsuda, H. Nakamura and Y. Ito	8787	Regio- and stereoselective synthesis of (*Z*)-β-silylalkenylboranes by silaboration of alkynes catalyzed by palladium and platinum complexes
C.-D. Graf and P. Knochel	8801	Asymmetric hydroboration with new chiral monoalkylboranes bearing a non-stereogenic, chirotopic center
D. S. Hays and G. C. Fu	8815	The development of a new catalytic process: Bu_3SnH-catalyzed reductive cyclization of enals and enones
N. Tsukada, A. Shibuya, I. Nakamura, H. Kitahara and Y. Yamamoto	8833	Inter- and intramolecular palladium-catalyzed hydrocarbonation of methylenecyclopropanes with carbon pronucleophiles
A. B. Charette, H. Lebel and A. Gagnon	8845	The stereoselective cyclopropanation of chiral allylic alcohols using a chiral dioxaborolane ligand: a new route to *anti*-cyclopropylmethanol derivatives
S. Yamasaki, T. Iida and M. Shibasaki	8857	Direct catalytic asymmetric Mannich reaction of unmodified ketones: cooperative catalysis of an AlLibis(binaphthoxide) complex and $La(OTf)_3{\cdot}nH_2O$
D. Ferraris, B. Young, T. Dudding, W. J. Drury III and T. Lectka	8869	Catalytic, enantioselective alkylations of *N,O*- and *N,N*-acetals and hemiacetals
D. A. Cogan, G. Liu and J. Ellman	8883	Asymmetric synthesis of chiral amines by highly diastereoselective 1,2-additions of organometallic reagents to *N-tert*-butanesulfinyl imines
S. F. Martin and S. K. Bur	8905	Vinylogous Mannich reactions. Stereoselective formal synthesis of pumilio-toxin 251D
K. Uchiyama, Y. Hayashi and K. Narasaka	8915	Synthesis of dihydropyrroles by the intramolecular addition of alkylidene-aminyl radicals generated from *O*-2,4-dinitrophenyloximes of γ,δ-unsaturated ketones
A. I. Meyers, C. J. Andres, J. E. Resek, C. C. Woodall, M. A. McLaughlin, P. H. Lee and D. A. Price	8931	Asymmetric routes to azasugars from chiral bicyclic lactams. Synthesis of 1,4-dideoxy-1,4-imino-D-lyxitol; L-deoxymannojirimycin; *rhamno*-1-deoxynojirimycin and 1-deoxy-6-epicastanospermine
D. Bland, G. Chambournier, V. Dragan and D. J. Hart	8953	Intramolecular conjugate addition reactions of amines and carbamates to 2,5-cyclohexadien-1-ones: stereoselective synthesis of perhydroindoles
M. Lautens and T. Rovis	8967	Selective functionalization of 1,2-dihydronaphthalenols leads to a concise, stereoselective synthesis of sertraline
T. I. Richardson and S. D. Rychnovsky	8977	Total synthesis of filipin III
D. P. Curran, S. Hadida and S.-Y. Kim	8997	Tris(2-perfluorohexylethyl)tin azide: a new reagent for preparation of 5-substituted tetrazoles from nitriles with purification by fluorous/organic liquid–liquid extraction
	I	Instructions to contributors

NUMBER 30

Contents

	v	Contributors to this issue
	vii	Graphical abstracts
		Tetrahedron report number 497
M. Sannigrahi	9007	Stereocontrolled synthesis of spirocyclics
		Articles
F. Qu, J. H. Hong, J. Du, M. G. Newton and C. K. Chu	9073	Asymmetric synthesis of (2′*R*,4′*R*) and (2′*S*,4′*S*)-1,3-dioxolanyl triazole *C*-nucleosides
H. Yuan, D. G. I. Kingston, B. H. Long, C. A. Fairchild and K. A. Johnston	9089	Synthesis and biological evaluation of C-1 and ring modified A-norpaclitaxels
A. Guzaev and H. Lönnberg	9101	Solid support synthesis of ester linked hydrophobic conjugates of oligonucleotides
F. Nagashima, M. Suzuki, S. Takaoka and Y. Asakawa	9117	New acorane- and cuparane-type sesqui- and new labdane- and *seco*-labdane-type diterpenoids from the Japanese liverwort *Jungermannia infusca* (Mitt.) Steph.
T. Miyamoto, K. Sakamoto, H. Amano, Y. Arakawa, Y. Nagarekawa, T. Komori, R. Higuchi and T. Sasaki	9133	New cytotoxic sesterterpenoids from the nudibranch *Chromodoris inornata*

K. Yamana, T. Mitsui and H. Nakano	9143	Synthesis and properties of oligonucleotide duplexes containing donor and acceptor fluorophores at 2′-positions
T. Fukuda, R. Maeda and M. Iwao	9151	Directed C-7 lithiation of 1-(2,2-diethylbutanoyl)indoles
T. Katagiri, K. Kutose, N. Shimokawa, N. Kusunoki and K. Uneyama	9163	A preparation of trifluorolactic aldehyde
C.-Y. Liu, H.-Y. Shie and C.-L. Yu	9171	Stereoselectivity, periselectivity and regioselectivity in the intramolecular cycloadditions of heptafulvene–fulvenes
K.-Q. Ling, J.-H. Ye, X.-Y. Chen, D.-J. Ma and J.-H. Xu	9185	On the reactions of 1,3-isoquinolinediones with singlet oxygen
K. Woydowski and J. Liebscher	9205	Synthesis of optically active 1,4-benzoxazinones and 1,5-benzoxazepinones by regiocontrolled ring transformations of oxirane carboxylic acids and esters with aromatic *o*-hydroxyarylamines
M. D. Barboiu, N. D. Hovnanian, C. Luca and L. Cot	9221	Functionalized derivatives of benzocrown-ethers. Part 5: Multiple molecular recognition of zwitterionic phenylalanine
C. Podevin, M. Grignon-Dubois, G. Nuissier, J.-C. Gauffre and B. Rezzonico	9233	One-pot stereoselective synthesis of dimethanodibenzo[*e,i*][1,4]diazecines by a zinc-acetic acid promoted cascade reaction
V. Jaouen, A. Jégou, L. Lemée and A. Veyrières	9245	Stereocontrolled synthesis of *O*- and *C*-furanosides through 1,4-iodocycli-sation of D-galactal
S. Choppin, P. Gros and Y. Fort	9261	One-pot dialkylation of allylphenylsulfide induced by aminoalkoxides-activated $NaNH_2$. Application to the synthesis of unsymmetrical ketones
S. Célanire, I. Salliot-Maire, P. Ribéreau, A. Godard and G. Quéguiner	9269	First synthesis of (±)-10β-hydroxy-13β-methylcyclohexa[*a*]quinolizidine. A convenient route to the ABC-part of 8-azasteroids
A. L. Tőkés, G. Litkei, K. Gulácsi, S. Antus, E. Baitz-Gács, C. Szántay and L. L. Darkó	9283	Absolute configuration and total synthesis of (–)-cabenegrin A–I
M. d'Ischia, N. Rega and V. Barone	9297	Medium-dependent competitive pathways in the reactions of polyunsaturated fatty acids with nitric oxide in the presence of oxygen. Structural characterisation of nitration products and a theoretical insight
S. Renuga, S. Selvaraj, S. Perumal and M. J. E. Hewlins	9309	Diastereoselective synthesis of 2,2′-thiobis- and 2,2′-sulfonylbis- (2-aroyl-3-aryloxiranes)
Y. K. Yildiz, T. Ozturk and M. Balci	9317	Trapping of 1,2-benzo-1,3,4-cycloheptatriene as evidence for a strained cyclic allene structure
V. J. Bulbule, V. H. Deshpande, S. Velu, A. Sudalai, S. Sivasankar and V. T. Sathe	9325	Heterogeneous Henry reaction of aldehydes: diastereoselective synthesis of nitroalcohol derivatives over Mg-Al hydrotalcites
D. C. Harrowven and J. C. Hannam	9333	1,5-Diketones from 3,4-dihydropyranones: an application in the synthesis of (±)-α-herbertenol
D. C. Harrowven and J. C. Hannam	9341	Thiyl radical induced isomerisations of maleate esters provide a convenient route to fumarates and furanones
	9347	Corrigendum
	I	Instructions to contributors

NUMBER 31

Contents

	v	Contributors to this issue
	vii	Graphical abstracts
		Tetrahedron report number 498
L. Yet	9349	Free radicals in the synthesis of medium-sized rings

Articles

U. K. Bandarage, M. E. Kuehne and S. D. Glick	9405	Total syntheses of racemic albifloranine and its anti-addictive congeners, including 18-methoxycoronaridine
S. Elshani, C. M. Wai, N. R. Natale and R. A. Bartsch	9425	Synthesis of new lipophilic acyclic di-ionizable polyethers, bis(crown ethers) and macrocyclic diamides
T. Punniyamurthy and T. Katsuki	9439	Asymmetric desymmetrization of *meso*-pyrrolidine derivatives by enantiotopic selective C–H hydroxylation using (salen)manganese(III) complexes
T. Mizuno, M. Takeuchi and S. Shinkai	9455	Sugar sensing using chiral salen–Co(II) complexes
K. Uwai, Y. Oshima, T. Sugihara and T. Ohta	9469	Syntheses and stereochemical assignment of toxic C_{17}-polyacetylenic alcohols, virols A, B, and C, isolated from water hemlock (*Cicuta virosa*)
F. Seela, Y. He and C. Wei	9481	Parallel-stranded oligonucleotide duplexes containing 5-methylisocytosine–guanine and isoguanine–cytosine base pairs
J. Kubáň, I. Blaháriková, L. Fišera, L. Jarošková, M. Fengler-Veith, V. Jäger, J. Kožíšek, O. Humpa, N. Prónayová and V. Langer	9501	Synthesis of D-erythrose and D-threose derived nitrones and cycloadditions to styrene
T. Böhm, K. Elender, P. Riebel, T. Troll, A. Weber and J. Sauer	9515	3,4-Diazanorcaradienes and 4,5-dihydropyridazines as precursors for new stable azomethine ylides
T. Böhm, A. Weber and J. Sauer	9535	Nonstereospecific 1,3-dipolar cycloadditions of azomethine ylides and enamines
B. Banaigs, E. A. Mansour, I. Bonnard, A. Boulanger and C. Francisco	9559	[Hysp^2] and [Hap^2]Didemnin B, two new [Hip^2]-modified didemnin B, from the tunicate *Tridemnum cyanophorum*
N. Hird, I. Hughes, D. Hunter, M. G. J. T. Morrison, D. C. Sherrington and L. Stevenson	9575	Polymer discs—an alternative support format for solid phase synthesis
N. Hird, M. G. J. T. Morrison, D. C. Sherrington and J. C. Trillow	9585	Tailoring of 4-vinylpyridine-based resins for hydrolytic degradation and solubilisation
L. Sharma, M. K. Nayak and A. K. Chakraborti	9595	A mild and chemoselective method for ester *O*-alkyl cleavage using in situ generated potassium thiophenoxide from catalytic quantities of base
H. S. Banu, K. Pitchumani and C. Srinivasan	9601	Effect of cyclodextrin complexation on photo-Fries rearrangement of naphthyl esters
D. J. Procter, N. J. Archer, R. A. Needham, D. Bell, A. P. Marchington and C. M. Rayner	9611	Stereocontrolled synthesis of novel enantiomerically pure sulfides and selenides from (+)-camphor and (+)-camphor-10-sulfonyl chloride
J. R. Carrillo, A. Díaz-Ortiz, A. de la Hoz, M. J. Gómez-Escalonilla, A. Moreno and P. Prieto	9623	The effect of focused microwaves on the reaction of ethyl *N*-trichloroethylidene-carbamate with pyrazole derivatives
A. Guirado, A. Zapata, J. L. Gómez, L. Trabalón and J. Gálvez	9631	Electrochemical generation of alkyl and aryl isocyanides
J. M. Vega-Pérez, J. I. Candela, E. Blanco and F. Iglesias-Guerra	9641	Alkylating agents from sugars. Stereoselective synthesis of 2,3-diamino-glucoses from 2-nitroalkenes, as intermediates in the synthesis of carriers of chlorambucil
	I	Instructions to contributors

NUMBER 32

Contents

	v	Contributors to this issue
	vii	Graphical abstracts
M.-K. Jeon and K. Kim	9651	Synthesis of new 5-alkylidene-4-chloro-5*H*-1,2,3-dithiazoles and their stereochemistry
A. Koohang, C. L. Stanchina and R. M. Coates	9669	Regio- and stereoselective synthesis of N–H aziridines by N–N bond reduction of *N*-quinazolinyl aziridines
A. P. Marchand, H.-S. Chong, S. Alihodžić, W. H. Watson and S. G. Bodige	9687	Synthesis and alkali metal picrate extraction capabilities of novel, cage-functionalized, pyridine containing crown ethers and cryptands
A. P. Marchand and H.-S. Chong	9697	Synthesis and alkali metal picrate extraction capabilities of novel, cage-functionalize0d diaza(17-crown-5) ethers
H. Yuan, D. G. I. Kingston, D. L. Sackett and E. Hamel	9707	Synthesis and biological activity of a novel C4–C6 bridged paclitaxel analog
H. Gao, M. Kelly and M. T. Hamann	9717	Bromotyrosine-derived metabolites from the sponge *Aiolochroia crassa*
R. J. J. Nel, H. van Rensburg, P. S. van Heerden, J. Coetzee and D. Ferreira	9727	Stereoselective synthesis of flavonoids. Part 7: Poly-oxygenated β-hydroxydihydrochalcone derivatives
N. Su, J. S. Bradshaw, P. B. Savage, K. E. Krakowiak, R. M. Izatt, S. L. De Wall and G. W. Gokel	9737	Syntheses and aggregate study of bisphenol-containing diaza-18-crown-6 ligands
Y. Watanabe and M. Nakatomi	9743	Synthesis of PI(3,4,5)P_3 with unsaturated and saturated fatty acid chains
H. Watanabe, H. Watanabe, M. Bando, M. Kido and T. Kitahara	9755	An efficient synthesis of pironetins employing a useful chiral building block, (1*S*,5*S*,6*R*)-5-hydroxybicyclo[4.1.0]heptan-2-one
F. Sun, T. Darbre and R. Keese	9777	Synthesis of vitamin B_{12} derivatives incorporating peripheral cytosine and *N*-acetylcytosine
J. Jauch, H. Czesla and V. Schurig	9787	Improved synthesis of (*S*,*E*)-(+)-5-methylhept-2-en-4-one, the major aroma compound of hazelnuts
R. Bruns, A. Wernicke and P. Köll	9793	Application of the reaction of D-glucose with Meldrum's acid: total synthesis of the styryl lactones (+)-goniofufurone and (+)-7-*epi*-goniofufurone
T. Rische, K.-S. Müller and P. Eilbracht	9801	One-pot synthesis of pharmacologically active diamines via rhodium-catalysed carbonylative hydroaminomethylation of heterocyclic allylic amines
J. Hénin, J. Vercauteren, C. Mangenot, B. Hénin, J. M. Nuzillard and J. Guilhem	9817	New entries into the indolizino[8,7-*b*]indole ring system
B. Forier and W. Dehaen	9829	Alternative convergent and accelerated double-stage convergent approaches towards functionalized dendritic polyethers
T. Duvold and M. Rohmer	9847	Synthesis of ribosylhopane, the putative biosynthetic precursor of bacterial triterpenoids of the hopane series
S. Florio, L. Troisi, V. Capriati and G. Coletta	9859	Heterosubstituted chlorohydrins: Knoevenagel reaction versus epoxide formation
B. La Ferla, L. Lay, M. Guerrini, L. Poletti, L. Panza and G. Russo	9867	Synthesis of disaccharidic sub-units of a new series of heparin related oligosaccharides
H. I. Duynstee, M. C. de Koning, G. A. van der Marel and J. H. van Boom	9881	An expeditious route to the synthesis of kelampayosides A and B
L. De Napoli, G. Di Fabio, A. Messere, D. Montesarchio, D. Musumeci and G. Piccialli	9899	Synthesis and characterization of new 3'-3' linked oligodeoxyribonucleotides for alternate strand triple helix formation
M. R. Bryce, M. A. Coffin, A. J. Moore, A. S. Batsanov and J. A. K. Howard	9915	1,3-Dithiol-2-ylidene derivatives of 1,3-indanedione
P. Dżygiel, P. Wieczorek, J. Å. Jonsson, M. Milewska and P. Kafarski	9923	Separation of amino acid enantiomers using supported liquid membrane extraction with chiral phosphates and phosphonates

D. N. Jones, M. A. Khan and S. M. Mirza	9933	The stereospecific synthesis of *cis* and *trans* 1-oxabicyclo[4,4,0]decanes and 9-methoxycarbonyl-1-oxabicyclo[4,3,0]nonanes
	I	Instructions to contributors

NUMBER 33

Contents

	v	Contributors to this issue
	vii	Graphical abstracts
		Tetrahedron report number 499
T. Livinghouse	9947	*C*-Acylnitrilium ion initiated cyclizations in heterocycle synthesis
		Articles
R. D. McCullough, M. A. Petruska and J. A. Belot	9979	Investigating the synthesis of unsymmetrical tetrathiafulvalene derivatives: improved yields by the hidden equivalent method
J. Coetzee, E. Malan and D. Ferreira	9999	The formation and stability of flavans with 2,3-*cis*-3,4-*cis* configuration
R. Bekker, E. V. Brandt and D. Ferreira	10005	Biflavonoids. Part 4: Structure and stereochemistry of novel flavanone- and the first isoflavanone-benzofuranone biflavonoids
R. R. Sauers	10013	A computational study of proton and electron affinities
M. A. Brook, S. Balduzzi, M. Mohamed and C. Gottardo	10027	The photolytic and hydrolytic lability of sisyl ($Si(SiMe_3)_3$) ethers, an alcohol protecting group
J. H. Bae, S.-H. Shin, C. S. Park and W. K. Lee	10041	Preparation of cysteinol derivatives by highly regioselective ring opening of nonactivated chiral aziridines by thiols
Y. Umezawa, S. Tsuboyama, H. Takahashi, J. Uzawa and M. Nishio	10047	CH/π Interaction in the conformation of organic compounds. A database study
J. Nakayama, A. Kaneko, Y. Sugihara and A. Ishii	10057	Synthesis of sulfur-containing large-membered heterocycles (crown thioethers) with bis(*o*-mercapto)phenyl sulfide
M. Kuwahara, M. Arimitsu and M. Sisido	10067	Synthesis of δ-amino acids with an ether linkage in the main chain and nucleobases on the side chain as monomer units for oxy-peptide nucleic acids
S.-G. Kim, C.-W. Cho and K. H. Ahn	10079	Chiral biferrocene-based bis(oxazolines): ligands for Cu(I)-catalyzed asymmetric cyclopropanations of ene–diazoacetates
R. K. Haynes, K.-P. Lam, K.-Y. Wu and L.-L. Yeung	10087	An improved preparation of the desmethyl qinghao acid precursor of (±)-6,9-desmethylqinghaosu
V. Heilwig, J. Dasenbrock, D. Klostermeyer, S. Kroiß, T. Sindlinger, P. Spiteller, B. Steffan, W. Steglich, M. Engler-Lohr, S. Semar and T. Anke	10101	New benzodioxepin type strobilurins from basidiomycetes. Structural revision and determination of the absolute configuration of strobilurin D and related β-methoxyacrylate antibiotics
U. Wille and L. Lietzau	10119	Diastereoselective formation of anellated tetrahydrofurans using a nitrate radical induced oxidative, self-terminating radical cyclization cascade
D. Damour, F. Herman, R. Labaudinière, G. Pantel, M. Vuilhorgne and S. Mignani	10135	Synthesis of novel proline and γ-lactam derivatives as non-peptide mimics of somatostatin/sandostatin®
S. Cundari, R. Dalpozzo, A. De Nino, A. Procopio, G. Sindona and K. Athanassopulos	10155	A facile one-pot synthesis of the very useful building blocks *N*-boc-*S*-alkylated-cysteines
B. Ram, B. Balram and P. K. Sai Prakash	10163	(±)-*Trans*-2-[3-methoxy-4-(4-chlorophenylthioethoxy)-5-cyanophenyl]-5-(3,4,5-trimethoxyphenyl)tetrahydrofuran, a potent PAF-receptor antagonist
M. A. Estiarte, M. V. N. de Souza, X. del Rio, R. H. Dodd, M. Rubiralta and A. Diez	10173	Synthesis and synthetic applications of 3-amino-Δ^5-piperidein-2-ones: synthesis of methionine-derived pseudopeptides
D. C. G. A. Pinto, A. M. S. Silva, J. A. S. Cavaleiro, C. Foces-Foces, A. L. Llamas-Saiz, N. Jagerovic and J. Elguero	10187	Synthesis and molecular structure of 3-(2-benzyloxy-6-hydroxyphenyl)-5-styrylpyrazoles. Reaction of 2-styrylchromones and hydrazine hydrate

M. D. Lloyd, K. D. Merritt, V. Lee, T. J. Sewell, B. Wha-Son, J. E. Baldwin, C. J. Schofield, S. W. Elson, K. H. Baggaley and N. H. Nicholson	10201	Product-substrate engineering by bacteria: studies on clavaminate synthase, a trifunctional dioxygenase
I. Hermecz and Á. Horváth	10221	A ring transformation of 6,7-dihydro-4*H*-pyrido[1,2-*a*]pyrimidin-4-ones
Y. Shalom, R. G. Harvey and J. Blum	10231	Synthesis of nucleoside adducts of highly mutagenic polycyclic aromatic imines
R. P. Claridge, R. W. Millar, J. P. B. Sandall and C. Thompson	10243	Preparation of *N*-aryl-*S,S*-diphenylsulfilimines by nucleophilic attack of *N*-lithio-*S,S*-diphenylsulfilimine on aromatic compounds
	I	Contributors to this issue

NUMBER 34

Contents

	v	Contributors to this issue
	vii	Graphical abstracts
		Tetrahedron perspective number 7
H. H. Wasserman, J. A. Berson, J. B. Hendrickson, D. S. Kemp and E. Wenkert	10253	R. B. Woodward the teacher, as remembered by his students
		Articles
A. Ino and A. Murabayashi	10271	Synthetic studies of thiazoline and thiazolidine-containing natural products. Part 1: Phosphorus pentachloride-mediated thiazoline construction reaction
A. Ino, Y. Hasegawa and A. Murabayashi	10283	Synthetic studies of thiazoline and thiazolidine-containing natural products. Part 2: Total synthesis of the antimycoplasma antibiotic micacocidin
M. Murakata, H. Tsutsui, N. Takeuchi and O. Hoshino	10295	Enantioselective radical-mediated reduction of α-alkyl-α-iododihydrocoumarins in the presence of a chiral magnesium iodide
M. Tsuda, K. Shimbo, T. Kubota, Y. Mikami and J. Kobayashi	10305	Two theonellapeptolide congeners from marine sponge *Theonella* sp.
K. Gotanda, M. Matsugi, M. Suemura, C. Ohira, A. Sano, M. Oka and Y. Kita	10315	Efficient stereoselective synthesis of α-*C*-glycopyranosides using 2,2'-azobis-(2,4-dimethyl-4-methoxyvaleronitrile) [V-70]
A. Shibuya, M. Okada, Y. Nakamura, M. Kibashi, H. Horikawa and T. Taguchi	10325	Preparation of methylenedifluorocyclopropanes via cyclopropyl anion promoted β-elimination
A. Ishii, T. Nakaniwa, K. Umezawa and J. Nakayama	10341	Rearrangement of the carbanion generated from a tied-back 1,2,4-trithiolane oxide (6,7,8-trithiabicyclo[3.2.1]octane 6-oxide)
S. Kuroda, A. Akahane, H. Itani, S. Nishimura, K. Durkin, T. Kinoshita, I. Nakanishi and K. Sakane	10351	Synthesis of the water-soluble adenosine A_1 receptor antagonist FR166124 through a novel sequential Horner–Emmons/isomerization reaction
J. Li, Y. Chen and X. Lu	10365	Selective bridging of *p-tert*-butylcalix[6]arene with polyethylene glycol ditosylates
S. Runge and M. O. Senge	10375	Reaction of β-formylporphyrins with organometallic reagents—a facile method for the preparation of porphyrins with exocyclic double bonds
H.-J. Knölker, E. Baum and T. Hopfmann	10391	Transition metal complexes in organic synthesis. Part 53: Iron-mediated synthesis of hyellazole and isohyellazole
K. W. Laue, C. Mück-Lichtenfeld and G. Haufe	10413	Enantioselective syntheses of 2-amino-4-fluoropent-4-enoic acids. Isosteres of asparagine
V. Ondruš, M. Orság, L. Fišera and N. Prónayová	10425	Stereoselectivity of *N*-benzyl-*C*-ethoxycarbonyl nitrone cycloaddition to (*S*)-5-hydroxymethyl-2(5*H*)-furanone and its derivatives
K. S. Kumar and V. N. R. Pillai	10437	Synthesis of peptide-*N*-alkylamides on a new PS-TTEGDA polymer support using photolabile anchoring group
J. Bergman, S. Bergman and T. Brimert	10447	Syntheses of *gem*-dinitro heterocyclic compounds, their ring-opening reactions and transformations into indoles, indazoles and benzoxazinones
C. D. Gabbutt, J. D. Hepworth, B. M. Heron, M. M. Rahman, S. J. Coles and M. B. Hursthouse	10467	Synthesis and reactivity of some 3,4-dibromo-2*H*-[1]benzopyrans: the generation and reactions of 3,4-didehydro-2*H*-[1]benzopyran

D. Bouvet and D. O'Hagan	10481	The synthesis of 1-fluoro- and 1,1-difluoro- analogues of 1-deoxy-D-xylulose
S. Quici, A. Manfredi, G. Pozzi, M. Cavazzini and A. Rozzoni	10487	Ditopic receptors capable of hydrogen bonding: synthesis and complexation behaviour of diaza crown-ethers having melamine sidearms
P. Quadrelli, M. Mella, A. Gamba Invernizzi and P. Caramella	10497	The mild oxidation of nitrile oxides affords a convenient entry to nitrosocarbonyl intermediates, versatile tools in organic syntheses
J. Marco-Contelles and C. A. Jiménez	10511	*N*-Azole substituted carbohydrates. Synthesis and transformations of 1-(3'-deoxy-1',2':5',6'-di-*O*-isopropylidene-α-D-glucofuranos-3'-yl)-azole derivatives
K. B. Jørgensen and O. R. Gautun	10527	Efficient stereoselective preparation of protected isodityrosines
A. J. Airaksinen, K. A. Tuppurainen, S. E. Lötjönen, M. Niemitz, M. Yu, J. J. Vepsäläinen, R. Laatikainen, J. Hiltunen and K. A. Bergström	10537	Nuclear magnetic resonance and molecular orbital study of some cocaine analogues
	I	Instructions to contributors

NUMBER 35

Contents

	v	Contributors to this issue
	vii	Graphical abstracts
		Tetrahedron report number 500
C. Nájera and M. Yus	10547	Desulfonylation reactions: recent developments
		Articles
Y. Wang, W. Zhang, V. J. Colandrea and L. S. Jimenez	10659	Reactivity and rearrangements of dialkyl- and diarylvinylsulfonium salts with indole-2- and pyrrole-2-carboxaldehydes
N. Toyooka, M. Okumura, H. Takahata and H. Nemoto	10673	Construction of 4a,8a-*cis*-octahydroquinolin-7-one core using an intramolecular aldol type of cyclization: an application to enantioselective total synthesis of lepadin B
K. Akaji and Y. Kiso	10685	Total synthesis of thiangazole
L. Wang and Y. Zhang	10695	Metallic samarium promoted reductive dimerization cyclization of *gem*-diactivated alkenes, reductive debromination of *vic*-dibromides, and reduction of sodium alkyl thiosulfates in aqueous media
F. Osterkamp, H. Wehlan, U. Koert, M. Wiesner, P. Raddatz and S. L. Goodman	10713	Synthesis and biological evaluation of dianhydrohexitol integrin antagonists
H. Irngartinger and P. W. Fettel	10735	Twofold cycloaddition of 2,4,6-trimethoxy-benzonitrile oxide to [60]fullerene
H. Irngartinger and T. Escher	10753	Strong electron acceptor properties of 3'(pentafluorophenyl)isoxazolo[4',5':1,2]-[60]fullerene derivatives
J. Wachtmeister, A. Mühlman, B. Classon and B. Samuelsson	10761	Synthesis of 4-substituted carbocyclic 2,3-dideoxy-3-*C*-hydroxymethyl nucleoside analogues as potential anti-viral agents
F. Tümer, Y. Taşkesenligil and M. Balcı	10771	Evidence for the intermediacy of an alkyne rather than an allene in the base-induced reaction of 3-bromo-6,7-benzobicyclo[3.2.1]octa-2,6-diene
P. K. Choudhury, F. Foubelo and M. Yus	10779	Direct indium-promoted preparation of α-methylene-γ-lactones from 2-(bromomethyl)acrylic acid and carbonyl compounds
T.-P. Loh and X.-R. Li	10789	Clay montmorillonite K10 catalyzed aldol-type reaction of aldehydes with silyl enol ethers in water
C. F. Morelli, M. Manferdini and A. C. Veronese	10803	A new route to the synthesis of pyrazole and pyrimidine *C*-nucleoside derivatives
D. M. Hodgson, A. J. Thompson, S. Wadman and C. J. Keats	10815	On the possibility of carbamate-directed hydroboration. An approach to the asymmetric synthesis of 1-aminocyclopentane-1,3-dicarboxylic acid
R. Banker and S. Carmeli	10835	Inhibitors of serine proteases from a waterbloom of the cyanobacterium *Microcystis* sp.
M. Shipman, H. R. Thorpe and I. R. Clemens	10845	Synthesis of 1,3,2-dioxathiolane-4-methylene-2-oxides: potential allene oxide equivalents
	I	Instructions to contributors

NUMBER 36

Contents

	v	Contributors to this issue
	vii	Graphical abstracts
		Tetrahedron report number 501
S. Deshayes, M. Liagre, A. Loupy, J.-L. Luche and A. Petit	10851	Microwave activation in phase transfer catalysis
		Articles
S. E. Boiadjiev and D. A. Lightner	10871	Stable 4*E*-dipyrrinones
S. S. Mitchell, M. K. Harper and D. J. Faulkner	10887	Spongiabutenolides A–D: minor γ-hydroxybutenolide diterpenoids from a Philippines *Spongia* sp.
W. E. Billups, W. Luo, R. Wagner, H. Hopf, B. König and M. Psiorz	10893	Synthesis of [2.2]paracyclophane annelated cycloproparenes
M. Adamczyk, Y.-Y. Chen, P. G. Mattingly, J. A. Moore and K. Shreder	10899	Modulation of the chemiluminescent signal from N^{10}-(3-sulfopropyl)-*N*-sulfonylacridinium-9-carboxamides
H. M. C. Ferraz, F. L. C. Pereira, F. S. Leite, M. R. S. Nunes and M. E. Payret-Arrúa	10915	Synthesis of *N*-substituted pyrrole and tetrahydroindole derivatives from alkenyl β-dicarbonyl compounds
M. Ueda, Y. Sawai and S. Yamamura	10925	Syntheses and novel bioactivities of artificial leaf-opening substances of *Lespedeza cuneata* G. Don, designed for the bioorganic studies of nyctinasty
M. Ueda and S. Yamamura	10937	The chemistry of leaf-movement in *Mimosa pudica* L.
M. Inoue, M. Sasaki and K. Tachibana	10949	A convergent synthesis of the *trans*-fused hexahydrooxonine ring system and reproduction of conformational behavior shown by ring F of ciguatoxin
K. Ishida, Y. Okita, H. Matsuda, T. Okino and M. Murakami	10971	Aeruginosins, protease inhibitors from the cyanobacterium *Microcystis aeruginosa*
H. Shinohara, T. Fukuda and M. Iwao	10989	A formal synthesis of optically active clavicipitic acids, unusual azepinoindole-type ergot alkaloids
W. S. Cheung and H. N. C. Wong	11001	Total synthesis of (–)-hispanolone and an improved approach towards pre-hispanolone
V. Nair, B. Mathew, K. V. Radhakrishnan and N. P. Rath	11017	Hetero Diels–Alder reaction of *o*-benzoquinones with tetracyclone: an efficient synthesis of benzodioxinone derivatives
E. Alonso, D. Guijarro, P. Martínez, D. J. Ramón and M. Yus	11027	Generation of allylic and benzylic organolithium reagents from the corresponding ester, amide, carbonate, carbamate and urea derivatives
R. A. Aitken, M. J. Drysdale, L. Hill, K. W. Lumbard, J. R. MacCallum and S. Seth	11039	Flash vacuum pyrolysis of stabilised phosphorus ylides. Part 16: Model studies for the construction of conjugated polymers
E. A. klein Gebbinck, C. T. Bouwman, M. Bourgois, B. J. M. Jansen and A. de Groot	11051	Synthesis and insect antifeedant activity of C-2 and C-5 substituted perhydro-furofurans and 3a-hydroxy-perhydrofurofurans. Part 1
E. A. klein Gebbinck, G. A. Stork, B. J. M. Jansen and A. de Groot	11077	Synthesis and insect antifeedant activity of 2-substituted 2,3-dihydrofuran-3-ols and butenolides. Part 2
A. Urrutia and J. G. Rodríguez	11095	Synthesis of aspidospermidine alkaloids from 1,2,3,4-tetrahydrocarbazole: total stereoselective synthesis of (±)-18-noraspidospermidine
D. Hocková, M. Hocek, H. Dvořáková and I. Votruba	11109	Synthesis and cytostatic activity of nucleosides and acyclic nucleoside analogues derived from 6-(trifluoromethyl)purines
A. Armstrong and B. R. Hayter	11119	α-Functionalised ketones as promoters of alkene epoxidation by Oxone®
N. B. Barhate, A. S. Gajare, R. D. Wakharkar and A. V. Bedekar	11127	Simple and practical halogenation of arenes, alkenes and alkynes with hydrohalic acid/H_2O_2 (or TBHP)
T. M. Krygowski and M. K. Cyrański	11143	Two sources of the decrease of aromaticity: bond length alternation and bond elongation. Part 2: An analysis based on geometry of the singlet and triplet states of 4nπ annulenes: C_4H_4, $C_5H_5^+$, $C_6H_6^{2+}$, $C_7H_7^-$, C_8H_8, $C_9H_9^+$
	I	Instructions to contributors

NUMBER 37

Contents

	v	Contributors to this issue
	vii	Graphical abstracts
		Tetrahedron report number 502
C.-J. Li and T.-H. Chan	11149	Organic syntheses using indium-mediated and catalyzed reactions in aqueous media
		Articles
D. A. Feakes, J. K. Spinler and F. R. Harris	11177	Synthesis of boron-containing cholesterol derivatives for incorporation into unilamellar liposomes and evaluation as potential agents for BNCT
A. Reyes, I. Regla, M. C. Fragoso, L. A. Vallejo, P. Demare, H. A. Jiménez-Vázquez, Y. Ramírez, E. Juaristi and J. Tamariz	11187	Stereoselective tandem Michael-intramolecular cyclization approach to functionalized pyrroloisoindolones
K. Manabe, Y. Mori and S. Kobayashi	11203	Effects of Lewis acid–surfactant-combined catalysts on aldol and Diels–Alder reactions in water
H. Miyabe, K. Yamakawa, N. Yoshioka and T. Naito	11209	Alkylative amination of aldehydes via carbon–carbon bond formation based on radical addition to carbon–nitrogen double bond
M. A. Hussein, A. Iida and K. Tomioka	11219	Studies aimed at enhancement of reactivity and enantioselectivity of a lith-ium ester enolate using a chiral tridentate lithium amide
C.-P. Chuang, Y.-L. Wu and M.-C. Jiang	11229	Manganese(III) acetate initiated oxidative free radical reaction between 1,4-naphthoquinones and ethyl nitroacetate
I. Azumaya, I. Okamoto, S. Nakayama, A. Tanatani, K. Yamaguchi, K. Shudo and H. Kagechika	11237	A chiral *N*-methylbenzamide: spontaneous generation of optical activity
J. Kohno, H. Hiramatsu, M. Nishio, M. Sakurai, T. Okuda and S. Komatsubara	11247	Structures of TMC-120A, B and C, novel isoquinoline alkaloids from *Aspergillus ustus* TC 1118
K. Nakamura, A. Ishii, Y. Ito and Y. Nakahara	11253	A novel silyl linker: motif for side chain tethered approach to solid-phase glycopeptide synthesis
U. Egner, K.-H. Fritzemeier, W. Halfbrodt, N. Heinrich, J. Kuhnke, A. Müller-Fahrnow, G. Neef, K. Schöllkopf and W. Schwede	11267	7α,15α-Ethano bridged steroids. Synthesis and progesterone receptor interaction
G. Pohnert, V. Jung, E. Haukioja, K. Lempa and W. Boland	11275	New fatty acid amides from regurgitant of Lepidopteran (Noctuidae, Geometridae) caterpillars
T. Rückle, P. de Lavallaz, M. Keller, P. Dumy and M. Mutter	11281	Pseudo-prolines in cyclic peptides: conformational stabilisation of cyclo[Pro-Thr($\psi^{Me,Me}$pro)-Pro]
J. Cossy, S. Bouzbouz and A. Hakiki	11289	Michael radical additions. Two short efficient syntheses of (+)-conocephalenol from (*R*)-pulegone
R. H. Dave and B. D. Hosangadi	11295	A simple and efficient diastereoselective Strecker synthesis of optically pure α-arylglycines
M. Freccero, R. Gandolfi, M. Sarzi-Amadè	11309	Stereoselective epoxidation of *cis*-3,4-disubstituted-(CH_2X)-cyclobutenes with dimethyldioxirane and peroxy acids. Experimental and computational evidence for a *syn*-orienting electrostatic effect
H. B. Mereyala, S. R. Gurrala and S. K. Mohan	11331	Study of metal and acid catalysed deprotection of propargyl ethers of alcohols via their allenyl ethers
R. Rossi, A. Carpita, P. Pazzi, L. Mannina and D. Valensin	11343	A novel method for the efficient synthesis of methyl 2-oxo-2-arylacetates and its application to the preparation of fungicidal methyl (*E*)-*O*-methyloximino-2-arylacetates and their (*Z*)-stereoisomers
A. Robertson, D. Philp and N. Spencer	11365	Recognition-induced control of a Diels–Alder cycloaddition
B. Galli, F. Gasparrini, V. Lanzotti, D. Misiti, R. Riccio, C. Villani, H. Guan-fu, M. Zhong-wu and Y. Wan-fen	11385	Grandione, a new heptacyclic dimeric diterpene

P. K. Mandal and S. C. Roy 11395 Total synthesis of (±)-dihydroprotolichesterinic acid and formal synthesis of (±)-roccellaric acid by radical cyclisation of an epoxide. Using a transition-metal radical source

I Instructions to contributors

NUMBER 38

Contents

v Contributors to this issue

vii Graphical abstracts

Tetrahedron report number 503

A. J. Belfield, G. R. Brown and A. J. Foubister 11399 Recent synthetic advances in the nucleophilic amination of benzenes

Articles

A. Coop and K. C. Rice 11429 Studies into the direct oxidation of codeinone to 14-hydroxycodeinone

P. H. Dussault, Q. Han, D. G. Sloss and D. J. Symonsbergen 11437 Photooxygenation of chiral dienol ethers: asymmetric synthesis of alkoxydioxines

R. N. Buckle, P.-Y. Liu, E. W. D. Roberts and D. J. Burnell 11455 Differences in rates of Diels–Alder reactions as experimental indicators of synchronous or asynchronous transition states

U. Wille and L. Lietzau 11465 Stereoselection in 5-*exo* radical cyclizations of polysubstituted 2-oxahex-5-enyl radicals: a systematic study of the combination substituent effect

G. Mloston, R. Huisgen and K. Polborn 11475 Cycloadditions of adamantanethione *S*-methylide to heteromultiple bonds

C. Auvin-Guette, C. Baraguey, A. Blond, H. S. Xavier, J.-L. Pousset and B. Bodo 11495 Pohlianins A, B and C, cyclic peptides from the latex of *Jatropha pohliana* ssp. *molissima*

J.-M. Nuzillard, J. D. Connolly, C. Delaude, B. Richard, M. Zèches-Hanrot and L. Le Men-Olivier 11511 Computer-assisted structural elucidation. Alkaloids with a novel diazaadamantane skeleton from the seeds of *Acosmium panamense* (Fabaceae)

J. G. Walsh, P. J. Furlong, L. A. Byrne and D. G. Gilheany 11519 Studies in the oxidative ring-opening of catechols and *o*-benzoquinones. Lead tetraacetate versus the copper(I) chloride/pyridine/methanol system

S. Ghosh, I. Banerjee and S. Baul 11537 Studies on oxygen heterocycles. Part 2: Synthesis of 2-arylcoumaranones and 2-phenylbenzofuran

D. Mulholland, H. Mahomed, M. Kotsos, M. Randrianarivelojosia, C. Lavaud, G. Massiot and J.-M. Nuzillard 11547 Limonoid derivatives from *Cedrelopsis grevei*

R. Ostaszewski, L. Prodi and M. Montalti 11553 The synthesis and complexation studies of thia-anthracene receptors

M. V. B. Rao, U. K. Syam Kumar, H. Ila and H. Junjappa 11563 Synthesis and reactions of 2-bis(methylthio)methylene-1-methyl-3-oxoindole: a facile access to benzo- and heterocyclo-fused carbazoles and indoles

I. Kers, J. Stawiński and A. Kraszewski 11579 Aryl H-phosphonates. Part 10: Synthesis of nucleoside phosphoramidate and nucleoside phosphoramidothioate analogues via H-phosphonamidate intermediates

C. Chiappe and C. D. Palese 11589 Stereo- and enantioselectivity of the soluble epoxide hydrolase-catalysed hydrolysis of (±)-*cis*-dialkyl substituted oxiranes

J. Åhman and P. Somfai 11595 Studies on the homodienyl-[1,5]-hydrogen shift in vinylaziridines

M. Cavazza, L. Nucci, E. Pannocchia, L. Pardi, F. Pergola, C. Pinzino and F. Pietra 11601 Colchicine red-ox chemistry revisited: cathodic behavior and EPR observation of an intermediate radical anion

I Instructions to contributors

NUMBER 39

Contents

Tetrahedron Symposia-in-Print number 75

Applications of Combinatorial Chemistry

Guest Editors: Miles G. Siegel and Stephen W. Kaldor

Lilly Research Laboratories, Eli Lilly and Company, Lilly Corporate Center, IN 46285, USA

	v	Contributors to this issue
	vii	Announcement: Tetrahedron Symposia-in-Print
	xiii	Preface
	xv	Graphical abstracts
S. R. Gilbertson and X. Wang	11609	The parallel synthesis of peptide based phosphine ligands
M. G. Siegel, M. O. Chaney, R. F. Bruns, M. P. Clay, D. A. Schober, A. M. Van Abbema, D. W. Johnson, B. E. Cantrell, P. J. Hahn, D. C. Hunden, D. R. Gehlert, H. Zarrinmayeh, P. L. Ornstein, D. M. Zimmerman and G. A. Koppel	11619	Rapid parallel synthesis applied to the optimization of a series of potent nonpeptide neuropeptide Y-1 receptor antagonists
M. George Johnson, D. D. Bronson, J. E. Gillespie, D. S. Gifford-Moore, K. Kalter, M. P. Lynch, J. R. McCowan, C. C. Redick, D. J. Sall, G. F. Smith and R. J. Fogiesong	11641	Solid phase chemistry approach to the SAR development of a novel class of active site-directed thrombin inhibitors
R. G. Davis, R. J. Anderegg and S. G. Blanchard	11653	Iterative size-exclusion chromatography coupled with liquid chromatographic mass spectrometry to enrich and identify tight-binding ligands from complex mixtures
Y. Han, A. Giroux, C. Lépine, F. Laliberté, Z. Huang, H. Perrier, C. I. Bayly and R. N. Young	11669	Solid phase parallel synthesis of highly substituted thiophene derivatives and indentification of novel phosphodiesterase-4 (PDE-4) inhibitors
B. Klekota and B. L. Miller	11687	Selection of DNA-binding compounds via multistage molecular evolution
T. R. Boussie, V. Murphy, K. A. Hall, C. Coutard, C. Dales, M. Petro, E. Carlson, H. W. Turner and T. S. Powers	11699	Parallel solid-phase synthesis, screening and encoding strategies for olefin-polymerization catalysts
	I	Instructions to contributors

NUMBER 40

Contents

	v	Contributors to this issue
	vii	Graphical abstracts
		Tetrahedron report number 504
M. J. I. Andrews and A. B. Tabor	11711	Forming stable helical peptides using natural and artificial amino acids
		Articles
A. K. Mohanakrishnan, A. Hucke, M. A. Lyon, M. V. Lakshmikantham and M. P. Cava	11745	Functionalization of 3,4-ethylenedioxythiophene
G. E. Keck, T. T. Wager and S. F. McHardy	11755	Reductive cleavage of N–O bonds in hydroxylamines and hydroxamic acid derivatives using samarium diiodide
T. G. van Aardt, H. van Rensburg and D. Ferreira	11773	Direct synthesis of pterocarpans via aldol condensation of phenylacetates with benzaldehydes

D. P. Becker, R. K. Husa, A. E. Moormann, C. I. Villamil and D. L. Flynn	11787	Enantioselective synthesis of dual 5-HT_4/5-HT_3 serotonergic azanoradamantane SC-52491
X. Zheng and V. Nair	11803	Synthesis of isomeric nucleoside phosphonates: cyclic analogs of the anti-HIV active compound, PMEA
P. Fraisse, I. Hanna, J.-Y. Lallemand, T. Prangé and L. Ricard	11819	An approach to the bicyclic core of the zaragozic acids via the aldol reaction between methyl (α-D-xylofuranoside)uronate and D-(*R*)-glyceraldehyde acetonide
C. Gros, N. Galéotti, R. Pascal and P. Jouin	11833	Solid phase synthesis of a Ψ[CH_2NH] pseudopeptide by ligation of a peptidyl aldehyde with a resin-bound amino peptide
C. Bozzo and M. D. Pujol	11843	Preparation of methylfuro[3,4-*b*][1,4]benzodioxinones as intermediates for the synthesis of substituted polycyclic systems. Importance of the acid used as catalyst
I. Yavari and S. Asghari	11853	Stereoselective synthesis of highly functionalized cyclobutenes. A facile route to electron-deficient 1,3-dienes
L. Hanaineh-Abdelnour, S. Bayyuk and R. Theodorie	11859	Some synthetic applications of 2,3-dichloro-*N*-phenylmaleimide: a novel synthesis of 2-phenylpyrrolo[3,4-*b*]quinoxaline-1,3-diones. Part 1
B. Danieli, G. Lesma, D. Passarella, A. Silvani and N. Viviani	11871	An efficient chemoenzymatic access to chiral 3,7-diazabicyclo[3.3.1]nonane derivatives
C. D. Cox and J. R. Malpass	11879	Synthesis of epibatidine isomers: reductive Heck coupling of 2-azabicyclo-[2.2.1]hept-5-ene derivatives
N. E. Leadbeater and S. M. Resouly	11889	Suzuki aryl couplings mediated by phosphine-free nickel complexes
M. Álvaro, B. Ferrer, H. García and A. Sanjuán	11895	Heterogeneous Gif oxidation of cyclohexane using Fe^{3+}–picolinate complex encapsulated within zeolites
D. P. M. Pleynet, J. K. Dutton and A. P. Johnson	11903	A general synthesis of 1-(1-alkenyl)benzotriazoles
J. K. Dutton, D. P. M. Pleynet and A. P. Johnson	11927	Synthesis of hindered spiro-oxindoles by photolysis of 1-(1-alkenyl)benzotriazoles
N. Coşkun and N. Arıkan	11943	Direct conversion of aldehydes into nitriles via *O*-phenylcarbamoylated aldoximes
N. S. Isaacs, B. O'Sullivan and C. Verhaelen	11949	High pressure routes to dimethyl carbonate from supercritical carbon dioxide
	11957	Corrigendum
	I	Instructions to contributors

NUMBER 41

Contents

	v	Contributors to this issue
	vii	Graphical abstracts
W.-S. Zhou, Z.-H. Lu, Y.-M. Xu, L.-X. Liao and Z.-M. Wang	11959	Synthesis of optically active α-furfuryl amine derivatives and application to the asymmetric syntheses
T. Searls and L. W. McLaughlin	11985	Synthesis of the analogue nucleoside 3-deaza-2'-deoxycytidine and its template activity with DNA polymerase
U. C. Yoon, C. W. Lee, S. W. Oh and P. S. Mariano	11997	Exploratory studies probing the intermediacy of azomethine ylides in the photochemistry of *N*-phthaloyl derivatives of α-amino acids and β-amino alcohols
R. S. Coleman, J. L. McCary and R. J. Perez	12009	Thionucleoside disulfides as covalent constraints of DNA conformation
B. Wladislaw, L. Marzorati, F. C. Biaggio, R. R. Vargas, M. B. Bjorklund and J. Zukerman-Schpector	12023	Sulfenylation of β-keto sulfoxides. Part 3: Diastereoselectivity induced by a chiral phase transfer catalyst

V. A. Soloshonok, C. Cai, V. J. Hruby, L. Van Meervelt and N. Mischenko	12031	Stereochemically defined *C*-substituted glutamic acids and their derivatives. Part 1: An efficient asymmetric synthesis of (2*S*,3*S*)-3-methyl- and -3-trifluoromethylpyroglutamic acids
V. A. Soloshonok, C. Cai, V. J. Hruby and L. Van Meervelt	12045	Asymmetric synthesis of novel highly sterically constrained (2*S*,3*S*)-3-methyl-3-trifluoromethyl- and (2*S*,3*S*,4*R*)-3-trifluoromethyl-4-methylpyroglutamic acids
D. L. J. Clive and J. Zhang	12059	Model studies related to CP-225,917: stereocontrolled generation of the quaternary center
Y.-H. Chiu, O. dos Santos and J. W. Canary	12069	Conformational control of propeller-like chirality in Zn(II) complexes: tightly balanced steric bias
D. A. Shultz, H. Lee and R. M. Fico Jr.	12079	Synthesis and characterization of a planarized, trimethylenemethane-type bis (semiquinone) biradical
T. Ohta, K. Uwai, R. Kikuchi, S. Nozoe, Y. Oshima, K. Sasaki and F. Yoshizaki	12087	Absolute stereochemistry of cicutoxin and related toxic polyacetylenic alcohols from *Cicuta virosa*
Q. Cheng, T. Oritani and T. Horiguchi	12099	(iPrO)$_3$TiCl-Induced reactions of α- and β-4(20)-epoxy-5-hydroxytriacetyl-taxicin I
K. Miyashita, H. Miyabe, K. Tai, C. Kurozumi, H. Iwaki and T. Imanishi	12109	Chiral environment specifically induced by metal ion: asymmetric α-alkylation of α-amino esters using pyridoxal derivatives having a chiral iono-phore function
T. Yamagishi, T. Yokomatsu, K. Suemune and S. Shibuya	12125	Enantioselective synthesis of α-hydroxyphosphinic acid derivatives through hydrophosphinylation of aldehydes catalyzed by Al-Li-BINOL complex
S. Ma, Z. Shi and Z. Yu	12137	Synthesis of β-halobutenolides and their Pd(0)-catalyzed cross-coupling reactions with terminal alkynes and organozinc reagents. A general route to β-substituted butenolides and formal synthesis of *cis*-whisky lactone
E. Arzel, P. Rocca, F. Marsais, A. Godard and G. Quéguiner	12149	First total synthesis of cryptomisrine
S. Majumdar, A. Bhattacharjya and A. Patra	12157	Regioselective synthesis of chiral six- and seven-membered *N*-heterocycles from *N*-allyl carbohydrate nitrones: tuning of regioselectivity by *N*-substitution
A. A. Frimer and H. Pizem	12175	The intermediacy of oxycyclobutenes in the synthesis and reactions of cyclobutenones and cyclobutenols
M.-J. Camarasa, M.-L. Jimeno, M.-J. Pérez-Pérez, R. Alvarez, S. Velázquez and A. Lozano	12187	Synthesis, NMR studies and theoretical calculations of novel 3-spiro-branched ribofuranoses
V. D. Kiselev, E. A. Kashaeva, G. G. Iskhakova, M. Shihab and A. I. Konovalov	12201	Volume, enthalpy and entropy of activation of the Diels–Alder reaction of dimethyl 1,2,4,5-tetrazine-3,6-dicarboxylate with 1-hexene
A. Bakalarz, J. Heliński, B. Krawiecka, J. Michalski and M. J. Potrzebowski	12211	Convenient synthesis of propane aminophosphonic acids, aminodiphos-phonic acids and their structural analogues, mediated by azetidinium salts
D. Melandri, P. C. Montevecchi and M. L. Navacchia	12227	Thiol radical addition to alkynes. Sulfanyl radical addition and hydrogen atom abstraction relative reaction rates
	I	Instructions to contributors

NUMBER 42

Contents

	v	Contributors to this issue
	vii	Graphical abstracts
		Tetrahedron report number 506
S. C. Fields	12237	Synthesis of natural products containing a C–P bond
		Articles
M. Ortiz-Marciales, M. De Jesús, L. Quiñones, D. Figueroa, Y. L. Montes, C. Burgos and B. Moctezuma	12275	Efficient α-alkylation and silylation of aromatic *O-tert*-butyldimethylsilyl ketoximes

M. Hayashi, K. Tsukada, H. Kawabata and C. Lamberth	12287	Efficient synthesis of carbohydrate-containing carbocyclic compounds based on palladium-catalyzed vinylation of sugars and subsequent Diels–Alder reaction
U. F. Castillo, Y. Sakagami, M. Alonso-Amelot and M. Ojika	12295	Pteridanoside, the first protoilludane sesquiterpene glucoside as a toxic component of the neotropical bracken fern *Pteridium aquilinum* var. *caudatum*
H. Kigoshi and S. Yamada	12301	Synthesis of Dolastatin I, a cytotoxic cyclic hexapeptide from the sea hare *Dolabella auricularia*
A. Schäfer and B. Schäfer	12309	Diastereoselective protonation after the birch reduction of pyrroles
A. S. Bell, C. W. G. Fishwick and J. E. Reed	12313	Facile palladium catalysed functionalisation of 1,2-isothiazoline-3-ones and the highly diastereoselective Diels–Alder reactions of 4-vinyl-1,2-isothiazo-line-3-one-1-oxides
L. Ridvan, M. Buděšínský, M. Tichý, P. Maloň, J. Závada, J. Podlaha and I. Císařová	12331	Axially chiral bis(α-amino acid)s and dioxopiperazines. Synthesis and configurational assignment
M. Nagarajan, V. S. Kumar and B. V. Rao	12349	An improved and novel approach to macrolactonisation using di-*tert*-butyl dicarbonate
N. G. Kundu, M. W. Khan and R. Mukhopadhyay	12361	Heteroannulation through combined palladium catalysed and Friedel–Crafts reactions strategy: synthesis of 3-alkylidene isoindolin-1-ones
N. Sh. Pirguliyev, V. K. Brel, N. S. Zefirov and P. J. Stang	12377	Stereoselective synthesis of conjugated alkenynes via palladium-catalyzed coupling of alkenyl iodonium salts with terminal alkynes
M. Bella, G. Piancatelli and M. C. Pigro	12387	3-Phenylselanylfuran-2(5*H*)-one: a versatile building block in the synthesis of lignans. A new approach towards 3,4-dibenzyl γ-butyrolactones
A. S. Demir, A. Cigdem Igdir and A. S. Mahasneh	12399	Novel conversion of thiols into disulfides, via *S*-nitrosothiol intermediates using trichloronitromethane
A. Castro, C. Gil and A. Martínez	12405	On the tautomerism of 2,1,3-benzothiadiazinone *S,S*-dioxide and related compounds
M. J. J. Litjens, A. J. J. Straathof, J. A. Jongejan and J. J. Heijnen	12411	Exploration of lipase-catalyzed direct amidation of free carboxylic acids with ammonia in organic solvents
M. Arnó, M. A. González and R. J. Zaragozá	12419	Diastereoselective synthesis of spongian diterpenes. Total synthesis of the furanoditerpene (–)-spongia-13(16),14-diene
	12429	Erratum
	I	Instructions to contributors

NUMBER 43

Contents

	v	Contributors to this issue
	vii	Graphical abstracts
		Tetrahedron report number 507
S. D. Taylor, C. C. Kotoris and G. Hum	12431	Recent advances in electrophilic fluorination
		Articles
M. Oda, A. Sakamoto, R. Miyatake and S. Kuroda	12479	Formation, characterization, and some reactions of spiro[cyclobutane-1,1′-1′*H*-azulenium] ion
M.-C. Yan, J.-Y. Liu, W.-W. Lin, K.-H. Kao, J.-T. Liu, J.-J. Jang and C.-F. Yao	12493	One-pot synthesis of five-membered cyclic thioethers or ethers via intramolecular nitrile oxide–olefin cycloaddition (INOC) or intramolecular alkoxycarbonyl nitronate–olefin cycloaddition (IAOC) by the use of methyl chloroformate
T. Ishi-i and S. Shinkai	12515	Synthesis of chiral [60]fullerene–steroid bisadducts using steroid templates
A. S.-Y. Lee and C.-W. Wu	12531	Stannyl-oriented regioselective allylation and its application to the synthesis of silyl misoprostol
M. Tsuda, H. Ishiyama, K. Masuko, T. Takao, Y. Shimonishi and J. Kobayashi	12543	Keramamides M and N, two new cyclic peptides with a sulfate ester from *Theonella* sponge
H. Morita, N. Yoshida and J. Kobayashi	12549	Daphnezomines C, D and E, new alkaloids with an *N*-oxide moiety from *Daphniphyllum humile*
G. Dyker and B. Hölzer	12557	Chemoselective *N*-oxidation of picolinaldehydes with dimethyldioxirane

M. K. Gurjar, V. S. Kumar and B. V. Rao	12563	Synthesis of a new type of antitumour agent panaxytriol: synthesis of its four diastereomers
J. Tholander and J. Bergman	12577	Syntheses of 6,12-disubstituted 5,11-dihydroindolo[3,2-*b*]carbazoles, including 5,11-dihydroindolo[3,2-*b*]carbazole-6,12-dicarbaldehyde, an extremely efficient ligand for the TCDD (Ah) receptor
J. Tholander and J. Bergman	12595	Thallium(III) acetate-mediated 3,3-couplings of indoles with the formation of indolocarbazoles
M. Mir, J. Marquet and O. Massot	12603	Photosubstitution–photoreduction mechanistic duality in the SET photoreactions of nitrophenyl ethers with amines. The role of the steps that follow the ET
A. Gambacorta, M. Elmi Farah and D. Tofani	12615	HSAB Driven chemoselectivity in alkylation of uracil derivatives. A high yielding preparation of 3-alkylated and unsymmetrically 1,3-dialkylated uracils
M. L. Ciavatta, A. Fontana, R. Puliti, G. Scognamiglio and G. Cimino	12629	Structures and absolute stereochemistry of isocyanide and isothiocyanate amphilectenes from the Caribbean sponge *Cribochalina* sp.
Mª del Mar Blanco, C. Avendaño and J. C. Menéndez	12637	Concise synthesis of tetrahydro derivatives of the pyrido[2,3-*b*]acridine and pyrido[3,2-*b*]acridine ring systems
J. Budka, M. Dudič, P. Lhoták and I. Stibor	12647	Simple preparation of 5-hydroxy-25,26,27,28-tetraalkyloxycalix[4]arenes: synthesis of multiple calixarenes
	12655	Corrigendum
	I	Instructions to contributors

NUMBER 44

Contents

	v	Contributors to this issue
	vii	Graphical abstracts
		Tetrahedron report number 508
S. E. Sen, S. M. Smith and K. A. Sullivan	12657	Organic transformations using zeolites and zeotype materials
		Articles
A. Banerjee, K. Lee and D. E. Falvey	12699	Photoreleasable protecting groups based on electron transfer chemistry. Donor sensitized release of phenacyl groups from alcohols, phosphates and diacids
M. J. L. Castro, J. Kovensky and A. Fernández Cirelli	12711	New dimeric surfactants from alkyl glucosides
Y. Konda, T. Sato, K. Tsushima, M. Dodo, A. Kusunoki, M. Sakayanagi, N. Sato, K. Takeda and Y. Harigaya	12723	An efficient synthesis of (pyrrolidin-2-ylidene)glycinate using intramolecular 1,3-dipolar cycloaddition of azide and olefin
H. Ito, A. Saito, A. Kakuuchi and T. Taguchi	12741	Synthesis of 2-fluoro analog of 6-aminonorbornane-2,6-dicarboxylic acid: a conformationally rigid glutamic acid derivative
Y. Wang and M. Doig	12751	Theoretical confirmation of the stereoselectivity in the reverse Brook rearrangement
W. W. K. R. Mederski, M. Lefort, M. Germann and D. Kux	12757	*N*-Aryl heterocycles via coupling reactions with arylboronic acids
M. Mazik, D. Bläser and R. Boese	12771	Hydrogen-bonding motifs in the crystals of secondary diamides with 2-amino-6-methyl- and 2,6-diaminopyridine subunits
R. Huisgen, X. Li, G. Mloston, R. Knorr, H. Huber and D. S. Stephenson	12783	Thiocarbonyl ylides and electrophilic azo compounds; sterically hindered cyclic hydrazodicarboxylic esters
Y. L. Janin, J. Chiki, M. Legraverend, C. Huel and E. Bisagni	12797	On the methylation of 3-cyano-6-hydroxypyridine-2(1*H*)-ones
P. Meresse, E. Bertounesque, T. Imbert and C. Monneret	12805	Synthetic approaches to condensed aromatic analogues from etoposide. Synthesis of A-ring pyridazine picroetoposide
I. Forfar, C. Jarry, M. Laguerre, J.-M. Léger and I. Planet	12819	Reaction between 5-(phenoxymethyl)-2-amino-2-oxazoline and *N*-benzyl-3-(ethoxycarbonyl)-4-piperidinone hydrochloride: a structural investigation
E. Brenner, R. Schneider and Y. Fort	12829	Nickel-catalysed couplings of aryl chlorides with secondary amines and piperazines

B. K. Mehta, S. Nandi, H. Ila and H. Junjappa	12843	Highly regioselective 1,2-addition of alkoxybenzyl Grignard reagents to α-oxoketene dithioacetals: a facile regiocontrolled synthesis of alkoxynaphthalenes and their condensed analogs via aromatic annelation
A. Daştan, M. N. Tahir, D. Ülkü and M. Balcı	12853	Bromination of naphthalene and derivatives: high temperature bromination XI
B. Kaboudin	12865	Methanesulfonic acid/phosphorus oxychloride (MAPO) as a new efficient reagent in the Fries rearrangement
K. Singh, J. Singh, P. K. Deb and H. Singh	12873	An expedient protocol of the Biginelli dihydropyrimidine synthesis using carbonyl equivalents
B. Abarca, R. Ballesteros and M. Elmasnouy	12881	Triazolopyridines. Part 20: Hydrogenation reactions
V. Frenna, G. Macaluso, G. Consiglio, B. Cosimelli and D. Spinelli	12885	Mononuclear heterocyclic rearrangements. Part 16: Kinetic study of the rearrangement of some *ortho*-substituted *Z*-phenylhydrazones of 3-benzoyl-5-phenyl-1,2,4-oxadiazole into 2-aryl-4-benzoylamino-5-phenyl-1,2,3-triazoles in dioxane-water and in benzene
B. Altava, M. I. Burguete, E. García-Verdugo, S. V. Luis, R. V. Salvador and M. J. Vicent	12897	Polymerisation versus grafting in the preparation of polymer-supported aluminium catalysts for the Diels–Alder reaction: the role of the polymeric backbone
R. Hayes, K.-D. Li, P. Leeming, T. W. Wallace and R. C. Williams	12907	Stereo- and enantioselective routes to functionalised cyclohexenes via heterodiene cycloadditions of 6-oxocyclohexene-1-carbaldehydes with ketene acetals
	I	Instructions to contributors

NUMBER 45

Contents

	v	Contributors to this issue
	vii	Graphical abstracts
W. Xie, J. Fang, J. Li and P. G. Wang	12929	Aziridine synthesis in protic media by using lanthanide triflates as catalysts
G. J. Bodwell, J. Li and D. O. Miller	12939	Synthesis, structure and AM1 conformational study of [3]paracyclo[3](1,3)-indolophane, a novel chiral cyclophane
E. Hasegawa, A. Yoneoka, K. Suzuki, T. Kato, T. Kitazume and K. Yanagi	12957	Reductive transformation of α,β-epoxy ketones and other compounds promoted through photoinduced electron transfer processes with 1,3-dimethyl-2-phenylbenzimidazoline (DMPBI)
K.-I. Washizuka, S. Minakata, I. Ryu and M. Komatsu	12969	Novel generation and cycloaddition of *N*-silylated azomethine ylides from α-silylimidates and trifluorosilane
H. Miyaoka, M. Nakano, K. Iguchi and Y. Yamada	12977	Three new xenicane diterpenoids from Okinawan soft coral of the genus, *Xenia*
D. Y. Kim, Y. M. Lee and Y. J. Choi	12983	Acylation of α-fluorophosphonoacetate derivatives using magnesium chloride-triethylamine
Y. S. Lee, B. J. Min, Y. K. Park, J. Y. Lee, S. J. Lee and H. Park	12991	Synthesis of angular-substituted tetracyclic azepino-indole derivatives *via N*-acyliminium ion cyclization
M. Vieira de Almeida, J. Cleophax, A. Gateau-Olesker, G. Prestat, D. Dubreuil and S. D. Gero	12997	Synthesis of deoxy phosphatidylinositol analogues and phosphonate isosters of Ins(1,4,5)P_3
J.-P. Surivet and J.-M. Vatèle	13011	Total synthesis of antitumor *Goniothalamus* styryllactones
H. J. Cristau, F. Darviche, M.-T. Babonneau, J.-M. Fabre and E. Torreilles	13029	Synthesis of unsymmetrically substituted TTF derivatives via the 'phosphonate way'. Some investigations on the scope of the method
R. Lavoie, A. Toró and P. Deslongchamps	13037	Synthesis of chiral *trans-syn-cis* and *trans-anti-trans* [6.6.6] tricycles by transannular Diels–Alder reaction
S. Bera and T. Pathak	13051	Thermal degradation of sugar-modified uridine *N*-oxides: olefination, oxazolidination and rearrangements
I. I. Druţa, M. A. Andrei, C. I. Ganj and P. S. Aburel	13063	Synthesis of indolizine derivatives by the reaction of 2-(2′-pyridyl)-pyridinium ylides with ethylenic dipolarophiles

R. S. Ward, A. Pelter, R. Venkateswarlu, C. Kamakshi, P. V. Subhash, S. G. A. Moinuddin, M. B. Hursthouse, S. J. Coles and D. E. Hibbs	13071	Transformations of lignans. Part 4: Acid-catalysed rearrangements of gmelinol with BF_3-etherate and study of a product with a unique lignan skeleton formed by further oxidation with DDQ
R. Venkateswarlu, C. Kamakshi, S. G. A. Moinuddin, P. V. Subhash, R. S. Ward, A. Pelter, M. B. Hursthouse and M. E. Light	13087	Transformations of lignans. Part 5: Reactions of DDQ with a gmelinol hydrogenolysis product and its derivatives
	I	Instructions to contributors

NUMBER 46

Contents

	v	Contributors to this issue
	vii	Graphical abstracts
		Tetrahedron report number 509
F. Eymery, B. Iorga and P. Savignac	13109	Synthesis of phosphonates by nucleophilic substitution at phosphorus: the S_N P(V) reaction
		Articles
L. Jaquinod, R. G. Khoury, K. M. Shea and K. M. Smith	13151	Regioselective syntheses and structural characterizations of 2,3-dibromo- and 2,3,7,8,12,13-hexabromo-5,10,15,20-tetraphenylporphyrins
M. Kunishima, C. Kawachi, J. Morita, K. Terao, F. Iwasaki and S. Tani	13159	4-(4,6-Dimethoxy-1,3,5-triazin-2-yl)-4-methyl-morpholinium chloride: an efficient condensing agent leading to the formation of amides and esters
G. Ryu, B. W. Choi, B. H. Lee, K.-H. Hwang, U. C. Lee, D. S. Jeong and N. H. Lee	13171	Wondosterols A–C, three steroidal glycosides from a Korean marine two-sponge association
T. Kobayashi, K. Miki, B. Nikaeen and H. Baba	13179	Neighboring effect by heteroaromatic rings: formation of skeletally rearranged adducts by cycloaddition reaction of norbornadiene-fused pyridazines and pyrazines with 4-phenyl-1,2,4-triazole-3,5(4*H*)-dione
M.-J. Wu, L.-J. Chang, L.-M. Wei and C.-F. Lin	13193	A direct anionic cyclization of 2-alkynylbenzonitrile to 3-substituted-1(2*H*)-isoquinolones and 3-benzylideneisoindol-2-ones initiated by methoxide addition
A.-M. Sun and X. Huang	13201	Copper-catalyzed carbonylative cross-coupling of (*E*)-α-selanylvinylzirconiums with alkynyliodonium tosylates
T. A. Chevtchouk, V. E. Isakov and O. G. Kulinkovich	13205	Preparation of ketones from esters via substituted cyclopropanols. Application to the synthesis of (±)-ipsenol, (±)-ipsdienol and amitinol, the components of aggregation pheromones of the *Ips* bark beetles
A. Alberola, R. Álvaro, A. González Ortega, M. L. Sádaba and M. C. Sañudo	13211	Synthesis of [1]benzopyrano[4,3-*b*]pyrrol-4(1*H*)-ones from *N*(α)-(2-Oxo-2*H*-1-benzopyran-4-yl)Weinreb α-aminoamides
R. Durán, E. Zubía, M. J. Ortega, S. Naranjo and J. Salvá	13225	Novel alkaloids from the red ascidian *Botryllus leachi*
A. Arcadi, F. Marinelli and E. Rossi	13233	Synthesis of functionalised quinolines through tandem addition/annulation reactions of β-(2-aminophenyl)-α,β-ynones
J. Robles, M. Beltrán, V. Marchán, Y. Pérez, I. Travesset, E. Pedroso and A. Grandas	13251	Towards nucleopeptides containing any trifunctional amino acid
A. K. Chakraborti and G. Kaur	13265	One-pot synthesis of nitriles from aldehydes under microwave irradiation: influence of the medium and mode of microwave irradiation on product formation
A. A. B. Robertson and N. P. Botting	13269	Synthesis of deuterium labelled desulfoglucosinolates as internal standards for LC-MS analysis
A. J. Belfield, G. R. Brown, A. J. Foubister and P. D. Ratcliffe	13285	Synthesis of *meta*-substituted aniline derivatives by nucleophilic substitution
C. Beauve, M. Bouchet, R. Touillaux, J. Fastrez and J. Marchand-Brynaert	13301	Synthesis, reactivity and biochemical evaluation of 1,3-substituted azetidin-2-ones as enzyme inhibitors
	I	Instructions to contributors

NUMBER 47

Contents

	v	Contributors to this issue
	vii	Graphical abstracts
A. O. Maldaner and R. A. Pilli	13321	Stereoselective alkylation of *N*-Boc-2-pyrrolidinones and *N*-Boc-2-piperidinones. Synthesis and characterization of disubstituted lactams
S.-W. Tam-Chang and J. C. Mason	13333	Synthesis of symmetrical and unsymmetrical alkyl disulfides with attached flavin analog for formation of self-assembled monolayers on gold
C. V. Varaprasad, D. Averett, K. S. Ramasamy and J. Wu	13345	Synthesis and structural studies of monocyclic 4′-aza-L-nucleosides
A. K. Ghosh and Y. Wang	13369	Stereoselective synthesis of 5-*O*-carbamoylpolyoxamic acid by [2,3]-Wittig–Still rearrangement
M. Lehmann, B. Schartel, M. Hennecke and H. Meier	13377	Dendrimers consisting of stilbene or distyrylbenzene building blocks synthesis and stability
M. Sander, E. V. Dehmlow, B. Neumann and H.-G. Stammler	13395	Preparation and cyclopropanation of selected oxapolycycles
G. Märkl, H. Sauer, P. Kreitmeier, T. Burgemeister und F. Kastner	13407	Synthese von Diepoxy[16]annulen(6.2) durch intramolekulare McMurry-Kupplung
S. P. Chavan, S. S. Patil and T. Ravindranathan	13417	A simple synthesis of (±)-α-cuparenone
O. A. Attanasi, P. Filippone, E. Foresti, B. Guidi and S. Santeusanio	13423	Study of reactions between 1,2-diaza-1,3-butadienes and *N,N′*-diaryl- or *N,N′*-dialkylthioureas
G. C. G. Pais, R. A. Fernandes and P. Kumar	13445	Asymmetric synthesis of (*S*)-massoialactone
R. Ballini, G. Bosica, M. Damiani and P. Righi	13451	Nitroalkanes as a new source of 2-alkylidene-1,4-diols, in two steps
Y. A. Ibrahim, A. M. Kadry, M. R. Ibrahim, J. N. Lisgarten, B. S. Potter and R. A. Palmer	13457	Synthesis and structure of [1,2]thiaphospholo[4,5-*e*][1,2,4]triazines
J. Böhmer and R. Grigg	13463	Pd(0)-catalysed formation of diarylated dienes from propargyl carbonates and organoboron and organotin(IV) reagents
D. Craig, N. J. Ikin, N. Mathews and A. M. Smith	13471	Stereoselective synthesis of substituted tetrahydrofurans using 5-*endo*-trig cyclisation reactions
D. Craig, M. W. Pennington and P. Warner	13495	Template-directed intramolecular *C*-glycosidation. Formation of tetrahydrofurans and application to the synthesis of a higher-order sugar
R. W. Rickards, J. M. Rothschild, A. C. Willis, N. M. de Chazal, J. Kirk, K. Kirk, K. J. Saliba and G. D. Smith	13513	Calothrixins A and B, novel pentacyclic metabolites from *Calothrix* cyanobacteria with potent activity against malaria parasites and human cancer cells
	I	Instructions to contributors

NUMBER 48

Contents

	v	Contributors to this issue
	vii	Graphical abstracts
		Tetrahedron report number 510
P. Vogel, J. Cossy, J. Plumet and O. Arjona	13521	Derivatives of 7-oxabicyclo[2.2.1]heptane in nature and as useful synthetic intermediates
		Articles
O. Shirota, K. Nakanishi and N. Berova	13643	Phytosphingosines—a facile synthesis and spectroscopic protocol for configurational assignment

D. S. Clyne and L. Weiler	13659	The synthesis of 14-membered macrocyclic ethers
C. J. Douglas, H. M. Sklenicka, H. C. Shen, D. S. Mathias, S. J. Degen, G. M. Golding, C. D. Morgan, R. A. Shih, K. L. Mueller, L. M. Seurer, E. W. Johnson and R. P. Hsung	13683	Synthesis and UV studies of a small library of 6-aryl-4-hydroxy-2-pyrones. A relevant structural feature for the inhibitory property of arisugacin against acetylcholinesterase
S. Tsukamoto, S. Matsunaga, N. Fusetani and A. Toh-e	13697	Theopederins F–J: five new antifungal and cytotoxic metabolites from the marine sponge, *Theonella swinhoei*
N. Sakai, M. Funabashi, T. Hamada, S. Minakata, I. Ryu and M. Komatsu	13703	Synthesis of mesomeric betaines containing a pyrrolo- or imidazotriaziniumolate system and their cycloaddition with acetylenic dipolarophiles leading to triazocinone derivatives
Y. Xu and S. Zhu	13725	Study on the reactions of fluoroalkanesulfonyl azides with pyridine and its derivatives
N. Yu, R. Poulain, A. Tartar and J.-C. Gesquiere	13735	Cycloaddition of homophthalic anhydrides with aldehydes and ketones: a route to 3,4-dihydroisocoumarin-4-carboxylic acid derivatives
Le Thanh Giang, J. Fetter, M. Kajtár-Peredy, K. Lempert and G. Czira	13741	Acetoxylation of β-lactams with lead(IV) acetate
C. Giannini, A. Zampella, C. Debitus, J.-L. Menou, C. Roussakis and M. V. D'Auria	13749	Isolation and structural elucidation of the crellastatins I–M: cytotoxic bis-steroid derivatives from the Vanuatu marine sponge *Crella* sp.
Y. V. Bilokin, M. V. Vasylyev, O. V. Branytska, S. M. Kovalenko and V. P. Chernykh	13757	A novel and expedient approach to new heterocycles containing benzothiophene, benzothieno[2,3-*d*]pyrimidine and coumarin moieties
F. Palacios, D. Aparicio and J. M. de los Santos	13767	An efficient strategy for the regioselective synthesis of 3-phosphorylated-1-aminopyrroles from β-hydrazono phosphine oxides and phosphonates
R. Alvarez, B. Iglesias and A. R. de Lera	13779	Stereocontrolled synthesis of retinoids functionalized at C-13 by Suzuki coupling reactions
Ashish, S. Banumathi, D. Velmurugan, Anushree and R. Kishore	13791	Induced conformational preferences in a non-chiral β-Ala residue: X-ray diffraction, ^{1}H NMR, FT-IR and CD studies of Boc-β-Ala-D-Ala-$NHCH_3$ and Boc-β-Ala-L-Ala-$NHCH_3$
S. De Rosa, A. Crispino, A. De Giulio, C. Iodice, G. Tommonaro, R. Pronzato and M. Sidri	13805	A novel C_{21} terpene lactone from the sponge *Fasciospongia cavernosa*
R. Nesi, S. Turchi, D. Giomi and A. Danesi	13809	New perspectives in oxazole chemistry. Part 3: Homo- and hetero-domino processes of 4-nitro derivatives
W. Berts and K. Luthman	13819	Synthesis of a complete series of C-4 fluorinated Phe-Gly mimetics
F. Cafieri, E. Fattorusso, O. Taglialatela-Scafati, M. Di Rosa and A. Ianaro	13831	Metabolites from the sponge *Plakortis simplex*. Part 2: Isolation of four bioactive lactone compounds and of a novel related amino acid
R. Grigg, M. Thornton-Pett, J. Xu and L.-H. Xu	13841	Synthesis of novel 4-(5'-pyrrolidinyl)-β-lactams
	I	Instructions to contributors

NUMBER 49

Contents

	v	Contributors to this issue
	vii	Graphical abstracts
		Tetrahedron report number 511
M. A. Varner and R. B. Grossman	13867	Annulation routes to *trans*-decalins
		Articles
M. Goldberg, L. Smith II, N. Tamayo and A. S. Kiselyov	13887	Solid support synthesis of 14-membered macrocycles containing 4-hydroxyproline structural unit via S_NAr methodology
K. Kiran Kumar and A. Datta	13899	Stereoselective total synthesis of (+)-azimic acid

P. J. Crocker, B. Saha, W. J. Ryan, J. L. Wiley, B. R. Martin, R. A. Ross, R. G. Pertwee and R. K. Razdan	13907	Development of agonists, partial agonists and antagonists in the $\triangle^8$-tetrahydrocannabinol series
P. Magnus, J. M. Bailey and M. J. Porter	13927	Application of the β-azidonation reaction to the enantioselective synthesis of the lycorane Amaryllidaceae alkaloids
H. Nishikori, C. Ohta, E. Oberlin, R. Irie and T. Katsuki	13937	Mn–salen catalyzed nitrene transfer reaction: enantioselective imidation of alkyl aryl sulfides
R. Yanada, N. Negoro, M. Okaniwa and T. Ibuka	13947	Diastereoselective allylation and alkylation of optically active imines with metallic samarium and a catalytic amount of iodine
H. Shiraishi, T. Nishitani, T. Nishihara, S. Sakaguchi and Y. Ishii	13957	Regioselective synthesis of alkylpyrroles from imines and nitroalkenes by lanthanide compounds
S. Aoki, A. Setiawan, Y. Yoshioka, K. Higuchi, R. Fudetani, Z.-S. Chen, T. Sumizawa, S. Akiyama and M. Kobayashi	13965	Reversal of multidrug resistance in human carcinoma cell line by agosterols, marine spongean sterols
I.-Y. Wu, J. T. Lin, C.-S. Li, W. C. Wang, T. H. Huang, Y. S. Wen, T. Chow and C. Tsai	13973	Preparation of push–pull type chromophores via nitrothiophene induced Michael type reaction of alkynes
J. Lin, W. H. Chan, A. W. M. Lee and W. Y. Wong	13983	Asymmetric alkylation mediated by tricyclic chiral sultam auxiliaries
L. Ou, Y. Hu, G. Song and D. Bai	13999	Diastereoselective intramolecular [4+3] cycloaddition: synthesis of a versatile precursor for preparation of 5,7-fused ring compounds
R. Mahrwald and B. Ziemer	14005	Stereocontrol in one-pot syntheses of 1,3-diols
K. Nacro, M. Baltas and L. Gorrichon	14013	Attempt to rationalize the diastereoselectivity in the addition of ester enolate to optically active α,β-epoxyaldehydes
P. Villiers, D. Soullez, Y. Ramondenc and G. Plé	14031	Syntheses of three new lithio hexavinylogation reagents
L. K. Shi-Shun, J.-M. Mallet, M. Moreau et P. Sinaÿ	14043	Synthèse d'oligomères du polysaccharide capsulaire de *Salmonella typhi*, bactérie à l'origine de la fièvre typhoïde
M. G. Cabiddu, S. Cabiddu, E. Cadoni, S. De Montis, C. Fattuoni, S. Melis and F. Sotgiu	14069	Metallation reactions. Part 26: α,α′-Dimetallation of 1,2-bis(methylthioben-zene)
P. J. Campos, E. Añón, M. C. Malo and M. A. Rodríguez	14079	A versatile synthesis of pyrrolo-, furo- and thienopyridines via photocyclization of 3-amino-2-alkene imines in an acid medium
C. Baldoli, P. Del Buttero, D. Perdicchia and T. Pilati	14089	Stereoselective synthesis of β-sultams using chiral tricarbonyl(η^6-arene)-chromium(0) complexes
M. Gruttadauria, P. Lo Meo and R. Noto	14097	Stereoselective synthesis of tetrahydrofurans and tetrahydropyrans by acid-catalyzed cyclization of hydroxy selenides and hydroxy sulfides
S. Yenes and A. Messeguer	14111	A study of the reaction of different phenol substrates with nitric oxide and peroxynitrite
G. B. Giovenzana, L. Lay, D. Monti, G. Palmisano and L. Panza	14123	Synthesis of carboranyl derivatives of alkynyl glycosides as potential BNCT agents
J. M. Andrés, N. de Elena, R. Pedrosa and A. Pérez-Encabo	14137	Efficient synthesis of *syn*-aziridino alcohols by chelation-controlled addition of dialkylzincs and Grignard reagents to *N*-benzylaziridino aldehydes
R. Badorrey, C. Cativiela, M. D. Díaz-de-Villegas and J. A. Gálvez	14145	Stereocontrolled synthesis of all four stereoisomers of fully protected 2-amino-3-hydroxypentanoic acid from imines derived from D-glyceraldehyde
J. Clayden, C. S. Frampton, C. McCarthy and N. Westlund	14161	Perilithiation and the synthesis of 8-substituted-1-naphthamides
E. Caballero, C. Avendaño and J. C. Menéndez	14185	Steric and stereochemical effects on the free-radical bromination of tetracyclic and hexacyclic fragments of the MDR inhibitor *N*-acetylardeemin
V. Nair, K. V. Radhakrishnan, K. C. Sheela and N. P. Rath	14199	1,3-Dipolar cycloaddition reactions of nitrile-N-oxides with *o*-benzoquinones
V. K. Yadav, G. Senthil and D. A. Jeyaraj	14211	Diastereofacial selectivities of substituted 5-aza- and 5-bora-2-adamantanones. Application of the complexation model and its ab initio MO investigation
	14219	Corrigendum
	I	Instructions to contributors

NUMBER 50

Contents

	v	Contributors to this issue
	vii	Graphical abstracts
I. R. Corrêa Jr. and P. J. S. Moran	14221	Diastereoselective reduction of *E* and *Z* α-alkoxyimino-β-ketoesters by sodium borohydride
C. D. Brown, J. M. Chong and L. Shen	14233	An efficient synthesis of 2,3,5-trisubstituted furans from α,β-unsaturated ketones
J. M. Chong and M. A. Heuft	14243	Hydroalumination of 3-butyn-1-ol: application to a stereoselective synthesis of (3*E*,5*Z*)-3,5-dodecadienyl acetate, the sex pheromone of the leaf roller moth
D. A. Berges, N. Zhang and L. Hong	14251	Bicyclic azasugars containing a glycosidic heteroatom. Part 2: D-Lyxose analogues
D. Crich, X. Hao and M. Lucas	14261	Design, synthesis, application and recovery of a minimally fluorous diaryl diselenide for the catalysis of stannane-mediated radical chain reactions
L. A. Telan and R. A. Firestone	14269	Heavy atom effects reveal diradical intermediates. Part 1: An aqueous Diels–Alder reaction
L. J. Williams, B. Jagadish, S. R. Lyon, R. A. Kloster, M. D. Carducci and E. A. Mash	14281	Organic crystal engineering with piperazine-2,5-diones. Part 1: Crystal packing of piperazinediones derived from substituted 2-aminoindan-2-carboxylic acids
L. J. Williams, B. Jagadish, M. G. Lansdown, M. D. Carducci and E. A. Mash	14301	Organic crystal engineering with piperazine-2,5-diones. Part 2: Crystal packing of weakly dipolar piperazinediones derived from 2-amino-4-bromo-7-methoxy-indan-2-carboxylic acid
L. O. Zamir, J. Zhang, J. Wu, F. Sauriol and O. Mamer	14323	Novel taxanes from the needles of *Taxus canadensis*
H. Danjo, D. Tanaka, T. Hayashi and Y. Uozumi	14341	Allylic substitution in water catalyzed by amphiphilic resin-supported palladium–phosphine complexes
C. Iwamoto, K. Minoura, T. Oka, T. Ohta, S. Hagishita and A. Numata	14353	Absolute stereostructures of novel cytotoxic metabolites, penostatins A–E, from a *Penicillium* species separated from an *Enteromorpha* alga
F. Matsuda, M. Kito, T. Sakai, N. Okada, M. Miyashita and H. Shirahama	14369	Efficient construction of 8-membered ring framework of vinigrol through SmI_2-induced coupling cyclization
K. Kitaori, Y. Furukawa, H. Yoshimoto and J. Otera	14381	CsF in organic synthesis. Regioselective nucleophilic reactions of phenols with oxiranes leading to enantiopure β-blockers
Y. Okada, A. Fukumizu, M. Takahashi, J. Yamazaki, T. Yokoi, Y. Tsuda, S. D. Bryant and L. H. Lazarus	14391	Amino acids and peptides. Part 56: Synthesis of pyrazinone ring-containing opioid mimetics and examination of their opioid receptor binding activity
M. Lennartz, M. Sadakane and E. Steckhan	14407	Electrochemical oxidation of (*R*)-4-hydroxy-2-pyrrolidone: a key building block for stereoselective *N*-acyliminium ion coupling reactions
L. Fitjer, R. Gerke, W. Lüttke, P. Müller and I. Usón	14421	Synthesis, crystal structure and light absorption of vinylogous *N,N'*-dialkyl-indigos
R. Gerke, L. Fitjer, P. Müller, I. Usón, K. Kowski and P. Rademacher	14429	New indigo chromophores containing disulfide donor groups
E. Bucci, L. De Napoli, G. Di Fabio, A. Messere, D. Montesarchio, A. Romanelli, G. Piccialli and M. Varra	14435	A new ferrocenemethyl-thymidine nucleoside: synthesis, incorporation into oligonucleotides and optical spectroscopic studies on the resulting single strand, duplex and triplex structures
F. Palacios, A. M. Ochoa de Retana and J. Pagalday	14451	A regioselective synthesis of 5-pyrazolones and pyrazoles from phosphazenes derived from hydrazines and acetylenic esters
M. Urbaniak and W. Iwanek	14459	Complexation of crown and diamond conformers of octamethoxyresorc[4]arene with strong electron acceptors
S. Ghorbanian, L. K. Mehta, J. Parrick and C. H. Robson	14467	Synthesis of some 24-membered tetralactam derivatives by an unexpectedly simple route, and some macrocyclic polyether dilactams
G. Radivoy, F. Alonso and M. Yus	14479	Reduction of sulfonates and aromatic compounds with the $NiCl_2{\cdot}2H_2O$-Li-arene (cat.) combination
J. L. García Ruano, A. Fraile and M. R. Martín	14491	1,3-Cycloaddition of nitrile oxides to cyclic and open-chain 4-oxo-2-sulfinylbut-2-enoic acid derivatives

T. Brukwicki, A. Przybył, W. Wysocka and J. Sośnicki	14501	The first quantitative determination of conformational equilibrium in quinolizidine–piperidine alkaloids
	14513	Erratum
	I	Instructions to contributors

NUMBER 51

Contents

	v	Contributors to this issue
	vii	Graphical abstracts
J. T. Gupton, K. E. Krumpe, B. S. Burnham, T. M. Webb, J. S. Shuford and J. A. Sikorski	14515	The application of vinylogous iminium salt derivatives to a regiocontrolled and efficient relay synthesis of lukianol A and related marine natural products
A. J. Arduengo III, R. Krafczyk, R. Schmutzler, H. A. Craig, J. R. Goerlich, W. J. Marshall and M. Unverzagt	14523	Imidazolylidenes, imidazolinylidenes and imidazolidines
M. E. Ochoa, M. S. Arias, R. Aguilar, F. Delgado and J. Tamariz	14535	Captodative olefin 3-*p*-nitrobenzoyloxy-3-buten-2-one as a Diels–Alder ketene equivalent for the synthesis of γ-hydroxycyclohexenones
C. P. Suhrada, W. Pan and M. Jones Jr.	14547	Cyclohept-1-en-3-yne
J.-H. Sheu, P.-J. Sung, J.-H. Su, H.-Y. Liu, C.-Y. Duh and M. Y. Chiang	14555	Briaexcavatolides A–J, new diterpenes from the gorgonian *Briareum excavatum*
M. Tsuda, T. Endo and J. Kobayashi	14565	Amphidinolide U, novel 20-membered macrolide from marine dinoflagellate *Amphidinium* sp.
B.-N. Su, Y. Takaishi and T. Kusumi	14571	Morinols A–L, twelve novel sesquineolignans and neolignans with a new carbon skeleton from *Morina chinensis*
Y.-M. Tsai, C.-D. Cherng, H.-C. Nieh and J.-A. Sieh	14587	The formation of oxygen-containing heterocycles via intramolecular cyclizations of halo-substituted acylsilanes and unsaturated acylsilanes
T. Hashihayata, T. Punniyamurthy, R. Irie, T. Katsuki, M. Akita and Y. Moro-oka	14599	Conformational analysis of cationic (*R,S*)- and (*R,R*)-(salen)manganese complexes possessing axial chirality as a chiral element based on X-ray crystallography: an explanation of the effect of apical ligand on enantioselection by (salen)manganese catalyst
M.-X. Wang, W.-S. Miao, Y. Cheng and Z.-T. Huang	14611	A systematic study of reaction of heterocyclic enaminas with electrophilic alkynes: a simple and efficient synthetic route to 2-pyridinone-fused heterocycles
K.-S. Ngo and G. D. Brown	14623	Autoxidation of allohimachalol
D. Georgiadis, M. Matziari, S. Vassiliou, V. Dive and A. Yiotakis	14635	A convenient method to synthesize phosphinic peptides containing an aspartyl or glutamyl aminophosphinic acid. Use of the phenyl group as the carboxyl synthon
M. Pineda Molas, M. I. Matheu, S. Castillón, J. Isac-García, F. Hernández-Mateo, F. G. Calvo-Flores and F. Santoyo-González	14649	Synthesis of 3,6-anhydro sugars from cyclic sulfites and sulfates and their applications in the preparation of bicyclonucleoside analogues of ddC and ddA
S. Carbonelli, A. Zampella, A. Randazzo, C. Debitus and L. Gomez-Paloma	14665	Sphinxolides E–G and reidispongiolide C: four new cytotoxic macrolides from the New Caledonian Lithistida sponges *N. superstes* and *R. coerulea*
A. Tahri, W. De Borggraeve, K. Buysens, L. Van Meervelt, F. Compernolle and G. J. Hoornaert	14675	Divergent pathways in the intramolecular Diels–Alder reaction of 2(1*H*)-pyrazinones substituted at the 3-position with a phenylalkyne containing side chain
C. Cardellicchio, G. Ciccarella, F. Naso, F. Perna and P. Tortorella	14685	Use of readily available chiral compounds related to the Betti base in the enantioselective addition of diethylzinc to aryl aldehydes
C. L. Kingsbury, K. S. Sharp and R. A. J. Smith	14693	Effects of dimethyl sulfide on the reaction of dibutylcopper reagents with α,β-unsaturated ketones

A. Tárraga, P. Molina, D. Curiel, J. L. López and M. D. Velasco	14701	Aza-Wittig reactions of iminophosphoranes derived from ferrocenylazido ketones: preparation and electrochemical study of novel ferrocenyl-substituted azaheterocycles
P. Bovicelli, P. Lupattelli, B. Crescenzi, A. Sanetti and R. Bernini	14719	Oxidation of 3-arylisochromans by dimethyldioxirane. An easy route to substituted 3-arylisocoumarins
N. Roué and J. Bergman	14729	Synthesis of the marine alkaloid leucettamine B
T. D. Haselgrove, M. Jevric, D. K. Taylor and E. R. T. Tiekink	14739	Expeditious synthesis of dihydronaphthofurans utilising 1,2-dioxines and stabilised phosphorus ylides
S. Mukhopadhyay, G. Rothenburg, H. Wiener and Y. Sasson	14763	Palladium-catalyzed aryl–aryl coupling in water using molecular hydrogen: kinetics and process optimization of a solid–liquid-gas system
S. Sinha, P. Ilankumaran and S. Chandrasekaran	14769	One pot conversion of alcohols to disulfides mediated by benzyltriethylammonium tetrathiomolybdate
W. M. Abdou and A. A. Sediek	14777	Synthesis and reactions of phosphino- and phosphono substituted-coumarins
W. H. Midura, J. A. Krysiak and M. Mikołajczyk	14791	1,3-Dipolar cycloaddition of diazoalkanes to racemic and optically active α-(diethoxyphosphoryl)vinyl p-tolyl sulfoxides: a new synthesis of 3-phosphoryl-pyrazoles and asymmetric synthesis of cyclopropanes
G. Broggini, G. Molteni, A. Terraneo and G. Zecchi	14803	A facile synthesis of flumazenil analogues
O. Kuisle, M. Lolo, E. Quiñoá and R. Riguera	14807	Monitoring the solid-phase synthesis of depsides and depsipeptides. A color test for hydroxyl groups linked to a resin
	I	Instructions to contributors

NUMBER 52

Contents

	v	Contributors to this issue
	vii	Graphical abstracts
A. S. Kiselyov, L. Smith II and P. Tempest	14813	Solid support synthesis of 14- and 17-membered macrocycles via the S_NAr methodology
B. B. Snider and B. Shi	14823	Syntheses of (*E*)- and (*Z*)-volkendousin
R. N. Buckle and D. J. Burnell	14829	A chiral probe for the asynchronous transition state of Diels–Alder reactions with acetylenedicarboxylate
R. Bau and I. Tsyba	14839	Crystal structure of amikacin
M. Nomura, K. Endo, S. Shuto and A. Matsuda	14847	Nucleosides and nucleotides. Part 191: Ring expansion reaction of 1-[2,3,5-tri-*O*-TBS-4α-formyl-β-D-*ribo*-pentofuranosyl]uracil by treating with (methylene)-triphenylphosphorane to give a new nucleoside containing dihydrooxepine ring at the sugar moiety
H. Okubo, F. Feng, D. Nakano, T. Hirata, M. Yamaguchi and T. Miyashita	14855	Synthesis and monolayer behaviors of optically active 1,12-dimethylbenzo[*c*]-phenanthrene-5,8-diamides and the formation of chiral Langmuir–Blodgett films
S. Aoki, K. Higuchi, A. Kato, N. Murakami and M. Kobayashi	14865	Myrmekiosides A and B, novel mono-*O*-alkyl-diglycosylglycerols reversing tumor cell morphology of *ras*-transformed cells from a marine sponge of *Myrmekioderma* sp.
S. Takahashi, H. Terayama, H. Koshino and H. Kuzuhara	14871	Synthesis of a novel azapseudodisaccharide related to allosamidin employing *N,N'*-diacetylchitobiose as a key starting material
M. Katohgi, H. Togo, K. Yamaguchi and M. Yokoyama	14885	New synthetic method to 1,2-benzisothiazoline-3-one-1,1-dioxides and 1,2-benzisothiazoline-3-one-1-oxides from *N*-alkyl(*o*-methyl)arenesulfonamides
T. Konoike, K. Takahashi, Y. Kitaura and Y. Kanda	14901	Synthesis of [2-^{13}C]-oleanolic acid and [2-^{13}C]-myricerone
K. Hori, S. Fukuda and J. Ichikawa	14915	Ab initio molecular orbital study on three feasible mechanisms for substitution of the vinylic carbon in $F_2C{=}C(OMs)BMe_3^-$
H. Shigemori, K. Komatsu, Y. Mikami and J. Kobayashi	14925	Seragakinone A , a new pentacyclic metabolite from a marine-derived fungus

I. Schlachter, U. Höweler, W. Iwanek, M. Urbaniak and J. Mattay	14931	Complexation of fullerenes by calix[*n*]arenes: molecular dynamic simulations and Benesi–Hildebrand equilibrium constants
B. Hungerhoff and P. Metz	14941	A novel binaphthylamine auxiliary for asymmetric imidate Claisen rearrangement
A. Rumbero, I. Borreguero, J. V. Sinisterra and A. R. Alcántara	14947	Acyclic phenylalkanediols as substrates for the study of enzyme recognition: synthesis of substrates and enzymatic resolution via hydrolysis and trans-esterification
I. Borreguero, J. V. Sinisterra, A. Rumbero, J. A. Hermoso, M. Martínez-Ripoll and A. R. Alcántara	14961	Acyclic phenylalkanediols as substrates for the study of enzyme recognition. Regioselective acylation by porcine pancreatic lipase: a structural hypothesis for the enzymatic selectivity
E. M. Beccalli, F. Clerici and M. L. Gelmi	14975	Isothiazoles. Part 10: New 3-substituted-2-arylpropenamidines by base catalyzed ring opening of 3-amino-4-arylisothiazole 1,1-dioxides
M. Pasini, S. Destri, C. Botta and W. Porzio	14985	Synthesis, optical and electrochemical characterization of inter-ring bridged tetramers based on thiophene
D. Passarella, M. Martinelli, N. Llor, M. Amat and J. Bosch	14995	Biomimetic construction of the tetracyclic ring system of ngouniensine
R. Patiño-Molina, R. Herranz, Mª T. García-López and R. González-Muñiz	15001	Stereoselective reductive amination of β-keto esters derived from dipeptides. Stereochemical and mechanistic studies on the formation of 5-carboxymethyl-2-oxopiperazine derivatives
C. Uncuţa, A. Tudose, M. T. Căproiu, M. Plăveţi and R. Kakou-Yao	15011	Beckmann and cyclization reactions of δ-oxo-α,β-unsaturated ketoximes obtained from pyrylium salts and hydroxylamine. Formation of 2-aryl(or alkyl)-amino-4,6-disubstituted pyrylium salts
D. Craig, V. R. N. Munasinghe, J. P. Tierney, A. J. P. White, D. J. Williams and C. Williamson	15025	Template-directed intramolecular *C*-glycosidation. Cation-mediated synthesis of ketooxetanes from thioglycosides
D. Craig, M. J. Ford, R. S. Gordon, J. A. Stones, A. J. P. White and D. J. Williams	15045	Intramolecular Diels–Alder reactions of diester-tethered trienes. Synthesis of medium ring-containing carbocycles and heterocycles
A. J. Goodman, S. P. Stanforth and B. Tarbit	15067	Desymmetrization of dichloroazaheterocycles
B. Domínguez, B. Iglesias and A. R. de Lera	15071	A comprehensive survey of Stille-type C_{sp^2}–C_{sp^2} single bond forming processes in the synthesis of retinoic acid and analogs
K.-S. Ngo and G. D. Brown	15099	Synthesis of amorphane and cadinane sesquiterpenes from *Fabiana imbricata*
K.-S. Ngo and G. D. Brown	15109	Autoxidation of 4-amorphen-11-ol and the biogenesis of *nor-* and *seco*-amorphane sesquiterpenes from *Fabiana imbricata*
L.-K. Sy, K.-S. Ngo and G. D. Brown	15127	Biomimetic synthesis of arteannuin H and the 3,2-rearrangement of allylic hydroperoxides
A. M. Costero, E. Monrabal, F. Sanjuan, R. Martínez-Máñez, M. Padilla-Tosta, T. Pardo and J. Soto	15141	Redox-active aza-crown ethers derived from biphenyl. Electrochemical and solution studies of complexation
G. Cardillo, L. Gentilucci and A. Tolomelli	15151	Dipeptides containing D-serine or D-isoserine from the same (*R*)-aziridine-2-imide by a simple reversal of the synthetic procedure
J. C. Carretero, J. E. de Diego and C. Hamdouchi	15159	New approach to the stereoselective synthesis of the [4.5]spiroketal moiety of papulacandins
J. K. Gallos, A. E. Koumbis, V. P. Xiraphaki, C. C. Dellios and E. Coutouli-Argyropoulou	15167	Diastereocontrol in the intramolecular cycloadditions of 2-substituted-*erythro*-3,4-isopropylidenedioxyhex-5-enenitrile oxides
A. F. Barrero, E. J. Alvarez-Manzaneda, R. Chahboun, M. Cortés and V. Armstrong	15181	Synthesis and antitumor activity of puupehedione and related compounds
N. Toyooka, Y. Yotsui, Y. Yoshida, T. Momose and H. Nemoto	15209	Highly stereoselective construction of 4,6-*cis*-substituted quinolizidine ring core: an application to enantioselective total synthesis of the marine alkaloid clavepictines A, B and pictamine
	I	Instructions to contributors

JOURNAL PACKAGES

Money-saving ways
to buy journals such as...

Atmospheric Environment
Biochemical Pharmacology
Environmental Pollution
Life Sciences
Neuropharmacology
Neuroscience
Tetrahedron Letters
Trends in Pharmacological Sciences

Which libraries benefit?

Those libraries which take all the journals from a package will see an immediate benefit and saving. Libraries which take all but one of the journals may find that they can buy the missing title for a nominal amount.

Take advantage of these packages

Subscription Agents have been informed about these money-saving packages and are in a position to help librarians take advantage of the savings offered. Contact your nearest Regional Sales Office directly for more information and help.

ELSEVIER

PERGAMON

NORTH HOLLAND

EXCERPTA MEDICA

Regional Sales Offices

For customers in Europe, Middle East and Africa
Elsevier Science
Regional Sales Office
Customer Support Department
P.O. Box 211
1000 AE Amsterdam
The Netherlands
Tel: (+31) 20 485 3757
Fax: (+31) 20 485 3432
E-mail: nlinfo-f@elsevier.nl

For customers in the United States & Canada
Elsevier Science
Regional Sales Office
Customer Support Department
P.O. Box 945
New York, N.Y. 10159-0945
U.S.A.
Tel: (+1) 212 633 3730
Toll Free number for
North-American customers:
1-888-4ES-INFO (437-4636)
Fax: (+1) 212 633 3680
E-mail: usinfo-f@elsevier.com

For customers in Japan
Elsevier Science
Regional Sales Office
Customer Support Department
9-15 Higashi-Azabu
1-chome
Minato-ku
Tokyo
106-0044 Japan
Tel: (+81) 3 5561 5033
Fax: (+81) 3 5561 5047
E-mail: info@elsevier.co.jp

For customers in Asia and Australasia
Elsevier Science
Regional Sales Office
Customer Support Department
No. 1 Temasek Avenue
#17-01 Millenia Tower
Singapore 039192
Tel: (+65) 434 3727
Fax: (+65) 337 2230
E-mail: asiainfo@elsevier.com.sg

For customers in Latin America
Elsevier Science
Regional Sales Office
Rua Sete de Setembro 111/16
Andar
20050-002 Centro
Rio de Janeiro - RJ
Brazil
Tel: (+55) 21 509 5340
Fax: (+55) 21 507 1991
E-mail: elsevier@campus.com.br

CO815/P1

BACK ISSUES OF THIS JOURNAL

Back issues of this and all other Elsevier Science journals are available in hard copy. New subscribers to a journal may purchase back issues of that publication in hard copy edition at 25% discount off the standard price. Elsevier Science maintains stocks of back issues and orders may be placed with confidence at your nearest Elsevier Science office. Should any issue of a volume be temporarily out of stock at the time of ordering, a high quality photoduplicated copy will be supplied at no extra charge to complete your order.

SAVE UP TO 25% BY PURCHASING COMPLETE SETS

Customers wishing to purchase complete sets can do so at a saving of 25% off the individual volume price.

MICROFORM EDITIONS

Back issues in microform of Elsevier Science research journals are also available. For further information please apply to your nearest Elsevier Science office.

BACK ISSUES PRICE LIST

Full details of the rates of back issues of all Elsevier Science journals can be found in our Back Issues Price List. Please contact your nearest Elsevier Science office for a copy.

Regional Sales Offices

For customers in Europe, Middle East and Africa
Elsevier Science, Regional Sales Office, Customer Support Department, P.O. Box 211, 1000 AE Amsterdam, The Netherlands
Tel: (+31) 20 485 3757, Fax: (+31) 20 485 3432, E-mail: nlinfo-f@elsevier.nl

For customers in the United States & Canada
Elsevier Science, Regional Sales Office, Customer Support Department, P.O. Box 945, New York, N.Y. 10159-0945, U.S.A.
Tel: (+1) 212 633 3730, Toll Free number for North-American customers: 1-888-4ES-INFO (437-4636), Fax: (+1) 212 633 3680
E-mail: usinfo-f@elsevier.com

For customers in Japan
Elsevier Science, Regional Sales Office, Customer Support Department, 9-15 Higashi-Azabu, 1-chome, Minato-ku, Tokyo, 106-0044 Japan
Tel: (+81) 3 5561 5033, Fax: (+81) 3 5561 5047, E-mail: info@elsevier.co.jp

For customers in Asia and Australasia
Elsevier Science, Regional Sales Office, Customer Support Department, No. 1 Temasek Avenue, #17-01 Millenia Tower, Singapore 039192
Tel: (+65) 434 3727, Fax: (+65) 337 2230, E-mail: asiainfo@elsevier.com.sg

For customers in Latin America
Elsevier Science, Regional Sales Office, Rua Sete de Setembro 111/16 Andar, 20050-002 Centro, Rio de Janeiro - RJ, Brazil
Tel: (+55) 21 509 5340, Fax: (+55) 21 507 1991, E-mail: elsevier@campus.com.br

ELSEVIER | PERGAMON | NORTH HOLLAND | EXCERPTA MEDICA

CO815/P3


1.0
1.1
1.25
1.4
1.6
1.8
2.0
2.2
2.5
2.8
3.2
3.6
4.0
4.5
5.0
5.6